Naval Research Laboratory

Washington, DC 20375-5320



NRL/MR/6180--99-8412

U.S. Navy Halon 1211 Replacement Plan Part III — Halon 1211 Mission Critical Reserve Evaluation

D.P. VERDONIK S.T. LARAMEE P.J. DINENNO

Hughes Associates, Inc. Baltimore, MD

F.W. WILLIAMS

Navy Technology Center for Safety and Survivability Chemistry Division

November 1, 1999

Approved for public release; distribution unlimited.

19991108 104

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

Davis Highway, Suite 1204, Arlington, VA 222	202-4302, and to the Office of Managen	nent and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.
1. AGENCY USE ONLY (Leave Blank)	2. REPORT DATE	3. REPORT TYPE AND DATES C	OVERED
	November 1, 1999	Interim Report — 1998	
4. TITLE AND SUBTITLE			5. FUNDING NUMBERS
U.S. Navy Halon 1211 Replac Evaluation	cement Plan Part III — Halon	1211 Mission Critical Reserve	
6. AUTHOR(S)			
D.P. Verdonik,* S.T. Laramee	,* P.J. DiNenno,* and F.W. Wi	illiams	
7. PERFORMING ORGANIZATION NA	ME(S) AND ADDRESS(ES)	•	8. PERFORMING ORGANIZATION REPORT NUMBER
Naval Research Laboratory			NRL/PU/618099-8412
Washington, DC 20375-5320			Mar Grotton 75 GHZ
9. SPONSORING/MONITORING AGEN	ICY NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER
Naval Air Systems Command			AGENOT HEL OTT NOWBER
Patuxent River, MD 20670			
11. SUPPLEMENTARY NOTES		, ,	
*Hughes Associates, Inc.	0		
Baltimore, MD			
12a. DISTRIBUTION/AVAILABILITY ST	ATEMENT		12b. DISTRIBUTION CODE
Approved for public release;	distribution unlimited.	T.	
13. ABSTRACT (Maximum 200 words)			
A review and analysis wa	re performed on the reports and	l data available for Halon 1211 to dete	rmine the quantity of Halon 12311
available to the U.S. Navv/U	S. Marine Corps and to proje	ect the quantity required to support po	eace-time Crash, Fire, and Rescue
operations. The total quantity	of Halon 1211 available to the	Navy/Marine Corps is estimated to be	approximately 2,000,000 pounds.

A review and analysis were performed on the reports and data available for Halon 1211 to determine the quantity of Halon 12311 available to the U.S. Navy/U.S. Marine Corps and to project the quantity required to support peace-time Crash, Fire, and Rescue operations. The total quantity of Halon 1211 available to the Navy/Marine Corps is estimated to be approximately 2,000,000 pounds. This quantity includes the 450,000 pounds of Halon 1211 at the Reserve/Defense General Supply Richmond that are listed as Navy/Marine Corps assets and the quantities on board ships (157,000 pounds), aircraft (1,000 pounds), and installed and stored at navy/Marine Corps shore side facilities (1,400,000 pounds). The projection for the quantity of Halon 1211 required for the Navy/Marine Corps was estimated by two different methods. The usage rate based on quantities reported in the fire incident data is estimated to be 35,000 pounds of Halon 1211 per year. The usage rate based on the data of shipments from the Reserve is estimated and prove-out of Halon 1211 alternative systems, the historical usage rate is projected to be adequate to supply peace-time quantities of Halon 1211 for approximately 4-13 years.

14. SUBJECT TERMS			15. NUMBER OF PAGES
Halon 1211	Aviation firefighting	Halon Reserve	115
Halon alternatives Crash, fire and rescue (CFR)	Firefighting agents Halon Bank		16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

CONTENTS

1.0	INTR	ODUCTION	1
	1.1	Background	1
	1.2	Halon 1211 on Navy (Ground Based) Flight Line Applications	2
	1.3	Halon 1211 on Flight Decks	3
	1.4	Environmental Issues	4
	1.5	Halon 1211 Use and Availability	4
2.0	OBJE	ECTIVE	6
3.0	APPI	ROACH	6
	3.1	Drop-in Agent Approach	6
	3.2	Systems Engineering Approach	7
	3.3	Assignment III - Halon 1211 Mission Critical Reserve Evaluation	8
		3.3.1 Halon 1211 Quantities Available	8
		3.3.2 Halon 1211 Usage Projections	9
4.0	LOG	ISITICS AND REPORTING FOR HALON 1211	9
	4.1	Supply And Provisioning Process	10
,	4.2	Reserve Reporting	11
		4.2.1 Issued to Field	12
		4.2.2 Returned to the Reserve	12
		4.2.3 Available for Issue	14
		4.2.4 Analysis of Reserve Reporting	14
	4.3	Installed Base Reporting (CNO Data Call)	15
	4.4	Assessment of Normal Reporting	15
5.0	EST	IMATION OF HALON 1211 BANK	16
٥.٠	5.1	Halon 1211 Reserve	16
	5.2	Installed Base at Shore Side Facilities	16
		5.2.1 CFR Vehicles	18
		5.2.2 Portable Extinguishers (Hand Held and Flight Line Units)	22
	5.3	Local In-storage and Backup Quantities at Shore side Facilities	25
	5.4	Navy/USMC Shore side Facilities Portion of Halon 1211 Bank	26
	5.5	Estimate of Shipboard Halon 1211	27
	5.5	5.5.1 CV/CVN	28
		5.5.2 Amphibious Assault Ship – Iwo Jima Class (LPH)	29
		5.5.3 Amphibious Assault Ship - Tarawa Class (LHA)	30

		5.5.4 Amphibious Assault Ship - Wasp Class (LHD)	31
		5.5.5 Amphibious Transport Dock – LPD	
		5.5.6 Landing Craft, Air Cushioned (LCAC)	33
		5.5.7 Training and Other Fielding	
		5.5.8 Total Shipboard Halon 1211	
	5.6	Estimate of Aircraft Halon 1211	34
	5.7	Summary of Halon 1211 Bank	35
6.0	QUA	NTITIES REQUIRED	36
	6.1	Reserve Shipments Method	37
		6.1.1 Usage Rate of Halon 1211 Shipboard	37
		6.1.2 Usage Rate of Halon 1211 at Shore Side Facilities	
		6.1.3 Total Estimated Halon 1211 Usage Rate	41
	6.2	Fire Incident Data Method	42
		6.2.1 Reported Shore side Fire Incidents	42
		6.2.2 Unreported Shore Side Fire Incidents	4 4
		6.2.3 Shipboard Fire Incidents	45
		6.2.4 Total Halon Use Estimated from Fire Incident Data	45
	6.3	Halon 1211 Usage Projections	46
	6.4	Reserve Projections	47
7.0	CON	CLUSIONS	48
8.0	RECO	OMMENDATIONS	50
9.0	REFE	ERENCES	52
Appe	ndix A -	- Authorized User List for ODS Reserve	A-1
Appe	ndix B -	- Chief of Naval Operations Data	B-1
Appe	ndix C -	- Inventories	C-1
Appe	ndix D	- Resulting Inventory	D-1

U.S. NAVY HALON 1211 REPLACEMENT PLAN Part III - Halon 1211 Mission Critical Reserve Evaluation

1.0 INTRODUCTION

1.1 Background

The U.S. Navy currently uses five firefighting agents for suppressing fires on flight lines and flight decks: water, Aqueous Film Forming Foam (AFFF), Halon 1211, potassium bicarbonate (PKP), and carbon dioxide (CO₂) [NATOPS, 1994]. While each of these agents is potentially effective for flammable liquids or other combustibles typically encountered on flight lines and flight decks, each has advantages or disadvantages for a particular application. AFFF and water are the primary agents while PKP, Halon 1211, and CO₂ are secondary agents used with the primary agent or alone. The secondary agent is used alone in those situations where the primary agent is not effective and cannot completely extinguish the fire. It is often used in combination with the primary agent when increased effectiveness is required. For example, while AFFF is very effective in fighting pool fires and providing cooling, it is limited in fighting three-dimensional and deep seated, hidden fires. The three secondary agents are better than AFFF in fighting three-dimensional fires and hidden fires but do not provide effective cooling or burnback protection.

An important distinction between the five agents is the potential for causing collateral damage or damage caused by the agent to hot metal surfaces, electronics, or avionics. Halon 1211 is recognized as the agent that will cause the least collateral damage. While Halon 1211 and CO₂ may, in some extreme circumstances, both be considered 'clean,' CO₂ may cause collateral damage due to thermal shock or static discharge. PKP and AFFF are not clean agents and may

cause considerable collateral damage. For this reason, Halon 1211 has become the agent of choice in many aviation firefighting applications. The ability to reduce or eliminate collateral damage has been thought to be particularly important for engine fires and internal electrical fires. The aircraft may be placed back into service more quickly and at a lower cost when solely Halon 1211 is used to extinguish the fire [Leonard et al., 1992].

Halon 1211 was not the first clean, halocarbon agent to be used for aviation firefighting. Chlorobromomethane (CB), also known as Halon 1011, was used by the U.S. Air Force (USAF) as a streaming agent as early as the 1970s for flight line firefighting. Halon 1011 demonstrated the ability to limit collateral damage; however, it had corrosion and toxicity properties that were less than ideal. In the late 1970s, the USAF sponsored testing of Halon 1211 as a replacement for Halon 1011 [Chambers, 1977]. Halon 1211 was shown to possess the same positive attribute in limiting collateral damage but was much less toxic and corrosive than Halon 1011. The USAF sponsored work and the experience with Halon 1211 in Europe led to the recommendation to replace Halon 1011 in flight line extinguishers [Novotny et al., 1975]. Although no definitive literature source has been found that delineates how the 150 pound capacity was determined, there is a fair amount of anecdotal information available [Chambers, 1977; Burns, 1996; Huston, 1996; Darwin 1996-1997].

1.2 Halon 1211 on Navy (Ground Based) Flight Line Applications

The Navy began to incorporate Halon 1211 into flight line firefighting as early as 1977 when Twin Agent Units (TAUs) with AFFF and Halon 1211 were purchased to replace TAUs with PKP [Rout, 1996-1997; NAVFAC, 1996]. Soon after, Halon 1211, 150 pound, wheeled flight line extinguishers were purchased by the Navy and Air Force. The 150 pound units are intended to provide for initial attack of fires by maintenance and operations crews. Halon 1211 was also placed within crash Fire Rescue (CFR) vehicles such as the P-19. The decision to require 500 pounds of Halon 1211 on CFR vehicles appears to be based on what would fit in available space rather than determining a precise quantity required to meet a particular fire threat.

Within military CFR vehicles 500 pounds was found to fit in the space previously used by PKP [Darwin, 1996-1997].

In 1982, the FAA performed tests to qualify Halon 1211 as an acceptable alternative to PKP as a secondary agent for flight line CFR operations. These tests proved that Halon 1211 performed adequately and was subsequently approved for use. The FAA also came across the same 500 pound requirement by a different route. It appears that the 500 pound criterion was derived from an analysis of how much agent could be carried by a standard ¾ ton pickup truck [Wright, 1995]. Although not derived from an evaluation of agent required to meet a particular fire threat, the 500 pound value has become the de-facto standard.

The National Fire Protection Association (NFPA) published the "Standard for Aircraft Rescue and Firefighting Services at Airports" in 1988 [NFPA 403, 1988]. Minimum extinguishing agent quantities and discharge rates were provided for the primary and secondary agents based on the airport category. Halon 1211 and PKP were given a one to one parity with respect to both agent quantities and discharge rates. There does not appear to have been any specific tests performed or referenced in the NFPA committee decision [Darwin, 1996-1997]. The latest, 1993, version of NFPA 403 provides the same requirements for PKP and Halon 1211 as the 1988 version [NFPA 403, 1993].

1.3 Halon 1211 on Flight Decks

Halon 1211 found its way to the flight deck of U.S. Naval vessels in the mid-1980s as a result of the crash of an EA-6B aircraft on the USS NIMITZ [Carhart et al., 1987]. AFFF, PKP and Halon 1211 were evaluated against a standard debris pile fire developed by the Naval Research Laboratory (NRL) to simulate the fire threat encountered on the USS NIMITZ, a pool fire with aircraft debris and running fuel (leak) fires. Based on the work performed by NRL, Halon 1211 was chosen as the secondary agent to AFFF for flight deck firefighting. The flight deck firefighting vehicle, the P-16, was retrofitted to provide 400 pounds of Halon 1211 in

addition to the on-board AFFF. As with the flight line CFR vehicles, the decision to require 400 pounds of Halon 1211 appears to be based on the space available within the P-16 vehicle [Darwin, 1996-1997].

1.4 Environmental Issues

During the same time period that the Navy was increasing its reliance on Halon 1211, the international environmental community was linking the use of chlorofluorocarbons (CFCs) and halons to the destruction of the stratospheric ozone layer. The first international agreement was the Vienna Convention for the Protection of the Ozone Layer, signed in 1985. The Vienna Convention requires signatories to take appropriate measures to comply with its provisions including all protocols in force to protect against human activities that modify the stratospheric ozone layer. The major protocol under the Vienna Convention is the Montreal Protocol on Substances that Deplete the Ozone Layer, signed in 1987. At present, there are 156 Parties to the Protocol. The Protocol has been amended twice, the first Amendments to the Protocol were enacted in 1990 during a meeting in London and are, hence, termed the London Amendments. In 1992, the Copenhagen Amendments were adopted. Under the Copenhagen Amendments, production of Halon 1211 ceased in the US (and the rest of the developed nations) on 1 January 1994.

In the US, the Protocol was ratified by the Senate in 1988. The status of the Protocol as an International Treaty means that it takes precedence over national law. For example, Title VI of the Clean Air Act Amendments of 1990 (CAAA) requires that the more stringent control measures listed within the CAAA or the Protocol must be followed; the Environmental Protection Agency (EPA) has the responsibility to administer the regulations to adjust the control measures to ensure, as a minimum, compliance with the Protocol.

1.5 Halon 1211 Use and Availability

As a consequence of the Montreal Protocol, the Navy and all other users of Halon 1211 must rely on, and share, the quantities of Halon 1211 currently in existence. Recent actions under the Montreal Protocol have been aimed at determining the quantities of halons required to meet fire protection needs versus the quantities available. Surpluses of Halon 1211 may be targeted for mandatory collection and destruction. These actions may serve to reduce further the long-term availability of Halon 1211.

Since 1993, the Department of Defense (DOD) has established a strategic reserve of Halon 1211 to supply the needs of the services in lieu of relying on production. The quantities of Halon 1211 purchased, in supply, and used were not tracked in the logistics system. Local purchases at dozens of locations hampered efforts to get precise data. Best estimates were developed to determine the quantities of Halon 1211 required for the Reserve [DDLA, undated (circa 1994)]. The major source of Halon 1211 to support the field has been the Reserve since 1993. With this main source of Halon 1211, the ability of the logistics community to track Halon 1211 issued to the field has been significantly increased. In addition, other military activities, government agencies and industry have been performing research, development, test and evaluation (RDT&E) to develop and prove-out technologies to replace Halon 1211. Recent changes within the Montreal Protocol, technology developments and availability of additional Halon 1211 logistics data provide both the need and opportunity to re-evaluate the continued use of Halon 1211.

A project directed at evaluating the continued reliance on Halon 1211 for aviation firefighting was developed. The work covered in the entire effort will be performed and reported in four parts: (1) Halon 1211 Alternative Development Status, (2) Halon 1211 Requirements Review, (3) Halon 1211 Mission Critical Reserve Evaluation, and (4) Halon 1211 Replacement Program Plan. The work covered in this report is for Part III – Halon 1211 Mission Critical Reserve Evaluation.

2.0 OBJECTIVE

The overall objective of this project is to provide a basis input for a detailed Halon 1211 Replacement Program Plan. The purpose of the program plan is to ensure that the Navy is adequately prepared to support aviation CFR operations on flight lines and flight decks through continued use of Halon 1211 and/or replacement technologies.

To meet the overall objective, the plan will be based on (1) an evaluation of the development and status of Halon 1211 replacement technologies; (2) an assessment and delineation of fire protection operational requirements that currently use Halon 1211; (3) quantification of the amount of Halon 1211 within the Navy, including the reserve, available to meet the requirements; (4) an estimation of the Halon 1211 needed to meet the fire protection requirements; and (5) assessment of policy and procedural changes that may be implemented to reduce the required Halon 1211. The work presented in this report covers item (3):

The objective for the work performed under Part III was to develop accurate data on (1) the quantities of Halon 1211 that are available and (2) the quantities of Halon 1211 that are required to support Navy and USMC aviation firefighting. The intent was to determine how long the Reserve could be relied upon to provide Halon 1211 and when an alternate/replacement agent will need to be fielded.

3.0 APPROACH

3.1 Drop-in Agent Approach

Two different approaches may be used to perform the re-evaluation of continued Halon 1211 use in developing the Replacement Plan. The first approach starts with the premise that

every application that currently uses Halon 1211 must continue to use a Halon 1211 like replacement with exact attributes and capabilities of Halon 1211. This is the so called 'drop-in' philosophy where the one new agent must work in all current Halon 1211 equipment without modification. The new drop-in agent would have all of the positive attributes of Halon 1211 but would not have the negative environmental impacts. It essentially defines the requirement as Halon 1211. It defines the purpose as replacing Halon 1211 and sets all of the performance objectives at those equal to Halon 1211. This approach limits the ability to create significant advances in technologies. The lure of the drop-in approach is that if it is successful there will be limited logistical and cost impacts. The major disadvantage is that if it is unsuccessful Halon 1211 will be the only agent available to meet the firefighting need. It has not been successful to date, following 12 years of research and development. A Naval Studies Board enpanelled to evaluate Halon 1301 replacements found that "It is unlikely that a drop-in replacement agent will be discovered that will exhibit all of the beneficial properties of halon 1301 and not also exhibit a significant environmental impact" [National Academy of Sciences, 1997]. It is likely that Halon 1211 would be found the same.

3.2 Systems Engineering Approach

The second approach starts with the premise that each application that currently uses Halon 1211 can be defined by a series of firefighting and related requirements. Instead of assuming that the requirement is to replace Halon 1211, it places the need at performing the required firefighting. It requires understanding and defining the firefighting requirements for each application. This philosophy places the emphasis on the systems engineering required to meet the threat and not solely on the agent itself. Tests need to be developed that adequately measure the ability of the system to meet the documented requirement. It requires a better understanding of the operational and technical requirements. The major advantage is that a wider range of technologies can be explored. This approach will also lead to a better understanding of the science and engineering involved, and enhances the ability to develop significant advances in technology.

Several organizations have shown great success with the systems engineering approach in resolving Halon 1301 applications. The Navy has proved out inert gas generators in the V-22 and F/A-18E/F, and the Army has proved out HFC-227 (FM-200TM) in the RAH-66 for engine nacelle fire protection. CO₂ portables, water mist, and dry chemicals are all replacing Halon 1301 in various applications. HFC-236 has been commercialized as a 1211 replacement while CO₂ and dry chemicals are being used extensively in the private sector as Halon 1211 "replacements." All of these successful alternatives would have been eliminated from consideration using the drop-in approach. To date, no drop-in agent has been implemented in any fire protection application. Emphasis has been placed on the systems engineering approach in performing and reporting this work.

3.3 Assignment III - Halon 1211 Mission Critical Reserve Evaluation

3.3.1 Halon 1211 Quantities Available

A review and analysis was performed on the reports and data available for Halon 1211 from the logistics system. Additional information on the quantities of Halon 1211 installed shipboard and shore side was also collected and analyzed to determine the total quantity of Halon 1211 available for use by the Navy/USMC. The total amount is comprised of quantities in the strategic Reserve at the Defense Supply Center, Richmond (DSCR) that are listed as Navy/USMC assets, quantities on-board ships, and quantities installed and stored at Navy and USMC shore based facilities. The specific items to be addressed follows [Leach, 1996]:

- Develop stockpile quantities currently available for Naval (Navy/USMC) use,
- Coordinate with DLA, Richmond (DSCR) for Reserve quantities, and
- Include details of non-mission essential traffic.

3.3.2 Halon 1211 Usage Projections

A review and analysis of available data were performed to develop the historical Navy/USMC Halon 1211 peace-time usage rate. The usage rate was estimated based on two different sets of existing data: (1) shore side fire incident data covering the period 1977-1991 and 1993-1995; and (2) shipments of Halon 1211 to shore side and ship based activities covering the period January 1995 - June 1997. The projected peace-time usage rate from the Reserve was determined as a range resulting from both estimating methods. Conclusions drawn from Part I – Development of Halon 1211 Alternatives and Part II – Halon 1211 Requirements Review of this study indicated that the majority of the Halon 1211 systems currently fielded will remain in the system for the immediate future. Therefore, the usage projections were developed based on the assumption that the historical usage rate of Halon 1211 represents the projected usage for the immediate future.

The specific items to be addressed follows [Leach, 1996].

- Develop detailed Halon 1211 stockpile requirements;
- Identify all user hardware;
- Research historical usage rate, users and delivery patterns;
- Develop usage projections to include
 - "old" hardware retirement schedules,
 - new hardware purchase plans, and
 - recycling efficiency.

4.0 LOGISITICS AND REPORTING FOR HALON 1211

DSCR of the Defense Logistics Agency (DLA) is the central source and depository of Halon 1211 for the Department of Defense (DoD). The Halon 1211 managed by DSCR is called the Reserve. Sometimes the term, Reserve, is used synonymously with the term, "Bank."

However, there is an important distinction between these two terms. The Reserve of Halon 1211 does not represent the entire supply of Halon 1211 owned by, or available to the Navy (and USMC). The Reserve is only one component of the total Navy Halon Bank.

To describe the difference between the Bank and the Reserve, it is useful to use the analogy of a financial bank. All of the assets in a financial bank are not stored in the vault, ready to be issued to customers. While some assets are in the vault, the majority of the assets are "inuse," invested in car loans, mortgages, etc. For the Halon Bank, the Reserve is equivalent to the vault. It represents the quantity of halon assets that are available to be issued to the field. The rest of the Halon assets that comprise the Bank are in-use, invested in fire protection systems in CFR vehicles, flight line extinguishers, hand held extinguishers, and contained in bulk supply/ recycled containers. These in-use investments are located throughout the Navy and USMC, but they make up a significant part of the overall Bank of Halon 1211 available. For the purposes of this report, the term, Reserve, is limited to that portion of the Halon 1211 Bank that is managed by DSCR. The term, Bank, will be used to indicate the entire quantity of Halon 1211 in the Navy and USMC, including the Reserve.

4.1 Supply And Provisioning Process

The Naval Sea Systems Command (NAVSEA), Code 5090, has been directed by CNO (N451) to serve as the Navy manager of the Reserve of ozone-depleting substances (ODS) [Naval Sea Systems Command, 1996]. A Monitoring Plan was developed to include Halon 1211. The purpose of the monitoring plan is to (1) provide Navy oversight to ensure that only activities that are authorized have access to the Reserve, (2) track usage and availability to predict shortfalls and surpluses, and (3) provide feedback and information to Echelon II Commands and CNO (N451) on a routine basis. It was quickly realized that the Halon 1211 portion of the Reserve has not historically been tracked as well as the other portions of the Reserve. To assist in correcting the deficiencies with the Halon 1211 data, the Navy Inventory Control Point (NAVICP),

Mechanicsburg, PA was brought in to assist in the data collection. NAVSEA has contracted with Desmatics, Inc. to perform analyses of all of the data on a routine basis.

Only certain organizations/activities may withdraw Halon 1211 from the Reserve. Control is maintained through the Authorized Users List (AUL) [Naval Sea Systems Command, 1996]. NAVAIR is responsible for developing and updating the AUL for Halon 1211. The AUL is comprised of Unit Identifier Codes (UICs) for each organization authorized to requisition from the Reserve. The AUL is disseminated by NAVICP through their Technical Screening Expert System (TSES). TSES is used by DSCR and the Navy intermediate supply points to determine if the requisitioning UIC is on the AUL (i.e., to determine if the requisitioner is authorized to requisition Halon 1211 from the Reserve). The AUL from TSES, V1.7, release date June 95, is provided in Appendix A [Naval Supply Systems Command, 1995].

There are currently three sections of the AUL that affect Halon 1211. NAVSUP, NAVAIR, and the USMC provide UICs for Halon 1211 [Naval Supply Systems Command, 1995]. The NAVSUP section of the AUL includes Fleet Industrial Supply Centers (FISCs), Naval Air Stations (NASs), and Naval Stations (NSs). The activities listed are authorized to requisition 'all' ODSs in the Reserve. The NAVAIR list also authorizes organizations to requisition all ODSs in the Reserve. The NAVAIR list includes the NASs, Naval Air Fields (NAFs), Marine Corps Air Stations (MCASs), NSs, Naval Aviation Depots, CV/CVNs, LPHs, LHAs, LHDs, and several small specialized activities. The USMC list is specific to Halon 1211. MCASs, Marine Wing Support Squadrons and detachments are listed. There is overlap between the three lists, particularly with respect to the MCASs and NASs.

4.2 Reserve Reporting

DSCR provides monthly reports to CNO, Code: N-451 that covers all of the ODSs supplied out of the Reserve [USN, 1996-1997]. These monthly reports contain three main items

of importance to this study, the quantity of Halon 1211 (1) requisitioned by the field, (2) returned to the Reserve, and (3) the supplies available for issue to the field.

4.2.1 Issued to Field

For shipments to the field, the DSCR report contains two sections: (1) ODS Inventory Issues for 'month' and Summary ODS Inventory Issues Year to Date, and (2) Monthly ODS Requisitioner Report [USN, 1996-1997]. The second section, the Monthly ODS Requisitioner Report, includes specific information on who is requisitioning or trying to requisition from the Reserve. The items included in this report are (1) Product (Halon 1211), (2) Document Number, (3) NSN, (4) Quantity (cylinders), (5) Pounds Rejected, (6) Pounds Accepted, (7) Status Code, (8) Status Date, and (9) Address.

4.2.2 Returned to the Reserve

DSCR provides the quantity returned to the Reserve in the monthly ODS Accounting Report [USN, 1996-1997]. Part I Customer Returns by Service (Monthly, Yearly, and To Date) provides data on the following categories: (1) Product Name (Halon 1211), (2) Cylinder Size, (3) NSN, (4) Current Month (a) Cylinders Received and (b) Estimated Pounds, (5) Last 12 Months, (a) Cylinders Received and (b) Estimated Pounds, and (6) Since Jan 93, (a) Cylinders Received and (b) Estimated Pounds.

The data reported are limited to an estimate of the quantity of Halon received that is identified as 'owned' by the Navy/USMC [Sibley, 1996-1997]. The cylinder is not weighed when it is received. The reason is that it would be considerably more costly to do so. Therefore, a precise quantity of Halon 1211 in the received cylinder is not tracked or recorded. The estimate of the quantity received is based on 75 percent of the capacity of the cylinder. For example, a 150 pound Halon 1211 flight line extinguisher is expected to contain, on average, 112.5 pounds. This percentage is based on a composite value of all cylinders turned in to DSCR. The exact quantity

that was contained in the cylinder is never determined. Several cylinders are emptied at the same time for a batch recycling process. The total amount of Halon 1211 obtained from the batch recycling is recorded in the Available for Issues section of the DSCR monthly report.

The current tracking system does not record the specific unit or organization that returned the Halon [Sibley, 1996-1997]. The reason that this is not required is to make the process of returning the Halon to the Reserve as easy as possible for the field. DSCR does not require any more information than is necessary to determine ownership, i.e., Army, Navy/USMC, or USAF. The consequence of not tracking which organizations are returning the Halon 1211 is that there is no way to determine the usage of Halon 1211 in a particular organization. It is possible that a specific organization requisitioned a 1500 pound cylinder so that it may appear that their usage is 1500 pounds. However, this same organization may have returned more than 1500 pounds to DSCR for recycling. There is no way to track the returns by organization or exact quantity returned by an organization.

In analyzing the DSCR data, a question was raised on the returns of Halon 1211 when ships return to port. An easy method to measure the quantity of Halon (liquid) in the cylinder does not exist for the current 1500 pound Halon 1211 bulk cylinders. To better understand the returns of Halon 1211 to DSCR, NAVAIR requested that they provide a snap-shot analysis of the quantity of Halon 1211 contained in the returned 'bulk' cylinders. The purpose was to determine if the bulk cylinders were being returned partially full.

DSCR reported that for the period July 1996 through January 1997 they have received five 1500 pound Halon 1211 (1000 pound water capacity) coded as Navy [Sibley, 1996-1997]. All of these cylinders were essentially empty. A small residual amount of liquid and gas may have been present. DSCR also received thirty five 200 pound Halon 1211 (122 pound water capacity) cylinders during that same time. None of the 200 pound cylinders were empty. On average, these cylinders contained 75 percent of their capacity, but it was not possible to determine if the Halon 1211 was unused 'specification' material or recovered material in need of recycling. It was also

not possible to determine if these cylinders came from shore side or shipboard activities. It is more likely, however, that the 200 pound cylinders came from shore side activities. Since 1993 only ninety six 1500 pound Halon 1211 cylinders have been received by DSCR. This is significantly lower than DSCR expected.

While the data confirmed that partially filled cylinders are being returned to DSCR, it was not possible to determine which organization/activity returned these cylinders. It was, therefore, not possible to determine why partially full cylinders are being returned. Although not designed for this purpose, the data also confirmed that the assumed 75 percent for returns is a good average value.

4.2.3 Available for Issue

DSCR provides the supplies available for issue in the monthly ODS Accounting Report [USN, 1996-1997]. Part II, ODS Ready for Issue Product, covers the supplies that are available to the Navy/USMC to be issued to the field. The report includes (1) Product (Halon 1211), (2) Cylinder Size (pounds), (3) NSN, (4) Quantity on hand (cylinders), and (5) Total Pounds. It is important to note that this category does not include the estimated amount contained in cylinders that are awaiting recycling. The rationale is that it would not be prudent to indicate that an estimated amount received is actually available until it has been verified.

4.2.4 Analysis of Reserve Reporting

Although the data provided by DSCR may at first glance appear to be adequate to determine the organization that is using the Halon 1211, it is not. The inclusion of both intermediate supply points and end users on the AUL makes it impossible to determine the ultimate disposition of Halon 1211 using only the DSCR reports. It is not possible to determine the quantities used by a particular organization nor for a particular application, e.g., 150 pound

flight line extinguishers versus CFR vehicles. As such, the DSCR reports can only provide the aggregate amount of Halon 1211 issued to the field.

It was recognized that in order to determine the actual user of the Halon, additional data are needed on shipments from the intermediate supply points. It was reported that the NAVICP would begin to track the shipments from FISCs to the end-user in early FY97 [Mullenhard, 1996-1997]. On-hand quantities at the FISC will also be tracked to ensure that a material balance exists between DLA, the FISCs, and the end-users (i.e., quantities shipped from DSCR equals the quantity kept at the FISC plus the quantity shipped from the FISC to the end-user). (No data were available on the quantity of Halon 1211 at the FISCs as of 1 November 1997.) While, when performed, this will provide NAVAIR with information on aggregate usage of Halon 1211 from the Reserve, it does not account for use from on-hand supplies, particularly at shore side facilities.

4.3 Installed Base Reporting (CNO Data Call)

CNO letter Ser N451I/6U598044, dated 1 May 1996, established an annual reporting requirement for 1996-2001 for the number of systems and quantities of all ODS installed in the Navy and USMC [CNO, 1996]. The data are collected separately for weapon platforms and shore side facilities. A copy of the CNO letter and data requirements are provided in Appendix B. The CNO letter does not require reporting for bulk stock, spares, or other assets that are not currently "installed" or "in-use."

the state oaks

4.4 Assessment of Normal Reporting

It is not possible to determine the quantity in the Bank or the usage of Halon 1211 solely with the data that is normally tracked and reported. The data does not include (1) the ultimate end-user of the Halon shipped from DSCR, (2) on-hand quantities at organizations and activities e.g., NAS, MCAS, NS, ships, etc., (3) exact quantities of returns, and (4) organization/activity of the returns. These data gaps do not allow the Navy to create a "material balance" for each

activity/organization and hence can not determine total Bank quantities or usage Navy/USMC-wide. For example, if organizations are using internal supplies of Halon 1211, the quantities ordered from the Reserve would be lower than actual usage. Estimates would over state the ability of the existing stocks of Halon 1211 to support the field. If organizations are ordering more Halon 1211 from the Reserve than they are using, i.e., building up internal supplies, the quantities ordered would be higher than actual usage. Estimates would under state the ability of the existing stocks of halon to support the requirements.

5.0 ESTIMATION OF HALON 1211 BANK

To overcome specific data gaps several one-time data calls and surveys were performed. These data and the normally reported data are provided and discussed in three distinct areas:

(1) Reserve, (2) Installed Base, and (3) Storage/Backup Quantities. These three categories represent the total supplies, or Bank, of Halon 1211 available to the Navy/USMC.

5.1 Halon 1211 Reserve

The total quantity of Halon 1211 in the Reserve must be calculated from the DSCR data previously described. At any one time, the total amount is equal to the sum of the cumulative Customer Returns and the ODS Ready for Issue Product minus the cumulative Requisitions. As described previously, the data for Returns is an estimate based on 75 percent of the capacity of the cylinders on hand. This leads to some uncertainty in the actual quantity of Navy Halon 1211 in the Reserve. Based on historical data, however, DSCR believes that the estimation is very close to actual [Sibley, 1996-1997]. DSCR reported that as of 30 June 1997 the quantity of Halon 1211 owned by the Navy/USMC was approximately 450,000 pounds. This quantity includes a 100,000 pound transfer from the USAF.

5.2 Installed Base at Shore Side Facilities

The quantity of Halon 1211 installed in fire protection equipment is normally reported through the CNO Data Call. The quantities reported for 1 January 1996 and 1 January 1997 are provided in Table 1 [Mullenhard, 1996-1997]. As can be seen from the data, the results for CY 96 and CY 97 vary considerably.

Table 1. CNO Data Call

	1 Janua	1 January 1996		ry 1997
	Systems	Pounds	Systems	Pounds
Portable Extinguishers (hand helds)	1482	19,509	701	7,947
Flight line 150 lb Wheeled Units	2004	300,600	2571	379,045
Flight line Systems	78	31,385	1013	155,393
Other / Not Identified	2300	N/A	619	60,032
Total Installed Base	5874	351,494	4602	508,198

A separate request was made by NAVSEA, Code 03G2, for the east coast and west coast Fire Marshals to provide data on the quantities of Halon 1211 (1) installed in CFR equipment, (2) contained in hand held and flight line extinguishers, and (3) stored in bulk cylinders at shore side activities. The request did not include USMC installations. The east coast Fire Marshal reported the data to NAVSEA in the first quarter of FY97 based on the informal request [Darwin, 1996]. The data included all shore side facilities that fall under the east coast. The west coast Fire Marshal had not interpreted the NAVSEA discussion as a request for data. HAI clarified the need for the data and a submission was provided by the west coast Fire Marshal in early second quarter FY 97 [Baldwin, 1997]. The west coast data did not include Naval Base San Diego, NAF El Centro, NS Pearl Harbor, and NAS LeMoore. The data for the east and west coast are provided in Table 2.

Attempts to receive consolidated information from the USMC similar to that provided by the Navy Fire Marshals was unsuccessful. It was determined that the only USMC fire truck that contains Halon 1211 is the P-19. A centralized listing of the total number P-19s 'owned' by the USMC was obtained. The vehicles assigned to Goodfellow AFB for firefighting training were excluded. To obtain the remainder of the data, separate telephone calls were made to the USMC Aviation Fire Protection and Recovery Officers. The data are provided also in Table 2. For ease in discussion, all data contained in Table 2 will be referred to as the 'Fire Marshal' data.

Table 2. Quantities of Halon 1211 (pounds) Reported by Navy Fire Marshals and USMC

Aviation Fire Protection and Recovery Officers

	East Coast	West Coast	Marine Corps	Total Reported
Portable Extinguishers	334,431	147,829	265,030	747,290
CFR Vehicles	60,480	17,800	90,500	168,780
Total Installed Base	394,911	165,629	355,530	916,070
Storage Quantities	105,024	29,592	183,700	318,316
Total	499,935	195,221	539,230	1,234,386

The CNO data and the Fire Marshal data are broken out differently. However, that portion of the Navy Fire Marshal data representing the installed base should be comparable to the total value from the CNO data. As can be seen in Tables 1 and 2, a significant difference exists between the two sets of data. To determine why this difference exists and/or which data set may be better, the CFR vehicle data and the portable extinguisher data were analyzed further.

5.2.1 CFR Vehicles

A third method was used to estimate the quantities of Halon 1211 installed on CFR equipment to serve as a 'check' of the CNO and the Navy portion of the Fire Marshal data. An inventory of Navy CFR vehicles (excluding USMC vehicles) was supplied by Naval Facilities

Engineering Command (NAVFAC) [NAVFAC, 1996]. The inventory included the organization (by UIC), the make, model and year. A second inventory was provided by the east coast Fire Marshall for the CFR equipment for east coast activities that listed additional information [Rout, 1996]. In addition to the information contained in the NAVFAC inventory, the Fire Marshal inventory included status, replacement year, and original purchase price. The resulting inventories for all CFR equipment and Halon 1211 equipment only are provided in Appendices C and D.

Not all CFR vehicles contain Halon 1211. The NATOPS provides descriptions of many of these vehicles that indicate whether Halon 1211 is installed in the vehicle [NATOPS, 1994]. Additional information was obtained through discussions with the east coast Fire Marshal [Rout, 1996-1997]. Three CFR vehicles contain Halon 1211: Amertek CF 4000L (7160), Oshkosh TA-3000 (7190) and the P-19/P-19A (7160). All three of these CFR vehicles contain 500 pounds of Halon 1211. The description in the NATOPS did not indicate that the TA-3000 contained Halon 1211. The east coast Fire Marshal and field data confirmed the presence and quantity of Halon 1211 on the TA-3000. The NATOPS listed three different twin-agent units (TAUs in service, two of which may contain Halon 1211 or PKP. The east coast Fire Marshal indicated that TAUs purchased between 1977 and approximately 1986 contained Halon 1211 [Rout, 1996-1997]. TAUs purchased after 1986 do not. However, some of the 1977-86 TAUs may have been retrofit away from using Halon 1211. An additional area of concern is that the inventory tracks the vehicle that was used for the TAU and not the TAU itself. In some cases, the TAU is no longer in use, but the vehicle is. These issues lead to a small uncertainty, but the resulting inventory, provided in Appendix D, should be useful in determining the quantities of Halon 1211 installed in CFR equipment. The quantities of Halon 1211 calculated from this method are given in Table 3.

Table 3. Quantities of Halon 1211 (pounds) from CFR Equipment Inventory Method

le 3. Qualitities	U 2		Total
East Coast	West Coast	Marine Corps	
L	33,500	90,500	192,400
68,400	33,300		

1

While a similarly detailed inventory was not available for the USMC, the centralized listing of the total number of USMC P-19s was used to calculate the total capacity. The NATOPS indicated that the USMC TAU contains PKP and not Halon 1211. Additional information on the TAUs was obtained through the telephone interviews of the MCAS Aviation Fire Protection and Recovery Officers [MCAS, 1997]. Very few USMC TAUs contain Halon 1211. The quantities of Halon 1211 calculated from these data are provided also in Table 3. For ease in the discussion, the data contained in Table 3 will be referred to as the 'CFR Inventory' data.

A comparison was performed of the Navy portion of the Fire Marshal data and the CFR Inventory data to determine the extent of agreement. As shown in Table 4, the two methods agree well for the east coast but do not agree well for the west coast.

Table 4. Comparison of Fire Marshal Data versus CFR Inventory Data for Navy Facilities

	Fire Marshal	CFR Inventory	Agreement
East Coast	60,480	68,400	0.88
West Coast	17,800	33,500	0.53

Several reasons exist for the difference in the agreement of the data. The data from the east coast Fire Marshal were based on the on-hand quantity at the time of the survey [Rout, 1996-1997]. If CFR vehicles were partially full, or empty awaiting repair/servicing, the actual amount was provided in lieu of the capacity of the vehicle. The west coast Fire Marshal did not report actual on-hand quantities. Instead, the capacity of the vehicle was reported. In addition, as noted previously, data provided by the west coast Fire Marshal were not complete for all Navy activities. To correct the data to account for the unreported west coast activities, the quantity of Halon 1211 from the CFR Inventory data for the unreported west coast activities was removed and compared to that of the Fire Marshal data. A similar correction was also performed by adding the quantity of Halon 1211 from the CFR Inventory for the unreported west coast activities to the Fire Marshal data. The results for both of these corrections were compared to the Fire Marshal data and CFR Inventory data as appropriate. The results are provided in Table 5.

Table 5. Quantities for Reported versus Unreported West Cost Navy Activities

	West Coast CFR	West Coast Fire		
	Inventory without	Marshall plus	CFR Inventory	
Fire Marshal	Unreported Activities	Unreported	Total	Agreement
17,800	18,200	33,100	33,500	99%

The CFR equipment portion of the CNO data were compared to the west coast Fire Marshall data for several west coast activities [Mullenhard, 1996-1997]. In all cases, the quantities of Halon 1211 from the CNO data were less than from the Fire Marshal data. The excellent agreement between the Fire Marshal data and CFR Inventory data lends credibility to these two data sets. For this reason, the quantity of Halon 1211 from the Fire Marshal data as supplemented by the CFR Inventory was used as the basis for determining the total quantity of Halon 1211 installed in Navy/USMC CFR equipment.

Based on the above analyses, it appears that the NAVFAC CFR Inventory is a good tool to calculate the quantities of Halon 1211 contained on CFR vehicles and can be used to track and estimate quantities in the future. The agreement between the Fire Marshal data versus the CFR Inventory for the east coast is 88 percent. While several issues can lead to uncertainty, the main reason for the difference is that the east coast Fire Marshal provided the quantity that was actually installed instead of the potential capacity of the vehicle. As it is unlikely that all CFR equipment will be filled to capacity at all times, the actual quantities will be lower than the quantities based on capacity. Although the value of 88 percent is obtained from this one set of data, it is reasonable to apply this same value to Navy west coast activities as well. The 88 percent reduction factor was not used for the USMC CFR equipment because the quantities of CFR vehicles for the USMC was less certain than for the Navy and not all USMC activities reported.

The total Halon 1211 contained in all Navy/USMC CFR vehicles is estimated to be 180,500 pounds. A break out of the final estimate for Halon 1211 quantities on Navy and USMC CFR equipment is provided in Table 6.

Table 6. Final Estimate of Quantities of Halon 1211 (pounds) Installed on Navy and USMC CFR

Equipment (CFR Vehicles and TAUs)

	Navy East Coast	Navy West Coast	USMC	Total
CFR Vehicles including TAUs	60,500	29,500	90,500	180,500

5.2.2 Portable Extinguishers (Hand Held and Flight Line Units)

As was true for the CFR equipment, the CNO data and the Fire Marshal for the quantities of Halon 1211 in portable extinguishers do not agree. The CNO data were compared to the west coast Fire Marshal data to determine how well the two sets of data compare on a facility by facility basis [Mullenhard, 1996-1997]. While the CNO data was significantly lower than the Fire Marshal data in all cases, no direct pattern was discernible. Attempts were made to determine if a third independent method was available to estimate the quantities of Halon 1211 in portable extinguishers.

The Item Manager at Robins AFB for the flight line extinguisher was contacted to determine if quantities and locations were tracked. Since 1984, the Item Manager has not purchased any units [Williams, 1997]. However, it is possible, and likely, that local purchases occurred after that time. The estimated number of units in the USAF is 16,622, but their location is not tracked. No definitive data were provided by the Navy/USMC to the Item Manager. A best guess was made by the Item Manager that the total number of Halon 1211 flight line extinguishers DoD-wide was 23,000. However, no method existed to determine the accuracy of that estimate, the percentage owned by the Navy/USMC, or the locations of the extinguishers.

The second independent estimating technique examined was to use the NATOPS requirements for flight line extinguishers based on the number of aircraft at a shore side facility. Section 3.3.2, Primary Airfield Extinguishers, requires that a minimum of (1) one 150 pound Halon 1211 extinguisher be available per three "small" aircraft, (2) one extinguisher per two "large" aircraft, and (3) two extinguishers per C-130 aircraft [NATOPS, 1994]. One flight line

extinguisher is also required per two hot re-fueling points. An additional 10 percent should be kept in storage for backup supply. Quantities of hand held extinguishers are also recommended in the NATOPS. All major firefighting vehicles, and other vehicles as appropriate, should have a 20 pound Halon 1211 extinguisher, an 18 or 27 pound PKP extinguisher, and two 15 pound CO₂ extinguishers.

An estimate of the number of Halon 1211 flight line extinguishers was calculated for six shore based Navy/USMC facilities based on aircraft type and quantities, and other NATOPS requirements. An estimate of the number of 20 pound Halon 1211 extinguishers was also made using the CFR Inventory data. The quantities reported by the field in the Fire Marshal data average two to three times higher than estimated using the NATOPS requirements. One location had as much as ten times the quantity, based on pounds, required by the NATOPS.

The results for the CNO data versus the NATOPS requirements could not be explained. The results for the Fire Marshal data versus the NATOPS requirements were not unexpected and could be explained in three ways.

- (1) The NATOPS lists the minimum requirements. Each facility can require additional quantities of extinguishers, particularly flight line extinguishers, based on their own assessment;
- (2) While the total number of aircraft Navy/USMC-wide may have been reduced in recent years, no requirements exist for the shore side facilities to re-determine their flight line extinguisher requirements. The current quantity of flight line extinguishers may be based on a previously higher number of total aircraft; and/or
- (3) Numbers of aircraft stationed at a particular shore side facility may change.

 Quantities of flight line extinguishers may be based on a previously higher number of aircraft fielded at that shore side facility.

Based on the preceding analysis and the results for the CFR equipment, emphasis was placed on the Fire Marshal data to serve as the basis to estimate the quantity of Halon 1211 contained in portable extinguishers.

The west coast Fire Marshal data for portable extinguishers have the same two limitations as with the CFR equipment data: (1) not all of the activities reported, and (2) capacities and not actual quantities were reported. To resolve the missing activities from the Fire Marshal data, three methods were considered. The first was to use the CNO data for the missing activities. This method would likely under estimate the quantities of Halon 1211. The second method was to use the NATOPS minimum requirements for each missing activity. This method would also underestimate the quantities. The third method was to apply the same scaling factor developed for CFR vehicles to estimate the unreported activities. Based on the overall excellent agreement of the Fire Marshal data for CFR equipment, the latter method was chosen to estimate the missing west coast data. Unlike the case for the CFR equipment, no method was available to determine the extent to which the east coast values based on actual amounts varied from the values based on capacity. No correction factor could be developed, and therefore, the "as-reported" quantities were used.

The total Halon 1211 contained in all Navy/USMC portable extinguishers that are inservice (i.e., does not include extinguishers in storage, supply, etc.) is estimated to be 877,000 pounds. A break out of the final estimate for portable extinguishers is provided in Table 7.

Table 7. Final Estimate of Quantities of Halon 1211 (pounds) Installed in Navy and USMC Portable (Hand Held and Flight Line) Extinguishers

	Navy East Coast	Navy West Coast	USMC	Total
Portable Extinguishers				
(Hand Held and Flight Line)	334,000	278,000	265,000	877,000

5.3 Local In-storage and Backup Quantities at Shore side Facilities

The only data for the storage and backup supplies of Halon 1211 come from the Fire Marshal data. As for the CFR equipment and portable extinguishers, it was necessary to estimate the quantities for the west coast Navy activities that did not report. Two methods were evaluated. The first was to use the same scaling factor originally developed for the CFR equipment and subsequently used for portable extinguishers. The second was based on the NATOPS requirement for backup supplies. The NATOPS requires that (1) a minimum of one vehicle load of Halon 1211 be maintained for each designated CFR vehicle/equipment assigned and (2) 10 percent of the quantity contained in flight line extinguishers be maintained for backup supplies [NATOPS, 1994]. While the estimation method using the NATOPS requirements for flight line extinguishers was determined to greatly underestimate the quantity, the Navy Fire Marshals and several USMC Aviation Fire Protection and Recovery Officers reported that they expected the on-hand quantities to be very close to the NATOPS requirements [Rout, 1996-1997; Baldwin, 1996-1997; MCAS, 1997].

Quantities required by the NATOPS were calculated from the CFR Inventory shown in Table 3, and the assumption that 95 percent of the total quantity in portable extinguishers shown in Table 7 is due to the flight line extinguisher. The results based on the NATOPS storage/backup requirements indicated that on average Navy/USMC facilities have 102 percent of what is required. The storage/backup supplies identified at shore side facilities are close to those specified in the NATOPS requirements. This may be due to the ability of the Fire Chiefs and Aviation Fire Protection and Recovery Officers to maintain direct control of storage/backup supplies.

The scaling factor method was also evaluated to estimate the storage/backup supplies for unreported activities. It was determined that while BRAC locations may still have CFR equipment and portable extinguishers that were awaiting re-deployment, all of the storage/backup supplies have already been re-deployed. This would reduce the validity of the scaling factor

method and may result in underestimating the quantities. Based on this analysis, and the Fire Marshall/Aviation Fire Protection and Recovery Officer views, the quantities of storage/backup suppliers for the missing Navy west coast activities were estimated based on the NATOPS requirements.

The final estimate of Halon 1211 contained for storage/backup supplies in all Navy/USMC facilities is 349,000 pounds. A break out is provided in Table 8.

Table 8. Final Estimate of Backup/Storage Quantities of Halon 1211 (pounds) in Navy and USMC Shore Side Facilities

	Navy East Coast	Navy West Coast	USMC	TOTAL
Backup / Storage	105,000	60,000	184,000	349,000

5.4 Navy/USMC Shore side Facilities Portion of Halon 1211 Bank

Based on the estimates for CFR equipment, portable extinguishers, and storage/backup supplies the portion of the Navy/USMC Halon 1211 Bank at shore side facilities is estimated to be 1,406,500 pounds. The quantities separated by firefighting system are provided in Table 9.

Table 9. Total Quantities of Halon 1211 (pounds) by Fire Fighting System for Navy/USMC

Shore Side Facilities

	Navy	USMC	Total
Installed Base			
CFR Equipment	90,000	90,500	180,500
Portable Extinguishers	612,000	265,000	877,000
Local Storage/Backup	165,000	184,000	349,000
Total Shore Side Facilities Portion of			
Navy/USMC Bank	867,000	539,500	1,406,500

5.5 Estimate of Shipboard Halon 1211

The three major ship board firefighting systems of interest to this study are hand held extinguishers, the P-16, and the TAU-2H [NATOPS, 1994]. The hand held extinguishers at the AFFF hose stations and within the crash and rescue tools may be PKP and CO₂, or Halon 1211 [NATOPS, 1994]. The portable extinguishers were PKP and CO₂ when these vessels were originally designed [Darwin, 1996-1997]. Some of these extinguishers may have been replaced with Halon 1211, but this effort would be done on a ship by ship basis. No wholesale change-out from PKP/ CO₂ to Halon 1211 was performed. The P-16 contains 400 pounds of internally stored Halon 1211 and the TAU-2(H) contains 350 pounds of Halon 1211 [NATOPS, 1994]. The P-25, scheduled to begin to replace the P-16 in the near future, is not currently designed to contain internal supplies of Halon 1211 [Walsh, 1996-1997]. Three 20 pound Halon 1211 hand held extinguishers will be mounted on the P-25.

An inventory for the P-16, TAU-2H, and hand held extinguishers used shipboard was not identified. In order to develop an inventory the list of the current Fleet, by class of ship, was obtained through the Navy home page on the world wide web [USN, 1997]. In order to determine the number of firefighting systems on each ship, the Support Equipment Recommendation Data (SERD), dated 12/02/96, were obtained for the P-16 and the TAU-2(H) [SERD:P-16, 1996; SERD:TAU-2H, 1996]. The SERD lists the Basis of Issue for each class of ship and represents the number that each class is authorized to carry. To estimate the shipboard quantity of Halon 1211 for hand held extinguishers, it is assumed that the majority are PKP and CO₂. While it is possible that a small number of Halon 1211 hand held extinguishers may be present on some ships, the quantity of Halon 1211 is assumed to be negligible.

The inventory for shipboard systems was developed under the assumptions that (1) the SERD is the definitive source for quantities of systems on board ship and (2) each ship currently carries exactly what is authorized on the SERD. Changes in the NATOPS discussed in Assignment II – Halon 1211 Requirements Review of this study were not used in developing the

inventory. Information on ships under construction, differences with NATOPS requirements, and changes to ship class system requirements are provided for use in developing the quantity of Halon 1211 required to support future firefighting operations and future tracking needs. While these changes may affect the SERDs in the future, they do not reflect the current systems in place.

Based on the two SERDs, four ship classes currently carry the P-16 and/or the TAU-2H: (1) CV/CVN, (2) LPH, (3) LHA, and (4) LHD [SERD:P-16, 1996; SERD:TAU-2H, 1996]. In addition, it was reported that the LPDs will be authorized to carry Halon 1211 TAUs in the near future [Walsh, 1996-1997]. Currently, the 11 fielded LPDs, plus the one being built, do not contain Halon 1211, but they will in the future.

5.5.1 CV/CVN

Twelve CV/CVNs are currently in the Fleet, and two additional CVNs are being built (CVN 75 and CVN 76) [USN, 1997]. The CV/CVNs are authorized to carry three P-16 and three TAU-2Hs [SERD:P-16, 1996; SERD:TAU-2H, 1996]. To support the P-16s/TAU-2H, the CV/CVNs carry three 1500 pound Halon 1211 cylinders as backup supplies [Persutti, 1997]. Assuming that all ships are filled to 100 percent of capacity at all times, the total Halon 1211 carried on CV/CVNs is 81,000 pounds. Table 10 provides a break out of the quantity of Halon 1211 contained on active CV/CVN ships. The entries in italics are provided for future reference only and are omitted in the calculation for the current installed base.

Table 10. Quantities of Halon 1211 (pounds) on CV/CVNs by Firefighting System

		P-16		TAU-2(H)		1500 lb		Pounds
		Auth	lb	Auth	lb	Auth	lb	Halon 1211
CV 62	USS INDEPENDENCE	3	1200	3	1050	3	4500	6750
CV 63	USS KITTY HAWK	3	1200	3	1050	3	4500	6750
CV 64	USS CONSTELLATION	3	1200	3	1050	3	4500	6750
CV 67	USS JOHN F KENNEDY	3	1200	3	1050	3	4500	6750
CVN 65	USS ENTERPRISE	3	1200	3	1050	3	4500	6750
CVN 68	USS NIMITZ	3	1200	3	1050	3	4500	6750
CVN 69	USS DWIGHT D EISENHOWER	3	1200	3	1050	3	4500	6750
CVN 70	USS CARL VINSON	3	1200	3	1050	3	4500	6750
CVN 71	USS THEODORE ROOSEVELT	3	1200	3	1050	3	4500	6750
CVN 72	USS ABRAHAM LINCOLN	3	1200	3	1050	3	4500	6750
CVN 73	USS GEORGE WASHINGTON	3	1200	3	1050	3	4500	6750
CVN 74	USS JOHN C. STENNIS	3	1200	3	1050	3	4500	6750
CVN 75	HARRY S. TRUMAN (NEW)	3	1200	3	1050	3	4500	6750
CVN 76	RONALD REAGAN (NEW)	3	1200	3	1050	3	4500	6750
Total	Currently Fielded	36	14400	36	12600	36	54000	81,000

5.5.2 Amphibious Assault Ship - Iwo Jima Class (LPH)

Two LPHs are currently in the Fleet [USN, 1997]. Each is authorized to carry two P-16s and two TAU-2Hs [SERD:P-16, 1996; SERD:TAU-2H, 1996]. The NATOPS, however, requires only one P-16 [NATOPS, 1994]. To support the P-16s and TAU-2Hs, each ship carries two 1500 pound storage cylinders [Persutti, 1997]. Assuming that all ships are filled to 100 percent of capacity at all times, the total Halon 1211 carried on LPHs is 9,000 pounds. Table 11 provides a break out of the quantity of Halon 1211 contained on active LPHs.

Table 11. Quantities of Halon 1211 (pounds) on LPHs by System

		P-16		TAU-2(H)		1500 Pound		Pound
		Auth	lb	Auth	lb	Auth	l b	Halon 1211
LPH 9	USS GUAM	2	800	2	700	2	3000	4500
LPH 11	USS NEW ORLEANS	2	800	2	700	2	3000	4500
Total	Currently Fielded	4	1600	4	1400	4	6000	9000

5.5.3 Amphibious Assault Ship - Tarawa Class (LHA)

Five LHAs are currently in the Fleet [USN, 1997]. Each is authorized to carry two P-16s and two TAU-2Hs [SERD:P-16, 1996; SERD:TAU-2H, 1996]. The current NATOPS lists two P-16s and three TAU-2Hs [NATOPS, 1994]. At the 1996 NATOPS conference, a change was approved to require three Mobile Fire Fighting Vehicles (MFFVs) instead of three P-16s allowing the use of towed TAU-2Hs to meet this requirement [NATOPS, 1996]. To support the P-16s and TAU-2Hs, each ship carries two 1500 pound storage cylinders. Assuming that all ships are filled to 100 percent of capacity at all times, the total Halon 1211 carried on LHAs is 22,500 pounds. Table 12 provides a break out of the quantity of Halon 1211 contained on active LHAs.

Table 12. Quantities of Halon 1211 (pounds) on LHAs by System

		P-16		TAU-2(H)		1500 Pound		Pound
		Auth	l b	Auth	lb	Auth	lb	Halon 1211
LHA 1	USS TARAWA	2	800	2	700	2	3000	4500
LHA 2	USS SAIPAN	2	800	2	700	2	3000	4500
LHA 3	USS BELLEAU WOOD	2	800	2	700	2	3000	4500
LHA 4	USS NASSAU	2	800	2	700	2	3000	4500
LHA 5	USS PELELIU	2	800	2	700	2	3000	4500
Total	Currently Fielded	10	4000	10	3500	10	15000	22,500

5.5.4 Amphibious Assault Ship - Wasp Class (LHD)

Four LHDs are currently in the Fleet, one is expected to be commissioned in the fall of 1997 (LHD 5), and one more began construction in May 1997 (LHD 6) [USN, 1997; Walsh, 1996-1997]. Each is authorized to carry two P-16s and two TAU-2Hs [SERD:P-16, 1996; SERD:TAU-2H, 1996]. Based on the requisition for Halon 1211 received by DGSC Richmond, it is assumed that LHD 5 currently has filled Halon 1211 firefighting systems on board (or at the yard). As was true for the LHAs, the current NATOPS requires two P-16s and three TAU-2Hs [NATOPS, 1994]. At the 1996 NATOPS conference, a change was approved to require three Mobile Fire Fighting Vehicles (MFFVs) instead of three P-16s allowing the use of towed TAU-2Hs to meet this requirement [NATOPS, 1996]. To support the P-16s and TAU-2Hs, each ship carries two 1500 pound storage cylinders [Persutti, 1997]. Assuming that all ships are filled to 100 percent of capacity at all times, the total Halon 1211 carried on LHDs is 22,500 pounds. Table 13 provides a break out of the quantity of Halon 1211 contained on active LHDs. The entries in italics are provided for future reference only and are omitted in the calculation for the current installed base.

Table 13. Quantities of Halon 1211 (pounds) on LHDs by System

		P-16		TAU-2(H)		1500 Pound		Pound
		Auth	lb	Auth	lb	Auth	lb	Halon 1211
LHD 1	USS WASP	2	800	2	70 0	2	3000	4500
LHD 2	USS ESSEX	2	800	2	700	2	3000	4500
LHD 3	USS KEARSARGE	2	800	2	700	2	3000	4500
LHD 4	USS BOXER	2	800	2	700	2	3000	4500
LHD 5	USS BATAAN (Fall 97)	2	800	2	700	2	3000	4500
LHD 6	USS BON HOMME RICHARD	2	800	2	700	2	3000	4500
Total	Currently Fielded	10	4000	10	3500	10	15000	22,500

5.5.5 Amphibious Transport Dock - LPD

Eleven LPDs are currently in the Fleet, one is under construction, and contract options exist for two more [USN, 1997]. Currently, the TAUs on the LPDs contain PKP. It was reported that these TAUs will be retrofit to replace the PKP with Halon 1211 in the near future [Walsh, 1996-1997]. While no Halon 1211 is currently on board the LPDs, it will be necessary in the future to track the Halon 1211 that will be installed. The LPD inventory is provided here to capture complete information for future tracking requirements.

Table 14. Future Quantities of Halon 1211 (pounds) on LPDs by System

		P-	16	JAT	J-2(H)	1500	Pound	Pound of
		Auth	lb	Auth	lb	Auth	, lb	Halon 1211
LPD 4	USS AUSTIN	0	0	2	700	1	1500	2200
LPD 5	USS OGDEN	0	0	2	700	1	1500	2200
LPD 6	USS DULUTH	0	0	2	700	1	1500	2200
LPD 7	USS CLEVELAND	0	0	2	700	1	1500	2200
LPD 8	USS DUBUQUE	0	0	2	700	1	1500	2200
LPD 9	USS DENVER	0	0	2	700	1	1500	2200
LPD 10	USS JUNEAU	0	0	2	700	1	1500	2200
LPD 12	USS SHREVEPORT	0	0	2	700	1	1500	2200
LPD 13	USS NASHVILLE	0	0	2	700	1	1500	2200
LPD 14	USS TRENTON	0	0	2	700	1	1500	2200
LPD 15	USS PONCE	0	0	2	700	1	1500	2200
LPD 17	USS SAN ANTONIO							
LPD 18	Contract Option							
LPD 19	Contract Option							
Total	Future Requirement	0	0	22	7700	11	16500	24,200

5.5.6 Landing Craft, Air Cushioned (LCAC)

It is estimated that 85 LCACs are currently in the Fleet [Darwin, 1996-1997]. Each ship contains one 150 pound Halon 1211 flight line extinguisher permanently mounted to the ship, two 17 pound Halon 1211 hand helds, and four 5 pound Halon 1211 hand helds for a total of 204 pounds per ship. Assuming that all ships are filled to 100 percent of capacity at all times, the total Halon 1211 carried on LCACs is 17,340 pounds.

Training and Other Fielding 5.5.7

Four Navy training sites currently have P-16s and/or TAU-2Hs [Walsh, 1996-1997]. NAWC Lakehurst, NAS North Island, and NAS Jacksonville have one P-16 each, and NATTC Pensacola has two P-16s. It is currently estimated that a total of 69 P-16s are still active. From the list of on board ships and training facilities, four P-16s are available for deployment/redeployment. NAWC Lakehurst, NAS North Island, and NAS Jacksonville also have one TAU-2H each. No other fielded TAU-2Hs were identified. The total Halon 1211 installed on these systems is 4,650 pounds.

Total Shipboard Halon 1211

Based on the estimates for Aircraft Carriers (CV/CVNs), Amphibious Assault Ships (LHAs, LHDs, and LPHs), Air Cushioned Landing Craft (LCAC), the systems at training facilities, those available for re-deployment, and the assumption that all systems are filled to 100 percent of capacity, the total Halon 1211 installed shipboard is 156,990 pounds. Table 15 provides a break out of this total by ship class or location, and firefighting system.

Table 15. Quantities of Halon 1211 (pounds) Ship Board by Ship Class and System

	P-16	TAU-2H	Backup	Installed	Hand Helds	Total
CV/CVNs	14,400	12,600	54,000	NA	0	81,000
LPH	1,600	1,400	6,000	NA	0	9,000
LHA	4,000	3,500	15,000	NA	0	22,500
LHD	4,000	3,500	15,000	NA	0	22,500
LCAC	NA	NA	NA	12,750	4,590	17,340
Training	2,000	1050	NA			3,050
Available	1,600	0	NA			1,600
Total	24,800	21,700	93,000	12,750		156,990

5.6 Estimate of Aircraft Halon 1211

Seven aircraft currently use Halon 1211 hand held extinguishers: C-9, RC/UC-12M, T-44, C-20, TH-57A/B, C-9, EC-24A [Bein, 1997]. Each Fleet of aircraft is small, and this use accounts for a very small quantity of installed Halon 1211, only 1,022 pounds. Table 16 provides the number of aircraft, quantity and size of the Halon 1211 extinguisher, and the total quantity of Halon 1211 for each aircraft type.

Table 16. Quantities of Halon 1211 (pounds) on Aircraft by Aircraft System

Aircraft	Size of Hand Held (Pounds)	Hand Held Extinguishers per Aircraft	Quantity of Halon 1211
C-9	2.5 13	1	449.5
RC/UC-12M	2.5	2	60.0
T-44	2.5	I	137.5
C-20	2.5	2	35.0
TH-57A/B	2.5	1	315.0
EC-24	5 10	1 2	25.0
Total	·		1022.0

5.7 Summary of Halon 1211 Bank

Based on the estimates for shore side equipment, shipboard systems, and aircraft, the entire Bank of Halon 1211 owned by the Navy is estimated to be 2,014,152 pounds. The installed base of Halon 1211 represents 60 percent of the Bank. The quantity available to refill/re-supply the field represents the remaining 40 percent of the Bank. The refill/re-supply quantity is divided between the Reserve at DGSC Richmond and the shore side facilities. The specific breakdown is provided in Table 17.

Table 17. Navy Bank of Halon 1211

Location	Halon 1211 (pound	s)
Reserve	450,000	
Navy Shore Side CFR Equipment Hand Held and Flight Line Extinguishers Local Backup Supply/storage	90,000 612,000 165,000	
USMC Shore Side CFR Vehicles (including deployable) Hand Held and Flight Line Extinguishers Local backup supply/storage	90,500 265,000 184,000	
Shipboard CV/CVNs LPH LHA LHD LCAC Training Available	81,000 9,000 22,500 22,500 17,340 3,050 1,600	/ମ୍ମ୍ୟେମ୍
Aircraft	1,022	
Total	2,014,512	14 18 83.34

6.0 QUANTITIES REQUIRED

The optimum method for calculating the usage of Halon 1211 would be to track the changes in the four sets of data that represent the Halon 1211 Bank: (1) Ready for Issue quantities in the Reserve, (2) Returns received by the Reserve for recycling or as excess and not yet counted in Ready for Issue, (3) quantities in the Installed Base, and (4) quantities of Local Backup/Storage Supplies. While, as discussed previously, the two data sets from the Reserve have sufficient historical tracking to monitor changes, the Installed Base and Local Backup/Storage Supplies do not. Alternate methods were needed to estimate the usage rate of Halon 1211.

Three strategies were considered to obtain the usage data. The first was to request usage rate data directly from the using activities, e.g., NAS, MCAS, ships, etc. A message was developed that requested field personnel to estimate their use of Halon 1211 for the past three years and to indicate the reason for the use, e.g., accidental discharge, fire, maintenance action, etc. In light of the number of activities that would need to report these data and the subsequent burden that the reporting would represent, it was requested that an alternate means of estimation be evaluated prior to considering a field data call. In order to reduce the field burden, the second and third estimating techniques emphasized the use of existing data. The second method was to estimate the usage based on the quantities of Halon 1211 shipped to the field from the Reserve, and the third method was to use the Fire Incident Data from the Navy Safety Center used to develop the fire protection requirements reported under Part II – Halon 1211 Requirements Review of this study.

6.1 Reserve Shipments Method

Data were provided from NAVAIR Code AIR-8.0Y on the quantities of Halon 1211 from the Reserve issued to the field [NAVAIR, 1997]. The data covered the 30 month period, January 1, 1995 through June 30, 1997. As previously described in Section 4.4, Assessment of Normal Reporting, these data do not account for the returns to the Reserve or changes to the storage/backup quantities at each facility.

6.1.1 Usage Rate of Halon 1211 Shipboard

As shown in Table 18, 23 of the 24 ships that contain Halon 1211 major firefighting systems ordered Halon 1211 from the Reserve. Only the USS THEODORE ROOSEVELT, CVN-71, did not order from the Reserve. According to data provided by NAVSEA, CVN-71 did deploy during the 30 month period. It is not clear why this one ship did not order any Halon 1211 from the Reserve. Over the 30 month period, the total amount supplied from the Reserve to ship based activities was 98,700 pounds. For the 23 ships that received Halon 1211, the average

monthly quantity supplied was approximately 3,200 pounds. On the basis of all 24 ships in the Fleet, the quantity of Halon 1211 used by the Fleet is estimated to be 41,200 pounds per year. This represents approximately 10 percent of the total Halon 1211 currently available in the Reserve.

Table 18. Shipments of Halon 1211 to Ship Based Activities

End-User Activity	Data Source	Month	UIC	Amount Shipped (Pounds)	Percent of Backup	Percent of Total
	NAVICP	Aug-96	03362	2,400	53%	36%
CV-62	NAVICP	Feb-97	03362	3,000	67%	44%
	NAVICP	Feb-97	03362	3,000	67%	44%
CV-63	DSC	Mar-96	03363	6,000	133%	89%
071.64	DSC	Oct-96	03364	3,000	67%	44%
CV-64	DSC	Mar-97	03364	3,000	67%	44%
OVI CC	DSC	Jul-95	03366	1,500	33%	22%
CV-66	DSC	Aug-95	03366	1,500	33%	22%
OV 67	DSC	Jul-95	03367	4,500	100%	S 67%
CV-67	DSC	Apr-97	03367	3,000	67%	44%
CVN-65	DSC	Aug-95	03365	4,500	100%	67%
CVAL CO	DSC	Feb-95	03368	6,000	133%	89%
CVN-68	DSC	Apr-97	03368	3,000	67%	44%
CVN-70	DSC	Mar-95	20993	3,000	67%	44%
C V IN-70	DSC	Jun-97	20993	4,500	100%	67%
CVN-71						
CVN-72	DSC	Mar-97	03364	4,500	100%	67%
CVN-73	DSC	Jan-96	21412	1,500	33%	22%
	DSC	Jul-95	21847	1,500	33%	22%
CVN-74	DSC	Sep-95	21847	3,000	67%	44%
	DSC	Oct-95	21847	1,500	33%	22%
LHA-01	DSC	Jan-95	20550	3,000	100%	67%
LHA-02	DSC	Sep-95	20632	3,000	100%	67%
LHA-03	NAVICP	Apr-97	20633	1,000	33%	15%
LHA-04	DSC	Aug-96	20725	3,000	100%	67%
LHA-05	DSC	May-95	20748	3,000	100%	67%

Table 18. Shipments of Halon 1211 to Ship Based Activities (Continued)

End-User Activity	Data Source	Month	UIC	Amount Shipped (Pounds)	Percent of Backup	Percent of Total
LHD-01	DSC	Apr-97	21560	3,000	100%	44%
	DSC	Dec-95	21533	1,500	50%	33%
LHD-02	DSC	Sep-96	21533	3,000	100%	67%
LHD-03	DSC	Oct-96	21700	1,500	50%	33%
	DSC	Jul-95	21808	1,500	50%	33%
LHD-04	DSC	Aug-95	21808	1,500	50%	33%
LHD-05	DSC	Dec-96	21879	3,000	100%	67%
	DSC	Dec-95	07178	400	13%	9%
LPH-09	DSC	Jan-96	07178	3,000	100%	67%
	DSC	Mar-96	07178	400	13%	9%
	DSC	Feb-95	07202	1,500	50%	33%
LPH-11	DSC	May-95	07202	1,500	50%	33%
Total Shipments to Fleet (30 months)				98,700	Land March	Halon : 1-
Average Shipments per Month	3,290	4%	2%			
Average Shipments per Year pe	1,717	44%	31%			
Estimated Use per Year for Flee	t (based on 24 sh	ips)		41,197		

In order to plan for future changes in make-up and size of the Fleet, the yearly usage rate was also calculated based on the percentage of the backup supplies and the total shipboard installed base. On a Fleet wide basis the Fleet will use nearly one-half of the quantity contained onboard as backup and nearly one-third of the total shipboard Halon 1211 (i.e., installed base and backup supplies) each year. While each ship class has a slightly different usage rate, the difference is not considered significant.

6.1.2 Usage Rate of Halon 1211 at Shore Side Facilities

As shown in Table 19, only seven Navy and three USMC shore side activities received Halon 1211 from the Reserve during the 30 month period. The Navy shore side activities received an average of 7,500 pounds per facility per year and the USMC shore side activities

received an average of 4,800 pounds of Halon 1211 per facility per year. The total quantity of Halon shipped to Navy and USMC facilities represents only 5 percent of the installed base and 1 percent of the total Halon 1211 at all shore side facilities.

It must be noted that the ten Navy USMC facilities that received Halon 1211 from the Reserve represent a small portion of the total number of facilities that are authorized to use Halon 1211. In order to extrapolate from the limited number of facilities it was necessary to estimate the total number of shore side activities that use Halon 1211. While it is possible that only 10 shore side activities used any appreciable Halon 1211 during the 30 month period, it seems more likely that the activities that did not order Halon 1211 from the Reserve were using internal backup/storage supplies or were receiving supplies from other sources to meet their needs. At some point, the internal or other supplies of Halon 1211 will be depleted, and all activities will need to rely on the Reserve. Within this work, it is assumed that the activities that will need Halon 1211 from the Reserve are those that contain Halon 1211 CFR equipment, i.e., the facilities previously used to develop the estimates of the installed base. Based on this assumption, the Navy has 50 shore based facilities (36 'east coast' and 14 'west coast'), and the USMC has 12 facilities that need Halon 1211 from the Reserve.

For the 50 shore side Navy facilities and the 12 USMC facilities, it is estimated that the usage rate of Halon 1211 is 53,150 and 19,200 pounds per year, respectively. The total shore side requirement is 72,150 pounds of Halon 1211 per year, representing 16 percent of the quantity currently available in the Reserve. In order to plan for future changes in facilities and Halon 1211 firefighting systems fielded, the yearly usage rate was also calculated based on the percentage of the installed base and the total quantity at shore side facilities. The average yearly usage rate is 7 percent of the installed base and 5 percent of the total quantity of Halon 1211 at shore side facilities.

Table 19. Shipments of Halon 1211 to Shore Based Activities

End-User Activity	Data Source	Month	UIC	Amount Shipped (Pounds)	Percent Installed Base	Percent of Total
USNS Roosevelt Roads	DSC	Apr-95	00389	3,000	ND	ND
NAS Fallon NV	DSC	Apr-95	60495	1,200	ND	ND
NAS Iwakuni	DSC	Apr-95	62613	1,500	ND	ND
NAS Le Moore	DSC	Feb-96	63042	1,500	ND	ND
NAS Le Moore CA	DSC	Jan-95	63042	3,000	ND	ND
NAS Oceana VA	DSC	Jan-96	60191	1,500	ND	ND
NAS Oceana VA	DSC	Apr-96	60191	1,500	ND	ND
NAS Whiting Field FL	DSC	Dec-95	60508	2,400	ND	ND
NAF El Centro, CA	DSC	Jul-95	60042	3,000	ND	ND
Total Shipments to Seven Navy Facilities	es (30 mont	hs)		18,600	_	_
Average Shipments to Seven Navy Facilities per Month				620		-
Average Shipments to Seven Navy Faci	lities per Y	ear		7,440	•	ny i= projit
Average Shipments per Navy Facility p	er Year			1,063	, . 	in the filter of the
Average Use for Navy Facilities per Ye	ar (based o	n 50 facili	ties)	53,150	8%	6%
MWSS 371	DSC	Jun-96	09236	3,000	ND	ND
MCAS Jacksonville, NC	DSC	Apr-97	62573	4,500	ND	ND
MCAS Tustin CA	NAVICP	Feb-96	62535	3,000	ND	ND
MCAS Tustin CA	NAVICP	May-96	62535	1,500	ND	ND
Total Shipments to USMC Facilities	Total Shipments to USMC Facilities				•	-
Average Shipments to 3 USMC Facilities per Month				400	-	•
Average Shipments to 3 USMC Facilities per Year				4,800	-	-
Average Shipments per USMC Facility per Year				1,600	-	<u>.</u> / .
Average Use for USMC Facilities per	Year (based	on 12 faci	lities)	19,200	5%	4%
Total Use Navy and USMC Shore Side				72,350	7%	5%

Note: ND - Insufficient data were available to determine the exact installed base and total supplies at each shore side facility.

6.1.3 Total Estimated Halon 1211 Usage Rate

The total Navy and USMC Halon 1211 usage rate calculated from the Reserve data is approximately 113,500 pounds per year. This represents 25 percent of the current quantity of

Halon 1211 in the Reserve. Based on this usage rate, the Reserve will meet the field needs of Halon 1211 for only 4 years.

6.2 Fire Incident Data Method

6.2.1 Reported Shore side Fire Incidents

The Fire Incident Data reported in Part II - Halon 1211 Requirements Review of this study were used to estimate the quantities of Halon 1211 required for CFR operations. The first set of data is from a previous study performed by NRL for the USAF [Leonard et al., 1992]. The data include all Navy reported incidents 1977-1991, all reported USAF reported incidents 1981-1991, and an estimate for the number of unreported fires 1987-1991. For ease in presentation, these data will be referred to as the 1977-1991 fire incident data. The second set of data includes all reported incidents using Halon 1211 for Fiscal Years 1993-1995 for the Army, Navy, USAF, and USMC. For ease in presentation, these data will be referred to as the 1993-1995 fire incident data. Both sets of data are for fire incidents on shore side facilities only and do not include any shipboard incidents.

In order to estimate the usage rate of Halon 1211 with these data, two separate items must be determined: (1) the average quantity of Halon 1211 reported per incident and (2) the average number of incidents per unit of time. From the 1977-1991 fire incident data, 176 separate uses of Halon 1211 were identified that also included the quantity of Halon 1211. The average quantity of Halon 1211 reported in the 176 incidents was 78 pounds per incident. This average includes (1) the use of Halon 1211 as the primary and secondary agent, (2) small and large fires, and (3) aircraft and non-aircraft incidents. To develop the average number of aircraft incidents using Halon 1211, a subset of the data representing the years 1984-1991 was used. Based on the data, it appears that wide spread use of Halon 1211 did not begin until approximately 1984. During 1984-1991, the Navy used Halon 1211 an average of 19 times per year.

From the 1993-95 fire incident data, a total of 201 incidents of Halon 1211 use were reported by the Army, Navy, USMC, USAF, and "other" fire departments with sufficient information to determine the quantity of Halon 1211 reported. The Navy accounted for 64 incidents and the USMC for 26 incidents. The average Halon 1211 use obtained from all 201 incidents was 107 pounds per incident. For the Navy alone, the average was 120 pounds of Halon 1211 per incident and for the USMC, the average was 82 pounds per incident, yielding a combined Navy/USMC average of 109 pounds per incident. On an annualized basis, the Navy averaged 21 incidents per year agreeing well with the 1977-1991 fire incident data and the USMC averaged 9 incidents per year. The resulting combined Navy/USMC average total was 30 incidents per year.

The estimate of the incidents per year for the Navy agree well for 1977-1991 data and the 1993-1995 data. However, the average quantity of Halon 1211 used per incident does not agree as well. It was not possible to determine if the difference in quantity used per incident was due to actual changes that represent operational or threat differences, or if it represents a degree of scatter in this method. To estimate the quantity of Halon 1211 used per year by the Navy and USMC, the average values from the 1993-1995 data are used in light of the fact that the more recent data may better represent the current fire threat, doctrine, and tactics. Based on the 30 combined Navy/USMC incidents per year and the 107 pounds average use of Halon 1211 per incident, the quantity of Halon 1211 used by the Navy and USMC per year is estimated by this method to be approximately 3,200 pounds per year. The decision to use the average use per incident value obtained from the total Navy, USMC, Army, and USAF data in lieu of the separate values from the Navy and USMC data was based on two factors: (1) no definitive difference in fire threat was identified between the Navy, USMC, and USAF, and (2) the total value was based on a higher sampling than the Navy and USMC data alone. (When the separate Navy and USMC quantities per incident are used, the estimate is approximately 3250 pounds per year. The difference in the two methods is approximately 1 percent, likely significantly less than the accuracy of the estimation.)

6.2.2 Unreported Shore Side Fire Incidents

The extremely low usage rate of Halon 1211 based on the fire incident data were not unexpected. It is recognized that a lack of uniformity exists between the services and the individual facilities regarding the criteria for reporting fire related incidents. As a result, not all fires are reported in the fire incident data. Previous estimates for the unreported incidents for the Navy indicated that on average four unreported fires per year per flight line can be expected to occur [Leonard et al., 1992]. Within the same study, a second estimate is cited that was developed by ARA, Inc. for the USAF. The ARA estimate found that three to four unreported incidents occurred per flight line per year for the USAF. It was also found that nearly all of these fires were small fires that used Halon 1211 as the extinguishing agent.

To determine the quantity of Halon 1211 used for unreported fires, three items were assumed: (1) the previous estimates of four unreported incidents per year per flight line remains valid, (2) all of the unreported incidents use Halon 1211, and (3) the number of flight lines that will have unreported fire incidents for the Navy and USMC can be estimated by those that contain major CFR equipment that contain Halon 1211. While unreported incidents would be expected to be smaller fires requiring lower than average Halon 1211 use per incident the data did not support this expectation. During the period 1984-1991, the average quantity of Halon 1211 used per incident for the unreported incidents was nearly identical to that in the reported incidents, 79 and 78 pounds of Halon 1211, respectively [Leonard et al., 1992]. Therefore, it was decided to use the average value obtained for the reported fire incidents 1993-1995 to estimate the quantities used in unreported incidents. Using the average value of 107 pounds per incident, the quantity of Halon 1211 used annually in unreported events at shore side flight lines is 26,536 pounds (i.e., 248 unreported incidents times 107 pounds per incident). The total Halon 1211 use for the 30 reported incidents and 248 unreported events is 29,750 pounds per year (i.e., 278 incidents/year times 107 pounds/incident). This usage rate represents approximately 3 percent of the installed base and 2 percent of the total Halon 1211 contained at shore side facilities.

6.2.3 Shipboard Fire Incidents

While no fire incident data were available for shipboard use of Halon 1211, it was possible to develop a first order approximation based on the shore side data. Of the major fire types identified in Part II – Halon 1211 Requirements Review, wheel/brake fires are not an expected shipboard fire type. In addition, different firefighting systems are available shipboard. Halon 1211 hand held extinguishers are not expected to be present. The main sources of Halon 1211 are the P-16 and the TAU-2H that can be viewed to fulfill a similar function as the flight line extinguisher and the shore based CFR vehicle. Using the 1993-1995 fire incident data, excluding wheel/brake fires and hand held extinguishers, the average quantity of Halon 1211 used is 109 pounds. The difference between the value based on removing wheel/brake fires and hand held extinguishers, and the value based on the total incidents may not be significant. For consistency, the value based on the total incidents (i.e., 107 pounds per incident) will be used.

In order to develop a first order estimate of the number of shipboard incidents that use Halon 1211 three items were assumed: (1) excluding wheel/brake incidents each flight deck is approximately equivalent to one flight line in terms of numbers of incidents, (2) the majority of wheel/brake fires are reported incidents, and (3) approximately one-half of the Fleet of the ships that contain Halon 1211 systems are deployed at any one time, i.e., six of 12 aircraft carriers and six of 12 Amphibious Assault Ships (LHA, LHD, and LPH), yielding an additional 12 equivalent flight lines. Using the same assumptions for unreported shore based fires, each of the twelve equivalent flight lines would be expected to incur four incidents each per year, resulting in an average use of approximately 5,100 pounds of Halon 1211 per year (i.e., 48 incidents/year times 107 pounds /incident). This usage rate represents approximately 5 percent of the backup quantities and 4 percent of the total Halon 1211 contained shipboard (excluding LCACs).

6.2.4 Total Halon Use Estimated from Fire Incident Data

Based on the shore side fire incident data, estimations of unreported shore side fire incidents, and extrapolations of shore side data to ship board incidents, the total Halon 1211 used to fight fires for the Navy and USMC is estimated to be approximately 35,000 pounds per year. This represents less than 8 percent of the total quantity of Halon 1211 currently available in the Reserve. Based on this usage rate alone, the current Reserve would be adequate to meet the field needs of Halon 1211 for approximately 13 years.

6.3 Halon 1211 Usage Projections

The two different estimating methods provide a Halon 1211 usage rate between 35,000 and 113,500 pounds per year. The estimate based on the fire incident data would not be expected to account for accidental releases, leakage, loss from maintenance action etc., and would represent the minimum quantity of Halon 1211 needed, i.e., the quantity needed to only fight fires. This estimation likely underestimates the usage rate. It is not reasonable to expect that the actual uses of Halon 1211 and hence the usage rate will be for fire events only. The estimate based on the quantities of Halon 1211 shipped from the Reserve would be expected to include the quantities needed to top off systems, replace quantities for accidental discharges, and although current policy prohibit it, the quantities, if any, used for training. This method does not account for quantities that may be turned into the Reserve as excess or for recycling as evidenced in the receipt of partially filled cylinders at DSCR. While this estimate would be expected to be higher to account for the non-fire uses, it may overestimate the usage. It must also be pointed out that both sets of estimates are based on peace-time data only. Increased operations as a result of combat operations would likely cause additional fires with a subsequent increase in Halon 1211 use.

The usage rates developed represent (1) between 8 percent and 22 percent of the current quantity of Halon 1211 in the Reserve, (2) 3 percent to 10 percent of the total Navy and USMC

installed base, (3) 4 percent to 11 of the backup quantities available shipboard /shore side, and (4) 2 percent to 6 percent of the total Bank of Navy/USMC Halon 1211.

6.4 Reserve Projections

Based on the estimated usage rate of Halon 1211, the current Reserve will be adequate to supply Halon 1211 to the field to support peace-time requirements for approximately 4 to 13 years. Several options exist to extend the period of time that Halon 1211 can be supplied to the field from existing Navy/USMC Bank.

- (1) If the analysis for the Halon 1211 flight line extinguishers were correct, then one-half to two-thirds of the fielded systems are in excess of NATOPS requirements.

 An additional 400,000 to 500,000 pounds of Halon 1211 would be available for the Reserve. This would double the quantity of Halon 1211 and the length of time that the Reserve would support the peace-time requirements (i.e., an additional 4 to 13 years).
- (2) If the 442,000 pounds of Halon 1211 in local storage/backup were used to support the field and not replaced, i.e., used to supplement the Reserve, approximately 4 to 13 years of additional supply could be obtained. This would serve to double the length of time that the Reserve could support the peace-time requirements.
- (3) If both options above are feasible, then the quantities of Halon 1211 available to support the field are essentially three times that contained in the Reserve only (i.e., 1,350,000 pounds). The Bank of Halon 1211 would be able to support Navy/USMC peace-time requirements for approximately 12 to 39 years.

It is important to note that while the supplies of Halon 1211 may be adequate for this period of time, there is increased pressure on the developed countries around the world to identify

'excess' quantities of Halon 1211 and target them for destruction. This action may decrease the amount of time that it is considered 'acceptable' to continue to rely upon Halon 1211 to support aviation CFR operations.

Another factor that will affect the length of time that the current quantities of Halon 1211 will meet requirements is combat operations. Estimates of the quantity of Halon 1211 needed to support combat operations are more complex than for peace time operations. Estimates will depend upon the assumptions made for the size and the frequency of the conflicts. Since most of the Halon 1211 is used for small unreported fires, e.g., wet starts, small leaks, etc., it is not unreasonable to expect that the usage rate of Halon 1211 would increase dramatically as the result of increased stress on the aircraft and personnel. While it was not possible to estimate combat usage rates based on the available data, it is recommended that emphasis be placed on the upper end of the usage range in determining total quantities of Halon 1211 required. While this may result in overstating the peace-time requirements, it would serve as a 'place-holder' to account for the Halon 1211 needed to support combat operations until these requirements can be estimated.

7.0 CONCLUSIONS

The normally tracked Halon 1211 data are not sufficient to calculate either the total quantity of Halon 1211 within the Navy/USMC (i.e., Bank) or the Halon 1211 usage rate. In order to develop the size of the Bank and the historical usage rate, the normally tracked Halon 1211 data were supplemented with the following one-time data calls and other available data:

- (1) A NAVFAC database that tracks all Navy CFR equipment by location [NAVFAC, 1996],
- (2) Data provided by the east and west coast Fire Marshals [Darwin, 1996; Baldwin, 1997].
- (3) A role-up quantity of the USMC P-19s,

- (4) Data provided by the USMC Aviation Fire Protection and Recovery Officers [MCAS, 1997],
- (5) SERDs for the P-16 and TAU-2H [SERD:P-16, 1996; SERD:TAU-2H, 1996],
- (6) Fire Incident Data from the Naval Safety Center [NSC, 1997], and
- (7) Estimates of fires not reported to the Navy Safety Center.

Based on the normally tracked data and the supplemental data, the total Navy Bank of Halon 1211 is estimated to be approximately 2,000,000 pounds:

- (1) The Reserve contains approximately 23 percent (450,000 pounds) of the Bank,
- (2) The installed base contains approximately 55 percent (1,100,000) of the Bank, and
- (3) The local backup/storage supplies contain the remaining 22 percent (440,000) of the Bank of Halon 1211.

The historical usage rate was estimated by two different methods:

- The rate based on the fire incident data was estimated to be approximately 35,000 pounds of Halon 1211 per year, and
- The rate based on the Reserve shipments data was estimated to be approximately
 113,500 pounds of Halon 1211 per year.

The usage rate based on the fire incident data versus the usage rate based on the Reserve shipment data suggests that the majority of the current use of Halon 1211 is not for fighting fires. It was not possible to determine the other uses of Halon 1211 with the available data.

Based on the results of Part I – Development of Halon 1211 Alternatives and Part II – Review of Halon 1211 Requirements of this study, the current Halon 1211 systems will need to remain in the field for the immediate future. Therefore, the two estimates for the historical peace-time usage rate are projected to apply for the foreseeable future. The Reserve is projected to be adequate to supply peace-time quantities of Halon 1211 for approximately 4 to 13 years.

Two potential sources exist to increase the quantity of Halon 1211 above that currently contained in the Reserve:

- It is possible that one-half to two-thirds of the fielded flight line extinguishers are in excess of the NATOPS requirements. It is projected that an additional 4 to 13 years of supply could be obtained; and
- It is also possible to use the local storage/backup supply of Halon 1211 without replacing it. This would provide an additional 4 to 13 years of supply.

If both of the above options are feasible, then the Bank of Halon 1211 is projected to be able to support Navy/USMC peace-time requirements for approximately 12 to 39 years:

- It is important to note that (1) while the supplies of Halon 1211 may be adequate for this period of time recent actions under the Montreal Protocol may decrease the amount of time that it is considered 'acceptable' to continue to rely upon Halon 1211.
- The projections for the adequacy of the Reserve do not account for any additional usage of Halon 1211 that may result from increased combat operations.

8.0 RECOMMENDATIONS

While it was not possible to estimate combat usage rates based on the available data, it is recommended that emphasis be placed on the upper end of the usage rate in determining total quantities of Halon 1211 required. While this may result in overstating the peace-time requirements, it would serve as a 'place-holder' to account for the Halon 1211 needed to support combat operations until better estimates can be developed.

The NATOPS requirements for the number of flight line extinguishers needed to support operations should be reviewed. Depending upon the results, action may need to be taken to turnin any excess flight line extinguishers. The Halon 1211 should be returned to the Reserve.

In order to continue to track the Bank of Halon 1211 and to reduce the uncertainty of the usage projections, the following actions are recommended:

- (1) The list of Navy CFR vehicles containing Halon 1211 should be updated annually from either the overall NAVFAC CFR database or by the east and west coast Fire Marshals;
- (2) The USMC should be requested to provide similar data as contained in the Navy CFR database on an annual basis;
- (3) The Navy Fire Marshals should be requested to report the quantities of flight line extinguishers, hand held extinguishers, and backup/storage supplies at each shore side installation once per year;
- (4) Data on the cause of the Halon 1211 use should be developed (e.g., fire, accidental release, maintenance action, etc.) to determine if the usage rate may be reduced.

9.0 REFERENCES

- Baldwin, W. (1996-1997), series of telephone conversations with W. Baldwin, West Coast Fire Marshall, NAVFAC, San Bruno, CA, October 1996 January 1997.
- Baldwin, W. (1997), "Data on Quantities of Halon 1211 in CFR Vehicles, Hand Held and Wheeled Fire Extinguishers, and Local Storage for West Coast Navy Shore Side Facilities," NAVSEA, San Bruno, CA, January 1997.
- Bein, D. (1997), "Aircraft Portable Halon 1211 Fire Extinguishers," memo to D. Verdonik, from Universal Technical Resource Services, Inc. (UTRS), Cherry Hill, NJ, February 27, 1997.
- Burns, R.E. (1996), conversations with Robert E. Burns, Hughes Associates, Inc., Baltimore, MD, November-December 1996.
- Carhart, H.W., Leonard, J.T., Darwin, R.L., Burns, R.E., Hughes, J.T., and Jablonski, E.J. (1987), "Aircraft Carrier Flight Deck Fire Fighting Tactics and Equipment Evaluation Tests," NRL Memorandum Report 5952, February 26, 1987.
- Chambers, G.D. (1977), "Flight Line Extinguisher Evaluation," DOD-AGFSRS-76-9, Air Force Civil Engineering Center, Tyndall Air Force Base, Florida, January 1977.

- CNO (1996), "Ozone-depleting Substance (ODS) Data Call," Ser N451I/6U598044, prepared by Chief of Naval Operations, Washington, DC, 1 May 1996.
- Darwin, R.L. (1996), "Data on Quantities of Halon 1211 in CFR Vehicles, Hand Held and Wheeled Fire Extinguishers, and Local Storage for East Coast Navy Shore Side Facilities," NAVSEA, Arlington, VA, October 1996.
- Darwin, R.L. (1996-1997), series of conversations with R.L. Darwin, Naval Sea Systems Command, Washington, DC, October 1996 October 1997.
- DDLA (undated), "Evaluation of the Use of Class I & Class II Ozone Depleting Substances," Report to Congress, Director of the Defense Logistics Agency, Department of Defense, Washington, DC.
- Huston, P.O. (1996), series of telephone conversations with Paul O. Huston, Paul Huston and Associates, Trussville, AL, November-December 1996.
- Leach, B. (1996), "Navy Halon 1211 Replacement Program Proposed Statement of Work for 1996 Hughes Effort," NAWCADLKE, 24 July 1996.
- Leonard, J.T., Budnick, E.K., Rosenbaum, E.R., Perrault, D.J., and Hayes, E.D. (1992), "Flightline Aircraft Fire Incidents and Suppression Agent Effects: Field Inquiries and Incident Analysis," Hughes Associates, Inc., Baltimore, MD, December 1992.
- MCAS (1997), telephone conversations with USMC Aviation Fire Protection and Recovery Officers at MCA Quantico, VA; MCAS New River, Jacksonville, NC; MCAS Cherry Point, NC; MCAS Camp Pendleton, CA; MCAS El Torro, CA; MC Air Ground Combat Center, 29 Palms, CA; MCAS Yuma, AZ; MCAF Kanehoe Bay, HI; MCAS Tustin, CA; MCAS Iwakuni, Japan; MCAS Beaufort, SC; MCAS Futenma, Okinawa, Japan; March June 1997.
- Mullenhard, P. (1996-1997), series of telephone conversations with P. Mullenhard, Geo-Centers Inc., Arlington, VA, October 1996 September 1997.
- National Academy of Sciences (1997), Fire Suppression Substitutes and Alternatives to Halon for U.S. Navy Applications, Committee on Assessment of Fire Suppression Substitutes and Alternatives to Halon, Naval Studies Board, Commission on Physical Sciences, Mathematics, and Applications, National Research Council, National Academy Press, Washington, DC, 1997.
- NATOPS (1994), "NATOPS U.S. Navy Aircraft Firefighting and Rescue Manual," NAVAIR 00-80R-14, Naval Air Systems Command, Washington, DC, 15 March 1994.

- NATOPS (1996), "Final Conference Record," 1996 NATOPS Conference, U.S. Navy, Washington, DC, 16 October 1996.
- NAVAIR (1997), "Requisition Date for Halon 1211 from Halon 1211 Reserve covering period 1 Jan 1995 31 Jan 1997, 1 Feb 1997 28 Feb 1997, 1 Mar 1997 31 Mar 1997, 1 Apr 1997 30 Jun 1997," NAVAIR Code AIR-8.0Y, Arlington, VA (Patuxent River, MD), February October 1997.
- Naval Sea Systems Command (1996), "Department of the Navy ODS Reserve Monitoring Plan," OPR 03V24, Ltr Rpt Ser 03V2/096, 9 May 1996.
- Naval Supply Systems Command (1995), "NAVSUP Authorized User List for ODS Reserve," produced in the Technical Screening Expert System (TSES), Version 1.7, Release Date 1995.
- NAVFAC (1996), "List of Navy CFR Equipment," Naval Facilities Engineering Command, Alexandria, VA, November 25, 1996.
- NFPA 403 (1988), "Standard for Aircraft Rescue and Fire Fighting Services at Airports," National Fire Protection Association, Quincy, MA, 1988.
- NFPA 403 (1993), "Standard for Aircraft Rescue and Fire Fighting Services at Airports," National Fire Protection Association, Quincy, MA, 1993.
- Novotny, J.J., Fletcher, N., and Ramsden, J. (1975), "An Evaluation of the Effectiveness of the FEU-1/M Model CB-10 Fire Extinguisher Converted for Use with BCF Halon 1211," Contract F33657-75-C-0366, prepared for the U.S. Air Force, ICI United States, Inc., Wilmington, DE, 1975.
- NSC (1997), "Selected Fire Responses Data," letter to D. Verdonik, Hughes Associates, Inc., Captain J.F. Boland, Naval Safety Center, Norfolk, VA, 5100 Ser 44/1126, 12 June 1997.
- Persutti, M. (1997), series of telephone conversations with LT M. Persutti, NAVAIR, PMA-251, Arlington, VA, January 1997 May 1997.
- Rout, C. (1996), "Non-PAC Inventory Report," Atlantic Division, Naval Facilities Engineering Command, Transportation Equipment Management Center (Code 12), Norfolk, VA, 4 December 1996.
- Rout, C. (1996-1997), series of telephone conversations with Mr. Clarence Rout, Fire Marshal, Atlantic Division, Naval Facilities Engineering Command, Norfolk, VA, December 1996 March 1997.

- SERD:P-16 (1996), "Support Equipment Recommendation Data (SE) Consolidated Master SERD," NAWCADLKE, A/S32P-16A, U.S. Navy, Washington, DC, Data sheet approved August 23, 1996.
- SERD:TAU-2H (1996), "Support Equipment Recommendation Data (SE) Consolidated Master SERD," NAWCADLKE, TAU(H)-2, U.S. Navy, Washington, DC, Data sheet approved August 23, 1996.
- Sibley, R. (1996-1997), series of telephone conversations with Mr. R. Sibley, Defense Supply Center, Richmond, VA, November 1996 August 1997.
- USN (1996-1997), "Ozone Depleting Substances Accounting Report," Defense Supply Center, Richmond reports for the months of October 1996 through February 1997.
- USN (1997), "Navy Fact File," The United States Navy, http://www.chinfo.navy.mil/navpalib/factfile/ships, U.S. Navy, Washington, DC, accessed October 6, 1997.
- Walsh, E. (1996-1997), series of telephone conversations with E. Walsh, NAWCADLKE, Lakehurst, NJ, November 1996 October 1997.
- Williams (1997), telephone conversations with E. Williams, Robins Air Force Base, GA, February 1997.
- Wright, J.A. (1995), "Full-Scale Evaluations of Halon 1211 Replacement Agents for Airport Fire Fighting," DOT/FAA/AR-95/87, Federal Aviation Administration, FAA Technical Center, Atlantic City, NJ, October 1995.

Appendix A - Authorized User List for ODS Reserve [Naval Supply Systems Command, 1995]

NAVSUP AUTHORIZED USER LIST FOR ODS RESERVE

UIC	ACTIVITY	000
N00406		<u>ODS</u>
N00612	3	All
N46450		All
N68836		All
N63649		All
V43538		All
N00189		All
N60138		All
N44472		All
N00604	•	All
N68860		All
N00244	,	All
N68972		All
N68276		All
N61119	FISC Guam	All
N62649		All
N00146	· · · · · · · · · · · · · · · · · · ·	All
N00205		All
N65995		All
N62588	NAVSUPACT Holy Loch	All
N66691	The state of the piece	All
	The Color Couda Day	All
	NAVSUPACT Antiqua NAVSUPFAC Thurmont	All
	NAVSUPFAC Trurmont NAVSUPFAC Diego Garcia	All
N00072	NAS New Orleans	All
_	NAS Norfolk	All
	NAS Jacksonville	All
	NAS Key West	All
N00216	NAS Corpus Christi	All
N00236	NAS Alameda	Ali
N00246	NAS North Island	All
	NAS Quantico	All ~.
	NAS Moffett Field	All
	NAS Barbers Point	All
N00421	NAS Patuxent River	All All
N00620	NAS Whidbey Island	
N00639	NAS Memphis	All All
N60050	NAS El Toro	All
N60087	NAS Brunswick	All
N60191	NAS Oceana	All
N60200	NAS Cecil Field	All
N60259	NAS Miramar	All
N60462	NAS Adak	All
N60495	NAS Fallon	All
N60530	NAS China Lake	All
N62974	NAS Yuma	All
N62481	NAS Bermuda	All
N62507	NAS Atsugi	All
N62613	NAS Iwakuni	All
N62995	NAS Sigonella	All

UIC		<u>ACTIVITY</u>	ODS
N63026	NAS Futenma		All
N63032	NAS Keflavik		All
N63042	NAS LeMoore		All
N63043	NAS Meridian		All
N63126	NAS Point Mugu		All
N68335	NAS Lakehurst		· All
N68709	NAS Mayport		All
N00389	NS Roosevelt Roads		All
N60028	NS Treasure Island		All
N60514	NS Guantanamo		All
N60201	NS Mayport		All
N62863	NS Rota		All

The above activities are NAVSUP authorized requisitioners for all ozone depleting substances (Halon 1202, Halon 1211, Halon 1301, CFC-11, CFC-12, CFC-114, CFC-500, and CFC-502) in the DOD ODS Reserve

NAVAIR AUTHORIZED USER LIST FOR ODS RESERVE

LIIC	4.070 (T) (
<u>UIC</u>	ACTIVITY	<u>ods</u>
N62269		All
N68335		All
N62376	THE PROPERTY OF THE	All
N00421		All
N68626	THE THE PARTY OF T	All
N00163		All
N63115	THE WORLD TO THE PARTY OF THE P	All
N63093	The transfer of the transfer o	All
N62849		All
N00383		Ali
	NAVSEACENLANT PORTSMOUTH VA	All
	NAVSEACENPAC SAN DIEGO CA	All
	NAS SIGONELLA IT	All
	NAS BERMUDA	All
	NAS BRUNSWICK ME	All
N60200	NAS CECIL FIELD FL	All
N00306	NAS GUANTANAMO BAY CU	All
N00207	NAS JACKSONVILLE FL	All
N63032	NAS KEFLAVIK IC	All
N00213	NAS KEY WEST FL	All
N68709	NAS MAYPORT FL	All
N00188	NAS NORFOLK VA	All
N60191	NAS OCEANA VA	All
N60462	NAS ADAK AK	All
N00236	NAS ALAMEDA CA	All
N00334	NAS BARBERS POINT HI	All
	NAS FALLON NV	All
	NAS AGANA GUAM	All
	NAS LEMOORE CA	All
	NAS MOFFETT FIELD CA	All
	NAS WHIDBEY ISLAND WA	All -
	NAS MIRAMAR CA	All
N00246	NAS NORTH ISLAND CA	All
	NAS CHASE FIELD BEEVILLE TX	All
	NAS CORPUS CHRISTI TX	All
N60241	NAS KINGSVILLE TX	All
N00639	NAS MEMPHIS TN	All
N63043	NAS MERIDIAN MS	All
N60508	NAS WHITING FIELD NILTON FL	All
N00204	NAS PENSACOLA FL	All
N0428A	NAS PATUXENT RIVER MD	All
N0429A	NAS PT MUGU CA	All
N00215	NAS DALLAS TX	All
N00275	NAS GLENVIEW IL	All
N00196	NAS ATLANTA	All
	NAS NEW ORLEANS LA	All
N00101	NAS SOUTH WEYMOUTH MA	All
	NAS WILLOW GROVE PA	All
	NAF LAJES AZ	
	NAF MILDENHALL UK	All
	THE MICHINEL OIL	All

UIC	ACTIVITY	ODS
N62507	NAF ATSUGI JA	All
N60042	NAF EL CENTRO CA	All
N62494		All
N68212	NAF MISAWA JA	All
N00274	NAF DETROIT MI	All
N00166	NAF WASHINGTON DC	All
N67604	MCAF CAMP PENDLETON CA	All
N00262	MCAF QUANTICO VA	All
N60169	MCAS BEAUFORT SC	All
N00146	MCAS CHERRY POINT NC	All
N63026	MCAS FUTEMA JA	All
N62613	MCAS IWAKUNI JA	All
N62573	MÇAS NEW RIVER NC	All
N00318	MCAS KANEOHE BAY HI	All
N62535	MCAS TUSTIN CA	All
N62974	MCAS YUMA AZ	All
N60050	CGMCAS EL TORO CA	All
N65885	NAVAVNDEPOT ALAMEDA CA	All
	NAVAVNDEPOT CHERRY POINT NC	All
	NAVAVNDEPOT JACKSONVILLE FL	All
N65887	NAVAVNDEPOT NORFOLK VA	All
N65889	NAVAVNDEPOT PENSACOLA FL	All
N65888	NAVAVNDEPOT NORTH ISLAND CA	All
N67358	COMCABEAST CHERRY POINT NC	All
N67428	COMCABWEST EL TORO CA	All
N44323	AIMD NAF ATSUGI JA	All
N44488	AIMD NAF DETROIT MI	All
N44337	AIMD NAF DIEGO GARCIA	All
N44336	AIMD NAF EL CENTRO CA	All
N44334	AIDM NAF LAJES	All
N44333	AIMD NAF MIDWAY IS	All
N44332	AIDM NAF MILDENHALL UK	All
N44331	AIMD NAF MISAWA JA	All
N44330	AIMD NAF SIGONELLA IT	All
N44492	AIMD NAF WASHINGTON DC	All
N45459	AIMD NAF MAYPORT FL	All
N44373	AIMD NAF ROOSEVELT ROADS	All
N44374	AIMD NAF ROTA SP	All
N44322	AIMD NAS MIRAMAR CA	All
N44326	AIMD NAS SAN DIEGO CA	All
N44329	AIMD NAS WHIDBEY IS CA	All
N44311	AIMD NAS ALAMEDA CA	All
N44486	AIMD NAS ATLANTA GA	All
N44312	AIMD NAS BARBERS POINT HI	All
N44313	AIMD NAS BERMUDA	All
N44314	AIMD NAS BRUNSWICK ME	All
N44315	AIMD NAS CECIL FIELD FL	All
N44487	AIMD NAS DALLAS TX	All
N44317	AIMD NAS FALLON NV	All
N44489	AIMD NAS GLENVIEW IL	Ail
N44318	AIMD NAS GUANTANAMO BA	All

UIC	ACTIVITY	ODS
N44319		All
N44335		All
N44320	AIMD NAS KEY WEST FL	All
	AIMD NAS LEMOORE CA	All
	AIMD NAS MIRIANA IS NAS AGANA GUAM	All
	AIMD NAS MOFFETT FIELD CA	All
	AIMD NAS NEW ORLEANS LA	All
	AIMD NAS NORFOLK VA	All
N44327	AIMD NAS OCEANA VA	All
N44328	AIMD NAS POINT MUGU CA	All
N44491	AIMD NAS SOUTH WEYMOUTH MA	All
N44493		All
N44402		All
N45994	AIMD NAS ADAK AK	Ali
V03360	CV60 USS SARATOGA	All
R03361	CV61 USS RANGER	All
R03362	CV62 USS INDEPENDENCE	All
R03363	CV63 USS KITTY HAWK	All
V03364	CV64 USS CONSTELLATION	All .
V03365	CVN65 USS ENTERPRISE	All
V03366	CV66 USS AMERICA	All
V03367	CV67 USS KENNEDY	All
R03368	CVN68 USS NIMITZ	All
V03369	CVN69 USS EISENHOWER	All
R20993	CVN70 USS VINSON	All
V21247	CVN71 USS ROOSEVELT	Alf
R21297		All
	CVN73 USS WASHINGTON	All
	CNV74 USS STENNIS	All
	CVN75 USS UNITED STATES	All
	LPH2 USS IWO JIMA	All
	LPH3 USS OKINAWA	All
	LPH7 USS GUADALCANAL	All
	LPH9 USS GUAM	All
	LPH10 USS TRIPOLI	All
	LPH11 USS NEW ORLEANS	All
	LPH12 USS INCHON	All
	LHA1 USS TARAWA	All
	LHA2 USS SAIPAN	All
	LHA3 USS BELLEAU WOOD	All
	LHA4 USS NASSAU	All
	LHA5 USS PELELIU	All
	LHD1 USS WASP	All
R21533	LHD2 USS ESSEX	All
V21700	LHD3 USS KEARSARGE	All
N21808 N21879	LHD4 USS BOXER	All
142 10/9	LHD5 USS BATAAN	All

The above activities are NAVAIR authorized requisitioners for all ozone depleting substances (Halon 1202, Halon 1211, Halon 1301, CFC-11, CFC-12, CFC-114, CFC-500, and CFC-502) in the DOD ODS Reserve

USMC AUTHORIZED USER LIST FOR ODS RESERVE

UIC	<u>ACTIVITY</u>	<u>ods</u>
M95464	COMMANDANT OF THE MARINE CORPS LPP-2	HALON 1211
M00146	MCAS, CHERRY POINT, NC	HALON 1211
M62573	MCAS, NEW RIVER, NC	HALON 1211
M60169	MCAS, BEAUFORT, SC	HALON 1211
M60050	MCAS, EL TORO, CA	HALON 1211
M67604	MCAS, CAMP PENDLETON, CA	HALON 1211
M62535	MCAS, TUSTIN, CA	HALON 1211
M00318	MCAS, KANOEHE BAY, HI	HALON 1211
M00260	MCAS, QUANTICO, VA	HALON 1211
M62613	MCAS, IWAKUNI, JA	HALON 1211
M63026	MCAS, FUTENMA, OKINAWA, JA	HALON 1211
M62974	MCÁS, YUMA, AZ	HALON 1211
M09252 M09494	MARINE WNG SUP SQUADRON 171 1st MAW MARINE WNG SUP SQUADRON 172 1st MAW	HALON 1211 HALON 1211
M09036	MARINE WNG SUP SQUADRON 174 1st MAW	HALON 1211
M09034	MARINE WNG SUP SQUADRON 271 2d MAW	HALON 1211
M09508	MARINE WNG SUP SQUADRON 271 2d MAW	HALON 1211
M09017	MARINE WNG SUP SQUADRON 273 2d MAW	HALON 1211
M52845	MARINE WNG SUP SQUADRON 274 2d MAW	HALON 1211
M09236	MARINE WNG SUP SQUADRON 371 3d MAW	HALON 1211
M09500	MARINE WNG SUP SQUADRON 372 3d MAW	HALON 1211
M00373	MARINE WNG SUP SQUADRON 373 3d MAW	HALON 1211
M00374	MARINE WNG SUP SQUADRON 374 3d MAW	HALON 1211
M08202	MARINE WNG SUP GROUP 47 4th MAW	HALON 1211
M48041	MAR WNG SUP SQD 471, DET A 4th MAW	HALON 1211
M48042	MAR WNG SUP SQD 471, DET B 4th MAW	HALON 1211
M48043	MAR WNG SUP SQD 471, DET C 4th MAW	HALON 1211
M48044	MAR WNG SUP SQD 471, DET D 4th MAW	HALON 1211
M67247	MARINE WNG SUP SQUADRON 471 4th MAW	HALON 1211
M48045	MAR WNG SUP SQD 472, DET A 4th MAW	HALON 1211
M48046	MAR WNG SUP SQD 472, DET B 4th MAW	HALON 1211
M48047	MAR WNG SUP SQD 472, DET C 4th MAW	HALON 1211
M09388 M48048	MARINE WNG SUP SQUADRON 472 4th MAW MAR WNG SUP SQD 473, DET A 4th MAW	HALON 1211 HALON 1211
M67432	MAR WNG SUP SQD 473, DET B 4th MAW	HALON 1211
M48049	MAR WNG SUP SQD 473, DET C 4th MAW	HALON 1211
M58050	MAR WNG SUP SQD 473, DET D 4th MAW	HALON 1211
M67818	MARINE WNG SUP SQUADRON 473 4th MAW	HALON 1211
M48051	MAR WNG SUP SQD 474, DET A 4th MAW	HALON 1211
M48052	MAR WNG SUP SQD 474, DET B 4th MAW	HALON 1211
M48053	MAR WNG SUP SQD 474, DET C 4th MAW	HALON 1211
M48054	MAR WNG SUP SQD 474, DET D 4th MAW	HALON 1211
M48055	MAR WNG SUP SQD 474, DET E 4th MAW	HALON 1211
M67431	MARINE WNG SUP SQUADRON 474 4th MAW	HALON 1211
M47790	AVIATION GRND SUP ELEMENT, MWSG-37	HALON 1211
M90035	COMMARCORLOGBASES (CODE 835)	HALON 1211

The above activities are USMC authorized requisitioners for Halon 1211

Appendix B - Chief of Naval Operations Data [CNO, 1996]

5090 Ser N451I/6U598044 1 May 96

From: Chief of Naval Operations

Subj: OZONE-DEPLETING SUBSTANCE (ODS) DATA CALL

Ref: (a) CNO ltr Ser N451I/6U597797 of 31 Jan 96

(b) DUSD(ES) ltr of 29 Jan 96

(c) ODS Steering Committee meeting of 3 Apr 96
(d) CNO ltr Ser N451I/6U597891 of 22 Mar 96

Encl: (1) Required information for 1996 data call

(2) Required information for annual data call

- 1. Reference (a) issued an ozone-depleting substance (ODS) data call to Navy activities to support data requirements for the Department of Defense Measures of Merit and to provide information to Chief of Naval Operations (OPNAV), N45 on progress in eliminating ODSs. Reference (b) eliminated the Department of Defense Measures of Merit reporting requirement for ODSs. The changes to reference (a) described in this letter are based on the recommendations from reference (c) and subsequent coordination within the Navy ODS Steering Committee. This letter revises the data requirements of reference (a), extends the deadline for reporting to 1 September 1996, and establishes an annual reporting requirement.
- 2. Modifications to the original data call are identified in attachment (1). The data gathered will be used to validate funding requirements for direct fund activities and measure the progress of the Navy in meeting the 31 Dec 2000 deadline for phase out of non-mission critical applications of ODSs. Request that claimants provide the consolidated information requested in attachment 1 to OPNAV (N45) not later than 1 September 1996.
- 3. Attachment (2) identifies data required for annual calendar year reports to be submitted to OPNAV (N45) not later than 1 April of 1997-2001. Reports should provide information as of 1 January of the calendar year in which they are submitted. Note that the annual reporting requirement includes all air conditioning and refrigeration equipment as described in reference (d).

Subj: OZONE-DEPLETING SUBSTANCE (ODS) DATA CALL

4. OPNAV (N45) point of contact on this issue is Ms. Catharine Cyr, (703)602-5335, CSN 332-5335, email: cyrc@N4.opnav.navy.mil.

D. G. PRICE
By direction

Distribution: CNO (NO9BF) CINCLANTFLT (Code N465) CINCPACFLT (Code N465) CINCUSNAVEUR (Code N76) COMNAVRESFOR (Code 01E) COMSC (Code NOOM, CTAN 701C) COMNAVMETOCOM (Code N14) CNET (Code N44) COMNAVSECGRU (Code N44F3) COMNAVCOMTELCOM (Code N451) BUMED (Code 43) COMNAVAIRSYSCOM (AIR-8.0Y, AIR-4.3.5, AIR-3.6.1.2) COMSPAWARSYSCOM (Code 07-1) COMNAVFACENGCOM (Code 40, 41) COMNAVSUPSYSCOM (Code 424) COMNAVSEASYSCOM (Code 00T, 03V2) DIRSSP (Code 2016) ONR (Code 331)

Enclosure (1)

OZONE-DEPLETING SUBSTANCES MEASURES OF MERIT DATA CALL

WEAPON SYSTEMS CONTAINING CLASS I ODSs AS OF 1 JAN 1996

	Platform	Platform	Platform	Platform	Platform
Number of systems &					
Type of Class I ODS installed					
Application—select from the following: Shipboard air conditioning and refrigeration, shipboard fire protection, aircraft environmental control, aircraft fire protection					
System capacity (lbs)					

Air Conditioning and Refrigeration

CLASS I ODS AIR CONDITIONING AND REFRIGERATION AS OF 1 JAN 96

D 44.00-20	1		
R-11 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units /			
Pounds refrigerant			
installed			
R-12 Units	5-20 Tons	24.00.7	1.22 -
Number of units	3-20 10115	21-99 Tons	100+ Tons
Pounds refrigerant			
installed			
mouncy	<u> </u>		
R-114 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			100 10.12
Pounds refrigerant			
installed			
			1
R-500 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant			
installed			
			-
R-502 Units	5-20 Tons	21-99 Tons	100+Tons
Number of units	·		
Pounds refrigerant			
installed			
	Television		
R-503 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant			
installed	1		
R-13 Units	5-20 Tons	21-99 Tons	100 · Tr
Number of units	V-20 1013	41-33 FORS	100+ Tons
Pounds refrigerant			
installed			
R-113 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant			
installed			

Enclosure (1)

FIRE PROTECTION EQUIPMENT

CLASS I ODS INSTALLED FIRE PROTECTION EQUIPMENT AS OF 1 JANUARY 1996

AGENT	Halon 1301
Number of systems	
Total pounds installed	

CLASS I ODS MOBILE FIRE SUPPRESSION EQUIPMENT AS OF 1 JANUARY 1996

Halon 1211

Number of units/systems	
Application description-select from the following: crash, fire, rescue vehicle, 150 pound flight line	
cylinder, handheld extinguishers, fire fighting vehicles, otherplease describe)	,
Unit/system capacity (lbs installed)	

Halon 1301

Number of units/systems	
Application description-select from the following: Handheld extinguishers, other-please	
describe)	
Unit/system capacity (lbs installed)	

Enclosure (1)

Solvents

CLASS I ODS SOLVENT APPLICATIONS INVOLVING EQUIPMENT* AS OF 1 JANUARY 1996

Type of solvent	CFC-113	Methyl chloroform	Carbon tetrachloride
Quantity of solvent installed in			
equipment (in gallons)			
Number of units			

^{*} Equipment includes vapor degreasers, dip tanks, flushing ngs, ultrasonic cleaners, etc. Equipment does not include aerosol cans or wipe solvents.

OZONE-DEPLETING SUBSTANCES MEASURES OF MERIT DATA CALL

WEAPON SYSTEMS CONTAINING CLASS I ODSs AS OF 1 JAN XX

į	Platform	Platform	Platform	Platform	Platform
Number of systems					
Type of Class I ODS installed					
Type of application— select from the					
following: shipboard					
air conditioning and refrigeration,					
shipboard fire					
protection, aircraft environmental control,					
aircraft fire protection					
System capacity (lbs)					

Air Conditioning and Refrigeration

CLASS I ODS AIR CONDITIONING AS OF 1 JAN XX

R-11 Units #	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant			
installed			
R-12 Units	5-20 Tons	21-99 Tons	100+Tons
Number of units			
Pounds reingerant			
installed			
R-114 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant			
installed			
	,		
R-500 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant			
installed			
R-113 Units	5-20 Tons	21-99 Tons	100+Tons
Number of units			
Pounds refrigerant			
installed	•		

CLASS I ODS REFRIGERATION AS OF 1 JAN XX

R-12 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			100 * 1013
Pounds refrigerant installed			
R-500 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			100 1013
Pounds refrigerant installed			
R-502 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			1004 1002
Pounds refrigerant installed			
msizhed.	<u> </u>		
R-503 Units	5-20 Tons	21-99 Tons	100+Tons
Number of units			1004 1013
Pounds refrigerant			
installed			
R-13 Units	5-20 Tons	21-99 Tons	100+ Tons
Number of units			
Pounds refrigerant installed			

FIRE PROTECTION EQUIPMENT

CLASS I ODS INSTALLED FIRE PROTECTION EQUIPMENT AS OF 1 JAN XX

AGENT∜	Halon 1301
Number of systems	
Total pounds installed	

CLASS I ODS MOBILE FIRE SUPPRESSION EQUIPMENT AS OF 1 JANUARY 1996

Halon 1211

Number of units/systems	
Application description-select from the following: crash, fire, rescue vehicle, 150 pound flight line	
cylinder, handheld extinguishers, fire fighting vehicles, other-please describe)	:
Unit/system capacity (lbs installed)	

Halon 1301

Number of units/systems	
Application description—select from the following: Handheld extinguishers, other—please describe)	
Unit/system capacity (lbs installed)	

Solvents

CLASS I ODS SOLVENT APPLICATIONS INVOLVING EQUIPMENT* AS OF 1 JAN XX

Type of solvent	CFC-113	Methyl chloroform	Carbon tetrachloride
Quantity of solvent installed in			
equipment i			
Number of units			

^{*} Equipment includes vapor degreasers, dip tanks, flushing rigs, ultrasonic cleaners, etc. Equipment does not include aerosol cans or wipe solvents.

Appendix C – Inventories

List of NAVY Crash Fire Rescue (CFR) Inventory

EU (EC) Make & Model No. 720000 HEIL 25FR-842 720000 KOVATCH HH100
720000 KOVATCH HH10 720000 KOVATCH HH10 720000 MII SBEC HB300
715001 AMEKIEK CF4000L 732100 FIRE TRKSCF53325
732100 FIRE TRKSCF53325
_
716001 OSHKOSH P-19 732100 PIERCE DASH
8
8
8
01 PIERCE
2 2
OO FIKE IKK
732100 WARD MFG WARDS
10
05
00 FIRE TR
8
8
01 OSHKOS
00 PIERCE
732100 PIERCE ARROW
730000 CONESTOGACK-31003
8
101 KOVATCI
735101 PIERCE ARROW

770730	LDS. 01 1211	٠			000	200	200			200	500																								900
, T	8	N00060	000001	N00000	2/0000	N000/2	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00011	N00011	N00011	N00011	N00011	NOO19	N0019	NOOON	N00024	N00024	N00024	N00024	N00024	NOODA	N00024	N00024	N00024	N00018	N00018	N00018	N00011
Rent Vr. Cost	- 1		J																																
Status Yr. USN R	2074	78 73-02506	90 94-42395	90 71-02042	02 71 02042	- 1	_	85 71-03034	85 71-03035	87 71-02756	86 71-02683	94 73-03103	86 73-02774	86 73-02782	87 71-02757	95 73-01431	90 73-03017	78 73-02525	84 73-02763	88 73-01347	82 73-01382	84 94-14811	84 94-14813				88 73-02871	87 73-02922	94 73-01342	84 73-02762	88 73-02870	90 71-03083	95 73-01414	88 73-02874	91 71-02800
EU (EC) Make & Model No. Stat		SEAGRA	730000 WHEEL COAE-350	716001 AMERTEK CF40001	716001 AMERTEK CE40001			JUON GIMC			001 OSHKOSH	101	100 PIERCE	9	9	19	101	732100 SEAGRAVE MB23098	732100 WALTER NB750WGG	732200 CHRYSLER D-250	734103 FORD MTR F-700	734100 AMERICAN CJ70	734100 AMERICAN CJ70	734100 CHRYSLER W250		730000 GMC M1010	732200 KOVATCH KFT3	735101 PIERCE ARROW	732101 PIERCE DASH	732100 WALTER NB750WGG	732100 PIERCE ARROW	730000 FORD E350	101 KOVATC	732100 PIERCE ARROW	716001 AMERTEK CF4000L
Activity (Location)	N62470 N00129		N62470 N00129	N62470 N00158 NAS Willow Grove	N62470 N00158	N62470 N00158							N62470 N00158	N62470 N00158	1002470 100101				N62470 N00161															N00168	N62470 N00171 Naval District Washington

Lbs. of 1211	500	200						500	1												200													
Lbs	-		11	1	-	=		_	=	=	_	_	Ξ	<u>-</u>	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	₹	4
Ş	N0001	N00011	N0001	N0001	N0001	N0001	N0001	N0001	N0001	N0001	N00011	N0001	N00011	N00011	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024	N00024
Repl. Yr. Cost			į										,																					
Rep	1_	33	55	53	7.	g	9	3	=	თ	4	7	0	*	6	2	5	4	9	o	7	3	æ	7	7	80	7	0	G	~	~	-		
NSN	71-02801	71-02803	71-02635	74-00053	71-02761	73-01389	73-03126	71-02703	73-02781	73-02979	73-03114	73-03117	73-02720	73-02721	73-01379	71-03055	73-02865	73-02934	73-02526	73-02699	71-02947	71-03013	73-03038	73-02997	73-03002	73-02848	73-02772	74-00070	73-03036	73-03037	73-01343	73-01344	73-02524	73-02534
Status Yr. USN	91	91	83	80	87	94	94	85	86	88	95	95	84	84	88	82	88	88	78	82	95	06	88	88	91	86	84	93	87	87.7	94 7	94 7	78 7	78 7
Stat																																		
EU (EC) Make & Model No.	716001 AMERTEK CF4000L	-	710000 FIRE-TEC C-30	_	710000 KOVATCH ACR	732101 KOVATCH RENEGADE	732101 KOVATCH RENEGADE	716001 OSHKOSH P-19	732100 PIERCE ARROW	732100 PIERCE ARROW	8		732100 WALTER NB750WGG	732100 WALTER NB750WGG	734103 CHEV C30	730000 GMC M1010	732100 PIERCE ARROW	735100 PIERCE LTA 10-320	732000 SEAGRAVE MB23098	732100 WARD MFG NWLTD1000	7	710000 CHRYSLER B-250	734103 GMC CHEV CV30943	735100 PIERCE ARROW	0	00 PIERCE C	732100 WALTER NB750WGG	00	732100 PIERCE DASH	732100 PIERCE DASH	732101 PIERCE DASH	732101 PIERCE DASH	732100 SEAGRAVE MB23098	732100 SEAGRAVE MB23098
	N62470 N00171 Naval District Washington	_					_					-		1		-				N00174							N62470 N00178		N62470 N00181	N62470 N00181			N62470 N00181	N62470 N00181

OIC	C) Make & Mc	Status Yr. USN Repl. Yr. Cost	MC Lbs.	Lbs. of 1211
	102 WALTER	84 73-02731	N00062	
N00204	732102 WALTER NB750WGG	84 73-02732	N00062	
	716001 AMERTEK CF4000L	90 71-02922	N00072	200
	716001 AMERTEK CF4000L	92 71-02962	N00072	200
	001	92 71-02975	N00072	200
	000	85 71-02681	N00072	
	732100 FIRE TRKSCF53325	80 73-02581	N00072	
	732100 WALTER NB750WGG	84 73-02737	N00072	
N00206	WARD MFG	82 73-02693	N00072	
	001 AMERTEK	92 71-02847	N00060	200
	-	92 71-02945	N00060	200
	716001 AMERTEK CF4000L	92 71-02951	N00060	200
		92 71-02953	N00060	200
		93 71-02977	N00060	200
	-	93 71-02979	N00060	200
	710200 CHRYSLER W400	78 71-02527	N00060	
	710202 CONESTOGACK-31003	85 71-02670	N00060	200
	732000 FIRE TRKSFT12500	75 73-02494	N00060	
		85 71-03040	N00060	
		95 73-01416	N00060	
	732101 KOVATCH RENEGADE	95 73-01417	N00060	
	PIERCE	86 73-02789	N00060	
N00207		89 74-00064	N00060	
-	710202 KOVATCH KFT6	87 71-02755	N00062	200
	732101 KOVATCH RENEGADE	94 73-01387	N00062	
	KOVATC	95 73-01360	N00062	
		88 73-02873	N00062	
		86 73-02840	N00062	
N62470 N00210	735101 PIERCE PIERCE	94 73-03121	N00062	
N62470 N00210	740001 SEAGRAVE HR07DB	84 74-00059	N00062	
N62470 N00213 NAS Key West, FL	710000 CHRYSLER W400 CUSTOM	77 71-02504	N00060	
	_	80 73-02583	N00060	
N62470 N00213	732000 FIRE TRKSFT12500	75 73-02457	N00060	
N62470 N00213	732101 KOVATCH RENEGADE	94 73-01390	N00060	
	•			

l be of 1944		500	500	3	200								500	200	200	200	200	200	200									•		200				
OM.	080	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00072	N00072	N00072	N00072	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00025	N00025	N00025	N00062	N00062	N00062
Repl. Yr. Cost			į	*																														
Status Yr. USN Re	95 73-01362	86 71-02688	87 71-02735	87 71-02729	87 71-02730	88 73-02943	78 73-02507	84 73-02739	80 73-02610	76 71-02455	77 71-02468	77 71-02842	90 71-02894	90 71-02904	90 71-02948	90 71-02957	90 71-02966	90 71-02969	90 71-02973	93 71-03064	93 71-03065	93 71-03066	93 71-03067	93 71-03068	95 73-0136 5	88 73-02960	89 74-00061	84 73-02740	69 73-02112	85 71-02709	88 73-02878	85 73-01340	85 71-03045	94 73-01400
EU (EC) Make & Model No.	732101 KOVATCH RENEGADE	6001 OSHKOSH	716000 OSHKOSH P-19	_					732100 FIRE TRKSCF533250	718000 OSHKOSH M1500		OSHKOSH	AMERTEK	AMERTEK	3001 AMERTEK	3001 AMERTEK	001 AMERTEK	-	3001	3000 GMC	000 GMC	00	710000 GMC CHEV K10516-BLAZ	000	101	100	740001 PIERCE ARROW	732100 WALTER NB750WGG	100	716000 OSHKOSH P-19		734102 CHRYSLER W350	730000 GMC M1010	732101 KOVATCH RENEGADE
OIIC								N00213				N00215											-					N00216			N62470 N00275	N62470 N00281		N62470 N00281

List of NAVY Crash Fire Rescue (CFR) Inventory

l bs of 1211								CCC	700				200	500	500	500)					500	500	500	500	200	500	i !			200	0	0	c
MC	062	N00062	N00060	NOOOGO	NOODEO	NOODBO	NOOPO	NOODEO	NOOBO	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00062	N00062	N00062	NOORS
Repl. Yr. Cost	1	į																																
Status Yr. USN Re	91 73-03021	84 73-02719	71 72-01664	96 73-03146	96 73-03147	75 73-02455	_		94 73-03134	95 73-01419	95 73-01432	76 71-02463	87 71-02740	92 71-02929	92 71-02932	92 71-02938	86 73-02803	85 71-02674	86 71-02771	85 71-03043	95 73-01415	85 71-02697	85 71-02701	87 71-02728	92 71-02936	92 71-02995	92 71-02996	88 73-02980	88 73-02882	91 73-03063	87 71-02772	85 71-02689	87 71-02736	87 71-02737
Statu									ш	ш	111										***													
EU (EC) Make & Model No.	735100 PIERCE ARROW	8	8	734102 EMER ONE B-140	734102 EMER ONE B-140	732000 FIRE TRKSFT12500	732000 GSE/CORP MK1856	710200 KOVATCH KFT6	732101 KOVATCH RENEGADE	732101 KOVATCH RENEGADE	5	8	O1 OSHKOSH I	1 OSHKOSH	OSHKOSH	5	빙			710000 GMC TRK CK30	5	716001 OSHKOSH P-19	Ξ	Ξ	Ξ	Ξ	1 OSHKOSI	2	2 PIERCE	0 PIERCE A	0 KOVATCH P	O OSHKOSH	-	716001 OSHKOSH P-19
Activity (Location)		0	NS Roosevelt Roads															NAWC Paxtuxent River, MD													NAS Memphis Millington			
		N00281	N00389		_	_											N00389	N00421												N00421	N00639			N624/0 N00639

OIC	Activity (Location)	EU (EC) Make & Model No.	Status Yr. IISN	Reni Vr. Cost	37 77 J	
		732101 PIERCE ARROW	77-57 78	:	MIC LUS. OF 1211	1171
			88 73-02955	- Y	N00062	
N62470 N00639		2100 WARD MI	82 73 02 6 03	<i>;</i>	N00062	
N62470 N00702		410		7	N00062	
N62470 N00702			79 73-02561		N00069	
N62470 N00702		100		<u> </u>	89000N	
N62470 N31188			78 /3-02505	5	69000N	
				7	69000N	
- 1		3	88 73-02904	4	N00069	
		732000 FIRE TRKSFT12500	76 73-02484	4	N00014	
		732000 MCKERLIE M47C	73 73-02998	80	N00014	
		100 WALTER	85 73-02761	•	N00014	
	-	734100 GMC MTMW 1500	85 73-01427	7	N00061	
		734100 DARLEY WSF350	93 73-03111		NOODEO	
		732101 KOVATCH RENEGADE	94 73-01391	-	NOODBO	
N62470 N42237		732101 KOVATCH RENEGADE			000001	
N62470 N42237		101 KOVATCH			100000	
N62470_N42237		101		,	Nonnen	
N62470 N45534			- "	,	NUUDEO	
				ıo.	N00024	
		000	68 73-02056	(C)	N00024	
		100	78 73-02504	**	N00024	
N45534		9	78 73-02522	7	N00024	
N60087	NAS Brunswick, ME	00	90 71-02907		N00060	200
		00	90 71-02970		N00060	500
		716001 AMERTEK CF4000L	91 71-02861	_	NOOOBO	200
		102	80 73-02631	-	N00060	
		734102 FIRE TRKSAT250-500	78 73-02553	·	N00060	
		734102 GLOBAL W500/250P	88 73-02823	~	NOOOBO	
		710000 GMC M1010	85 71-03051		N00060	
		732100 PIERCE ARROW	88 73-02886	•	NOODO	
		732100 PIERCE ARROW	88 73-02982		NOON	
		732100 SEAGRAVE MB23098	78 73-02527	ı	NOOOBO	
N60087		732100 WALTER NB750WGG	84 73-02734		N00060	
N60191	NAS Oceana, VA Beach	716001 AMERTEK CF4000L	91 71-02804			200
N62470 N60191		716001 AMERTEK CF40001	91 71-02809			
						2000

List of NAVY Crash Fire Rescue (CFR) Inventory

716001 AMERTEK CF4000L 722100 MARTEK CF4000L 722100 MARTEK CF4000L 722100 MARTEK CF4000L 722100 WALTER NB750WGG 722100 WALTER NB750WGG 722100 WALTER NB750WGG 722100 WALTER CF4000L 722100 WALTER CF4000L 722100 WARTEK CF4000L 722100 WARTEK CF4000L 722100 WARTEK CF4000L 722200 BTA2SY SDC064 7222200 BTA2SY SDC064 7222200 BTA2SY SDC064 7222200 BTA2SY SDC064 7222200 BTA2SY SDC	UIC /	Activity (Location) NAS Oceana, VA Beach	EU (EC) Make & Model No. 716001 AMERTEK CF40001	Status Yr. USN 91 71-02817	Repl. Yr. Cost	MC L	Lbs. of 1211
716001 AMERTEK CF4000L			6001 AMERTEK	- 1		N00060	200
716001 AMERTEK CF4000L 93 71-02958 N00060 716001 AMERTEK CF4000L 93 71-02959 N00060 710000 FIRE-TEC C30 83 71-02959 N00060 710000 FIRE-TEC C30 87 71-02950 N00060 732100 PIERCE ARROW 88 73-02952 N00060 732100 PIERCE DASH 86 73-02764 N00060 732100 PIERCE DASH 86 73-02764 N00060 716001 AMERTEK CF4000L 90 71-02816 N00060 716001 AMERTEK CF4000L 90 71-02917 N00060 716001 AMERTEK CF4000L 91 71-02926 N00060 734102 FIRE-TEC DC15 <td></td> <td></td> <td>AMERTEK</td> <td>-</td> <td></td> <td>N00060</td> <td>200</td>			AMERTEK	-		N00060	200
716001 AMERTEK CF4000L 93 71-02959 N00060			6001 AMERTEK	1-		N00060	200
710000 FIRE-TEC C30 72100 PIENCE C30 72100 GMC M1010 72100 GMC M1010 72100 PIENCE DAH 72100 PIENCE C4000L 72100 MARTEK CF4000L 72200 AMERITEK CF4000L 72200 AMERITEK CF4000L 72200 AMERITEK CF4000L 72200 BIENCE CA000L 72200 BIENCE CE CA000L 72200 BIENCE CANON 873-02301 773-000 BIENCE ARROW 873-02301 773-0000 BIENCE ARROW 873-02301 773-0200 BIENCE ARROW 873-02301 773-0000 BIENCE ARROW 873-02301 773-02301 773-0000 BIENCE ARROW 873-02301 773-02301 773-02301 773-0000 BIENCE ARROW 873-02301 773-02301 773-0000 BIENCE ARROW 873-02301 773-02301 773-02301 773-02301 773-0000 BIENCE ARROW 873-02301 773-02301 773-02301 773-02301 773-02301 773-02301 773-02301 773-02301 773-02301 773-02301 773-0230			6001 AMERTEK	93 71-02959		N00060	200
732100 PIERCE ARROW 8 73-02952 N00060 732100 PIERCE ARROW 8 73-02785 N00060 732100 VALTER NBY50WGG 8 73-02785 N00060 732100 VALTER NBY50WGG 8 73-02785 N00060 732100 VALTER NBY50WGG 73010 AMERTEK CF4000L 73020 BTASYS JBC064 73020 CHYSLER W-40 73020 CHYSLER W-40 73020 CHYSLER W-40 73020 CHYSLER DO15 73000 FMC CORP M-548 73 1-03087 73000 FMC CORP M-548 73 1-03087 73000 GMC M1010 85 71-03081 73000 CMC M1010 85 71-03081 73000 CMC M1010 85 71-03082 73000 CMS M1010 85 71-03083 73000 CMS M1010 85 71-03083 73000 CMS M1010 73 73-02887 73000 GMC M1010 85 71-03083 73000 FMC CORP M-548 73-02983 73000 CMSER 4610 73 73-02887 73000 GMC M1010 85 71-03083 73-02987 73-000960 73-02080 73-				83 71-02636		N00060	
732100 PIERCE ARROW 88 73-02952 N00060 732100 WALTER NASH 86 73-02784 N00060 732100 WALTER NB750WGG 84 73-02784 N00060 716001 AMERTEK CF4000L 90 71-02805 N00060 716001 AMERTEK CF4000L 90 71-02912 N00060 716001 AMERTEK CF4000L 91 71-02912 N00060 716001 AMERTEK CF4000L 91 71-02912 N00060 716001 AMERTEK CF4000L 91 71-02912 N00060 716001 AMERTEK CF4000L 93 71-0294 N00060 710200 CHRYSLER W40 77 71-02503 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 GMC M1010 85 71-03063 N00060			0000 GMC	~		N00060	
732100 PIERCE DASH B6 73-02785 N00060 732100 WALTER NB750WGG 84 73-02764 N00060 746001 AMERTEK CF4000L 90 71-02815 N00060 716001 AMERTEK CF4000L 90 71-02912 N00060 716001 AMERTEK CF4000L 90 71-02917 N00060 716001 AMERTEK CF4000L 91 71-02912 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 71600 CHRYSLER W-40 77 71-0253 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 73000 FMC CORP M-548 79 71-03081 N00060 710000 GMC M1010 85 71-03063 N00060 732100 PIERCE ARROW			2100 PIERCE	-		N00060	
732100 WALTER NB750WGG 84 73-02764 N00060 716001 AMERTEK CF4000L 90 71-02816 N00060 716001 AMERTEK CF4000L 90 71-02918 N00060 716001 AMERTEK CF4000L 90 71-02912 N00060 716001 AMERTEK CF4000L 91 71-02912 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 722500 BETASYS J8C064 82 72-01621 N00060 734102 FIRE-TEC DC15 80 73-0263 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548 79 71-03082 N00060 73000 FMC ANSER 4610 85 71-03062 N00060 732100 PIERCE ARROW </td <td></td> <td></td> <td>2100 PIERCE</td> <td>-</td> <td></td> <td>N00060</td> <td></td>			2100 PIERCE	-		N00060	
716001 AMERTEK CF4000L 90 71-02805 N00060 716001 AMERTEK CF4000L 90 71-02818 N00060 716001 AMERTEK CF4000L 90 71-02902 N00060 716001 AMERTEK CF4000L 91 71-02917 N00060 716001 AMERTEK CF4000L 91 71-02926 N00060 716001 AMERTEK CF4000L 93 71-02946 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53325 79 71-03081 N00060 710000 GMC M1010 85 71-03083 N00060 732100 PIERCE ARROW 88 73-02931 N00060 732100 PIERCE ARROW 88 73-02935 N00060 732000			2100 WALTER	1-		N00060	
716001 AMERTEK CF4000L 90 71-02818 N00060 716001 AMERTEK CF4000L 90 71-02902 N00060 716001 AMERTEK CF4000L 91 71-02812 N00060 716001 AMERTEK CF4000L 91 71-02812 N00060 716001 AMERTEK CF4000L 93 71-02946 N00060 716001 AMERTEK CF4000L 93 71-02946 N00060 716001 AMERTEK CF4000L 93 71-02946 N00060 722500 BETA/SYS J8C064 82 72-01621 N00060 734102 FIRE-TEC DC15 80 73-02627 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02846 N00060 710000 FMC CORP M-548 79 71-03082 N00060 710000 FMC CORP M-548 79 71-03063 N00060 710000 GMC M1010 85 71-03063 N00060 732100 PIERCE ARROW 88 73-02847 N00060 732100 PIERCE		VAS Cecil Field, FL	6001 AMERTEK	7		N00060	0
716001 AMERTEK CF4000L 90 71-02902 N00060 716001 AMERTEK CF4000L 90 71-02917 N00060 716001 AMERTEK CF4000L 91 71-02812 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 716001 AMERTEK CF4000L 93 71-02954 N00060 72500 BETA/SYS JBC064 82 72-01621 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 732100 FIRE TRKSCF53325 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548A 79 71-03082 N00060 710000 FMC CORP M-548A 79 71-03082 N00060 710000 FMC CORP M-548A 79 71-03082 N00060 710000 FMC M1010 85 71-03063 N00060 732100 PIERCE ARROW 88 73-02937 N00060 732100 PIERCE ARROW 88 73-02863 N00060 732000 FIRE TRKSFT12500 75 73-02467 N000060 732000 FIRE TRKSFT12500<			6001 AMERTEK	~		N00060	0
716001 AMERTEK CF4000L 90 71-02917 N00060 716001 AMERTEK CF4000L 91 71-02812 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 722500 BETASYS J8C064 82 72-01621 N00060 734102 FIRE-TEC DC15 80 73-02637 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53325 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 GMC M1010 85 71-03082 N00060 710000 GMC M1010 85 71-03081 N00060 732100 PIERCE ARROW 88 73-02831 N00060 732100 FIRE TRKSFT12500 75 73-02467 N00060 732000 FIRE TRKSFT12500 75 73-02338 N00060			6001 AMERTEK	7		N00060	0
716001 AMERTEK CF4000L 91 71-02812 N00060 716001 AMERTEK CF4000L 93 71-02926 N00060 716001 AMERTEK CF4000L 93 71-02954 N00060 722500 BETA/SYS J8C064 82 72-01621 N00060 710200 CHRYSLER W-40 77 71-02503 N00060 734102 FIRE-TEC DC15 80 73-02637 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53325 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548 79 71-03082 N00060 710000 GMC M1010 85 71-03082 N00060 710000 GMC M1010 85 71-03083 N00060 732100 PIERCE ARROW 88 73-02837 N00060 732100 FIRE TRKSFT12500 75 73-0263 N00060 732000 FIRE TRKSFT12500 75 73-02953 N00060 732000 FIRE TRKSFT12500 75 73-02467 N00060			6001 AMERTEK	90 71-02917		N00060	0
716001 AMERTEK CF4000L 93 71-02926 N00060 716001 AMERTEK CF4000L 93 71-02954 N00060 722500 BETA/SYS J8C064 82 72-01621 N00060 710200 CHRYSLER W-40 77 71-02503 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53325 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548A 79 71-03082 N00060 710000 GMC M1010 85 71-03062 N00060 710000 GMC M1010 85 71-03063 N00060 730000 KAISER 4610 78 73-02931 N00060 732100 PIERCE ARROW 88 73-02887 N00060 732100 PIERCE ARROW 88 73-02953 N00060 732000 FIRE TRKSFTI2500 75 73-02467 N00060 732000 FIRE TRKSFTI2500 75 73-02467 N00060			6001 AMERTEK	~		N00060	0
716001 AMERTEK CF4000L 93 71-02954 N00060 722500 BETA/SYS J8C064 82 72-01621 N00060 710200 CHRYSLER W40 77 71-02503 N00060 734102 FIRE-TEC DC15 80 73-02627 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53325 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548 79 71-03082 N00060 710000 GMC M1010 85 71-03037 N00060 710000 GMC M1010 85 71-03063 N00060 730000 KAISER 4610 78 73-02931 N00060 732100 PIERCE ARROW 88 73-02931 N00060 732100 PIERCE ARROW 88 73-02953 N00060 732000 FIRE TRKSCF53325 80 73-02562 N00060 732000 FIRE TRKSFTI2500 75 73-02467 N00060 730000 GMC M1010 85 71-03038 N00060			5001 AMERTEK	~		N00060	0
722500 BETA/SYS J8C064 82 72-01621 N00060 710200 CHRYSLER W40 77 71-02503 N00060 734102 FIRE-TEC DC15 80 73-02635 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53326 80 73-0286 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 GMC M1010 85 71-03082 N00060 710000 GMC M1010 85 71-03082 N00060 730000 KAISER 4610 78 73-02931 N00060 732100 PIERCE ARROW 88 73-02931 N00060 732100 FIRE TRKSCF53325 80 73-0293 N00060 732100 FIRE TRKSFT12500 75 73-02953 N00060 732000 FIRE TRKSFT12500 75 73-03038 N00060 732000 FIRE TRKSFT12500 75 73-03038 N00060			5001	~		N00060	0
710200 CHRYSLER W40 77 71-02503 N00060 734102 FIRE-TEC DC15 80 73-02627 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 734102 FIRE-TEC DC15 80 73-02636 N00060 732100 FIRE TRKSCF53325 80 73-02636 N00060 710000 FMC CORP M-548 79 71-03081 N00060 710000 FMC CORP M-548 79 71-03082 N00060 710000 GMC M1010 85 71-03082 N00060 710000 GMC M1010 85 71-03063 N00060 730000 KAISER 4610 88 73-02931 N00060 732100 PIERCE ARROW 88 73-02987 N00060 732100 FIRE TRKSCF53325 80 73-02582 N00060 732000 FIRE TRKSFTI2500 75 73-02467 N00060 732000 FIRE TRKSFTI2500 75 73-02467 N00060 710000 GMC M1010 85 71-03038 N00060			2500	82 72-01621		N00060	
734102 FIRE-TEC DC15 732100 FIRE TRKSCF53325 710000 FMC CORP M-548 710000 FMC CORP M-548A 710000 GMC M1010 710000 GMC M1010 732100 FIRE TRKSCF53325 732100 FIRE TRKSCF53325 732100 FIRE TRKSCF53325 732000 FIRE TRKSCF53325 732000 FIRE TRKSCF53325 732000 FIRE TRKSFT12500 710000 GMC M1010 732100 FIRE TRKSFT12500 710000 GMC M1010			0500	77 71-02503		N00060	200
734102 FIRE-TEC DC15 734102 FIRE-TEC DC15 732100 FIRE TRKSCF53325 710000 FMC CORP M-548 710000 FMC CORP M-548 710000 GMC M1010 710000 GMC M1010 85 71-03082 710000 GMC M1010 85 71-03062 710000 GMC M1010 85 71-03063 73000 KAISER 4610 732100 PIERCE ARROW 88 73-02931 732100 FIRE TRKSCF53325 732000 FIRE TRKSCF53325 732000 FIRE TRKSCF12500 75 73-02953 732000 FIRE TRKSCF53325 732000 FIRE TRKSCF53325 732000 FIRE TRKSCF53325			4102	1		N00060	
734102 FIRE-TEC DC15 732100 FIRE TRKSCF53325 710000 FMC CORP M-548 710000 FMC CORP M-548A 710000 GMC M1010 710000 GMC M1010 710000 GMC M1010 732100 PIERCE ARROW 732100 PIERCE ARROW 732100 FIRE TRKSCF53325 732000 FIRE TRKSCF53325 732000 FIRE TRKSFTI2500 75 73-03038 732000 FIRE TRKSFTI2500 75 73-03083 75 73-03083			4102	_		N00060	
732100 FIRE TRKSCF53325 710000 FMC CORP M-548 710000 FMC CORP M-548 710000 GMC M1010 88 73-02931 710000 GMC M1010 88 73-02953 710000 GMC M1010				~		N00060	
710000 FMC CORP M-548 79 71-03081 710000 FMC CORP M-548A 79 71-03082 710000 GMC M1010 85 71-03037 710000 GMC M1010 85 71-03063 730000 KAISER 4610 732100 PIERCE ARROW 88 73-02931 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSCF53325 732000 FIRE TRKSFT12500 75 73-02467 710000 GMC M1010 85 71-03038				\sim		N00060	
710000 FMC CORP M-548A 79 71-03082 710000 GMC M1010 85 71-03052 710000 GMC M1010 85 71-03062 710000 GMC M1010 85 71-03063 730000 KAISER 4610 78 73-02931 732100 PIERCE ARROW 88 73-02987 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSFTI2500 75 73-02467 710000 GMC M1010 85 71-03038			DOOD FMC	7		N00060	
710000 GMC M1010 85 71-03037 710000 GMC M1010 85 71-03062 710000 GMC M1010 85 71-03063 730000 KAISER 4610 78 73-02931 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSCF53325 80 73-02582 732000 FIRE TRKSFT12500 75 73-02467 710000 GMC M1010 85 71-03038			0000 FMC	~		N00060	
710000 GMC M1010 85 71-03062 710000 GMC M1010 85 71-03063 730000 KAISER 4610 78 73-02931 732100 PIERCE ARROW 88 73-02953 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSCF53325 80 73-02582 732000 FIRE TRKSFT12500 75 73-02467 710000 GMC M1010 85 71-03038			3000 GMC	~		N00060	
710000 GMC M1010 85 71-03063 730000 KAISER 4610 78 73-02931 732100 PIERCE ARROW 88 73-02953 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSCF53325 80 73-02467 732000 FIRE TRKSFTI2500 85 71-03038			0000 GMC	7		N00060	
730000 KAISER 4610 78 73-02931 732100 PIERCE ARROW 88 73-02987 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSCF53325 80 73-02582 732000 FIRE TRKSFTI2500 75 73-02467 710000 GMC M1010 85 71-03038			GMC			N00060	•
732100 PIERCE ARROW 88 73-02887 732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSFTI2500 75 73-02467 710000 GMC M1010 85 71-03038			KAISER			N00060	
732100 PIERCE ARROW 88 73-02953 732100 FIRE TRKSCF53325 80 73-02582 732000 FIRE TRKSFTI2500 75 73-02467 710000 GMC M1010			PIERCE	•		N00060	
732100 FIRE TRKSCF53325 80 73-02582 732000 FIRE TRKSFTI2500 75 73-02467 710000 GMC M1010 85 71-03038			PIERCE			N00060	
FIRE TRKSFT12500 75 73-02467 GMC M1010 85 71-03038		Vaval Station Mayport		80 73-02582		N00060	
0000 GMC M1010 85 71-03038						N00060	
			0000 GMC	85 71-03038		N00060	

l be of 1944	171	500	200				200	500	200	200	200	200														200	200	. 500	200	200	200	200	200	200
MC - Pe	090	N00060	NOOOBO	N00060	N00060	09000N	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00024	N00024	N00024	N00024	N00024	N00024	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062
Repl. Yr. Cost	1		į	-											*																			
Status Yr. USN	95 73-01364	87 71-02741	87 71-02742	87 71-02751	88 73-02954	84 73-02738	90 71-02949	90 71-02967	91 71-02862	91 71-02903	91 71-02909	92 71-02960		80 73-02632	87 71-02763	94 73-03135	95 73-01434	88 71-02792	84 73-02735	77 73-03089	77 73-03094	88 73-02987	86 73-02831	87 73-02869	84 73-02769	90 71-02908	90 71-02952	90 71-02972	90 71-02976	83 71-02637	83 71-02638	83 71-02639	83 71-02641	83 71-02642
Statu													,																					
EU (EC) Make & Model No.	732101 KOVATCH RENEGADE	716001 OSHKOSH P-19	716001 OSHKOSH P-19	716001 OSHKOSH P-19	732100 PIERCE ARROW	732100 WALTER NB750WGG			AMERTEK	AMERTEK	6001	6001 AMERTE	4100	4102	000	2101	732101 KOVATCH RENEGADE	710000 MAXIM X-CR	732100 WALTER NB750WGG	734102 CHRYSLER W-20	734103 CHRYSLER W-20	735101 PIERCE ARROW	732100 PIERCE DASH	732100 PIERCE DASH	732100 WALTER, NB750WGG	3001 AMERTEK	3001 AMERTEK	3001 AMERTEK	5001	0202	0202 1	0202 FIRE-TEC	0202	710202 FIRE-TEC CK30943
Activity (Location)	Naval Station Mayport						NAS Kingsville, TX																			NAS Whiting Field, Milton FL				,				
						- 1								-	_	_			- 1					_	N60478	N60508		_		_				N62470 N60508

Lbs. of 1211		200	200	200	200	200	200	200	200	200	200	200	200																					
MC Lbs	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060
Repl. Yr. Cost	50	77	. 22	92	77	82	62	30	31	37	38	39	06	20	21	23	22	74	33	36	12	13		53	71	35	90	00	44	35	. 20	80		9;
Status Yr. USN	85 71-03050	85 71-02677	87 71-02775	87 71-02776	87 71-0277	87 71-02778	87 71-02779	87 71-02780	87 71-02781	88 71-02787	88 71-02788	88 71-02789	88 71-02790	95 71-03020	95 71-03021	95 71-03023	95 71-03025	94 73-03104	88 73-02883	84 73-02736	93 73-03112	88 72-01613	83 73-03067	83 73-03053	87 72-01671	87 71-02765	94 73-01406	95 73-01420	76 71-02444	76 71-02465	92 71-02997	92 71-02998	88 73-02983	90 73-03026
EU (EC) Make & Model No.	710000 GMC M1010	710202 GMC CHEV CK31003	710200 GMC CHEV KFT6	710202 GMC CHEV X-CR	IN	710202 INTL HVR 4800DT466	710202 INTL HVR 4800DT466	710202 INTL HVR 4800DT466	735101 PIERCE ARROW	732100 PIERCE ARROW	732100 WALTER NB750WGG	734100 DARLEY WSF350 XL	722500 ELLIOTT EMW-2000 WT	734100 FIRE-TEC DC15AF250N	734103 FIRE-TEC DC15AF250N	722500 INTL HVR PAYSTAR	710000 KOVATCH KFT6	732101 KOVATCH RENEGADE	732101 KOVATCH RENEGADE	718000 OSHKOSH M1500	718000 OSHKOSH M1500	719001 OSHKOSH TA-3000	719001 OSHKOSH TA-3000		735101 PIERCE ARROW									
Activity (Location)	3 NAS Whiting Field, Milton FL																																	
TEMC UIC	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60508	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514	N62470 N60514
•								_	_	_							1	_	_	-		-	**	_	_	-		-	_	_	_	-	_	

MC Lbs: of 1211	090	DODON	N00025	N00025	N00025	N00025	N00025	NOOD24	N00024 500		N00024	N00060 200		NOOOO	09000N	N00019	91000N	N00019	N00061				N00061	N00061	N00025	N00025	N00025	N00062 200	N00062	N00062	N00062		N00062
Status Yr. USN Repl. Yr. Cost	86 73-02 804 86 73-02805		74 74-00044 06 72 02787	00 /3-UZ/8/	78 73-02529		84 73-02723	88 71-02783	87 71-02743	87 73-02866	82 73-02691	86 71-02720	95 73-01371	88 73-02956	84 73-02741	88 71-02786	91 73-03066	78 73-02511	85 71-02695	85 71-02696	87 71-02747	88 73-02892	88 73-02957	86 73-02809	88 73-02875	86 73-02788	96 73-03150	85 71-02679	94 73-01392	94 73-01393	94 73-01358		86 73-02839
Model No.	732100 PIERCE DASH 732100 PIERCE DASH	740000 KERSEY/AMCHSTOM		100 SEAGRA	100 MM TED	TOO WALTER	2	MAXIM X	716001 OSHKOSH P-19	732100 PIERCE ARROW	732100 WARD MFG WARDS 79	200	101 KOVATCH R	732100 PIERCE ARROW	732100 WALTER NB750WGG	710000 MAXIM X-CR	735101 PIERCE ARROW	732100 SEAGRAVE MB23098	716001 OSHKOSH P-19	716001 OSHKOSH P-19	716001 OSHKOSH P-19		732100 PIERCE ARROW	PIERCE	PIERCE	102	730000 UNKNOWN UNKNOWN	202	732101 KOVATCH RENEGADE	732101 KOVATCH RENEGADE	733101 PIERCE ARROW	100110 007	SZIUZ PIERCE DASH
TEMC UIC Activity (Location)	1	N62470 N61165	N62470 N61165	N62470 N61165	N62470 N61165		C0110N				N61331							N62269									N62604					N62470 N62661	

List of NAVY Crash Fire Rescue (CFR) Inventory

Lbs. of 1211											200	200	200	200	200	200	200					200	200	200	200									200
MC Lbs	N00060	N00060	N00060	N00060	V00060	N00060	400060	09000N	09000	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00061	N00061	N00061	N00061	N00061	N00061	N00061	N00061	N00061	N00061	N00061	V00061	N00061
Cost		-	-	_	-	-	_	_	_	_	_	_	۷.	_	_	~	_	_	_	_	_		6	-	_	_	_	~	_	_	2	2	_	_
Repl. Yr.	I.	2	စ္	89	2	œ.	<u>6</u>	5	<u>ښ</u>	0	2	2	8	6	o	1.	0	6	9	1	5	4	2	0	=	ထွ	o o	2	က္	-	0	2	7	9
Yr. USN	90 71-03017	85 71-03042	85 71-03046	94 73-01408	94 73-03092	94 73-03128	94 73-03129	95 73-01372	95 73-01373	83 71-02650	85 71-02687	86 71-02692	87 71-02748	87 71-02749	92 71-02930	92 71-02937	92 71-02990	89 74-00062	94 73-03106	94 73-03107	86 73-02825	85 71-02684	92 71-02933	92 71-02940	92 71-02991	88 73-02958	88 73-02959	86 73-02842	96 73-03153	76 73-02491	67 72-01600	95 73-01435	76 71-02457	85 71-02686
Status																																		
EU (EC) Make & Model No.	710000 FORD MOTRF350	710000 GMC M1010	710000 GMC M1010	732101 KOVATCH RENEGADE	719500 OSHKOSH A/S32P-15	716001 OSHKOSH P-19	716001 OSHKOSH P-19	716001 OSHKOSH P-19	716001 OSHKOSH P-19	719001 OSHKOSH TA3000	719001 OSHKOSH TA3000	719001 OSHKOSH TA3000	740002 PIERCE ARROW	735101 PIERCE ARROW	735101 PIERCE ARROW	730000 PIERCE DASH	716001 OSHKOSH P-19	719001 OSHKOSH TA3000	719001 OSHKOSH TA3000	719001 OSHKOSH TA3000	732100 PIERCE 'ARROW	732100 PIERCE ARROW	732100 PIERCE DASH	734100 UNKNOWN UNKNOWN	732000 FIRE TRKSFT12500	722500 GMC TRK JM7670A	732101 KOVATCH RENEGADE	716001 OSHKOSH M1500	716000 OSHKOSH P-19					
TEMC UIC Activity (Location)	N62470 N62688 US Naval Station Norfolk, VA	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62688	N62470 N62863 NS Rota	N62470 N62863	N62470 N62863	N62470 N62863	N62470 N62863	N62470 N62863	N62470 N62863	N62470 N62863	N62470 N62995 NAS Sigonella	N62470 N62995	N62470 N62995	N62470 N62995	. N62470 N62995

OSHKOSH TA3000 OSHKOSH TA3000 OSKKOSH TA3000 OSKKOSH TA3000 OSKKOSH TA3000 OSKKOSH TA3000 OSKKOSH TA3000 OSKROSH TA3000 OSKROS	TEMC UIC	Activity (Location)	1	Status Yr. USN	Repl. Yr. Cost	MC C	l bs of 1211
19001 OSHKOSH TA3000 92 71-02941 N00061	3995		OSHKOSH	92	1	190	200
13001 OSHKOSH TA3000 27 71-0286 N00061	3995		OSHKOSH			N00061	000
732100 PIERCE ARROW 8 71-23-259 NOUGH 732100 PIERCE DASH 8 67 7-32-259 NOUGH 732100 PIERCE DASH 8 67 7-32-259 NOUGH 732100 PIERCE DASH 8 67 7-32-259 NOUGH 710200 GMC M 1010 710200 GMC M 1010 710200 GMC TRK CHIO33 710200 GMC TRK CHIO330 710	2995		001 OSHKOSH		į	190001	009
MAS Keffavik, Iceland	2995		100 PIERCE AF		•	N00061	200
MAS Keflavik, Iceland	2995		TO DIEDOE			N00061	
NAS Keflavik, coeland	2995		TOO FIENCE			N00061	
710200 FORD MTR F-400 710000 GMC M1010 85 71-33014 N00060 710000 GMC M1010 85 71-33054 N00060 710000 GMC TRK CK1003 87 71-2360 N00060 732101 KOVATCH RENEGADE 95 73-01435 N00060 732101 KOVATCH RENEGADE 73-01435 N00060 719001 OSHKOSH TA3000 71-02285 N00060 719001 OSHKOSH TA3000 71-02286 N00060 710001 AMERTEK CF40001 91 71-0286 N00062 716001 AMERTEK CF40001 92 71-02943 N00062 716001 AMERTEK CF40001 93 71-02943 N00062 716001 AMERTEK CF40001 94 71-02943 N00062 716001 AMERTEK CF40001 97 71-02943 N00062 7100062 7100062 710062 710062 710062 7100	3032	NAS Keflavik Iceland		- 1'		N00061	
710000 GMC MINT TO COURT ON THE TO COURT ON	3032			- 1		N00060	200
10200 GMC TRK CK1003	3032		9 9	_		N00060	0
7.32101 KOVATCH RENEGADE 94 73-03136 N00060 7.32101 KOVATCH RENEGADE 94 73-03136 N00060 7.32101 KOVATCH RENEGADE 95 73-01436 N00060 7.32101 KOVATCH RENEGADE 95 73-01436 N00060 7.32101 KOVATCH RENEGADE 95 73-01436 N00060 7.32101 KOVATCH RENEGADE 83 71-02985 N00060 7.19001 OSHKOSH TA3000 92 71-02986 N00060 7.19001 OSHKOSH TA3000 92 71-02986 N00060 7.19001 OSHKOSH TA3000 92 71-02986 N00060 7.32100 OSHKOSH TA3000 92 71-02986 N00060 7.32100 PIERCE ARROW 95 74-00072 N00060 7.32100 PIERCE ARROW 95 74-00072 N00060 7.32100 PIERCE ARROW 95 73-01374 N00063 7.32100 PIERCE ARROW 91 71-02896 N00062 7.32101 AMERTEK CF4000L 91 71-02865 N00062 7.16001 AMERTEK CF4000L 91 71-02865 N00062 7.16001 AMERTEK CF4000L 91 71-02906 N00062 7.16001 AMERTEK CF4000L 91 71-02906 N00062 7.16001 AMERTEK CF4000L 92 71-02943 N00062 7.16001 AMERTEK CF4000L 92 71-02943 N00062 7.16001 AMERTEK CF4000L 92 71-02965 N00062	3032		3 8			N00060	
732101 KOVATCH RENEGADE	2022		OU GIME INK			N00060	200
732101 KOVATCH RENEGADE 95 73-01436 N00060 725500 MACLEOD WZM6X4 68 72-01605 N00060 710200 NANISTAR 1854 83 71-02985 N00060 719001 OSHKOSH A332 P-15 85 71-02948 N00060 719001 OSHKOSH TA3000 92 71-0298 N00060 719001 OSHKOSH TA3000 92 71-0298 N00060 719001 OSHKOSH TA3000 92 71-0298 N00060 730001 OSHKOSH TA3000 92 71-0298 N00060 730001 OSHKOSH TA3000 92 71-0298 N00060 73000 PIERCE ARROW 87 3-02896 N00060 732100 PIERCE ARROW 95 74-00072 N00060 732100 PIERCE ARROW 87 3-02897 N00060 732100 PIERCE ARROW 87 3-02897 N00062 732100 PIERCE ARROW 87 1-02848 N00062 732100 AMERTEK CF4000L 91 71-0286 N00062 716001 AMERTEK CF4000L 91 71-0286 N00062 716001 AMERTEK CF4000L 91 71-02940 N00062 716001 AMERTEK CF4000L 91 71-02940 N00062 716001 AMERTEK CF4000L 91 71-02941 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 716001 AMERTEK CF4000L 93 71-02943 N00062 716001 AMERTEK CF4000L 9	2002		01 KOVATCH	• -		N00060	
722500 MACLECD WZM6X4 68 72-01605 N00060 710200 NAVISTRA 1854 83 71-0285 N00060 719001 OSHKOSH TA3000 92 71-02928 N00060 719001 OSHKOSH TA3000 92 71-02928 N00060 719001 OSHKOSH TA3000 92 71-02936 N00060 719001 OSHKOSH TA3000 92 71-02936 N00060 719001 OSHKOSH TA3000 92 71-02936 N00060 732100 PIERCE ARROW 87 73-02936 N00060 732100 PIERCE ARROW 95 73-0072 N00060 732100 PIERCE ARROW 87 73-02936 N00060 732100 PIERCE ARROW 87 73-02936 N00060 732100 PIERCE ARROW 95 73-0374 N00063 732100 PIERCE ARROW 87 73-02936 N00062 716001 AMERTEK CF4000L 91 71-02846 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02943 N00062 716001 AMERTEK CF4000L 91 71-02943 N00062 716001 AMERTEK CF4000L 92 71-02965 N00062 71000 GMC TRK CD3003 R4 71-02963 N00062	3032		01 KOVATCH	•		N00060	
710200 NAVISTAR 1854 83 71-02985 N00060 719500 OSHKOSH TA3000 92 71-02928 N00060 719001 OSHKOSH TA3000 92 71-02935 N00060 719001 OSHKOSH TA3000 92 71-02936 N00060 719001 OSHKOSH TA3000 92 71-0294 N00060 732100 PIERCE ARROW 873-02896 N00060 732100 PIERCE ARROW 95 74-00072 732100 PIERCE ARROW 95 74-00072 732100 PIERCE ARROW 95 73-02336 N00060 732100 PIERCE ARROW 95 73-02336 N00060 732100 PIERCE ARROW 91 71-02806 N00062 732100 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 92 71-02848 N00062 716001 AMERTEK CF4000L 92 71-02848 N00062 716001 AMERTEK CF4000L 92 71-02865 N00062	3032		00 MACLEOD	, -		N00060	
719500 OSHKOSH AVS 32 P-15 719500 OSHKOSH AAS 32 P-15 719001 OSHKOSH TA3000 719001 OSHKOSH TENEGADE 719001 OSHKOSH TENEGADOL 719001 OSHKOSH TENEGAD	3032		00 NAVISTAR	•		N00060	200
719001 OSHKOSH TA3000 72100 PIERCE ARROW 722100 PIERCE ARROW 722100 SEAGRAVE MB23098 78 73-02934 70000 PIERCE ARROW 722100 SEAGRAVE MB23098 73 73-02934 73 70 0	3032		00 OSHKOSH			NOODBO	204
719001 OSHKOSH TA3000 719001 AMERTEK CF4000L 716001 AMERTEK CF4000L 717-02865 716001 AMERTEK CF4000L 717-02965 716001 AMERTEK CF4000L 717-02965 716001 AMERTEK CF4000L 717-02965 710001 AMERTEK CF4000L	3032		01 OSHKOSH 7	•		NOODBO	500
719001 OSHKOSH TA3000 719001 OSHKOSH TA3000 732100 PIERCE ARROW 732100 PIERCE ARROW 732100 PIERCE ARROW 732100 PIERCE ARROW 732101 KOVATCH RENEGADE 73	3032		01 OSHKOSH	•		NOODEO	200
719001 OSHKOSH TA3000 732100 PIERCE ARROW 88 73-02896 740000 PIERCE ARROW 740000 PIERCE ARROW 740000 PIERCE ARROW 752100 SEAGRAVE MB23098 78 73-02536 732101 KOVATCH RENEGADE	3032		01 OSHKOSH	_		NOODE	000 000 000 000 000 000 000 000 000 00
732100 PIERCE ARROW 88 73-02896 N00060 740000 PIERCE ARROW 95 74-00072 N00060 732100 SEAGRAVE MB23098 78 73-02536 N00060 732101 KOVATCH RENEGADE 95 73-01374 N00063 732100 PIERCE ARROW 88 73-02897 N00063 716001 AMERTEK CF4000L 91 71-02802 N00062 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02948 N00062 716001 AMERTEK CF4000L 91 71-02948 N00062 716001 AMERTEK CF4000L 91 71-02948 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 710000 GMC TRK CD3090 80 73-02943 N00062	3032		01 OSHKOSH	~		N00060	500
740000 PIERCE ARROW 732100 SEAGRAVE MB23098 78 73-02536 732101 KOVATCH RENEGADE 732100 PIERCE ARROW 732-10374 732100 PIERCE ARROW 88 73-02897 716001 AMERTEK CF4000L 716001 AMERTEK CF4	3032		00 PIERCE	,		NOODBO	8
732100 SEAGRAVE MB23098 78 73-02536 N00060 732101 KOVATCH RENEGADE 95 73-01374 N00063 732100 PIERCE ARROW 88 73-02897 N00063 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02918 N00062 716001 AMERTEK CF4000L 91 71-02918 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 716001 AMERTEK CF4000L 92 71-02965 N00062 716001 A	3032		00 PIERCE	, -		NOODEO	
732101 KOVATCH RENEGADE 95 73-01374 N00063 732100 PIERCE ARROW 88 73-02897 N00063 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02918 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 716001 AMERTEK CF4000L 92 71-02965 N00062 716001 AMERTEK CF4000L 92 71-02965 N00062 710000 GMC TRK CD30903 84 71-03653	3032		8	· 1		NOODEO	
NAS Meridian, MS 732100 PIERCE ARROW 88 73-02897 N00063 NAS Meridian, MS 716001 AMERTEK CF4000L 91 71-02802 N00062 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02855 N00062 716001 AMERTEK CF4000L 91 71-02965 N00062 716001 AMERTEK CF4000L 91 71-02918 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 716000 GMC TRK CD30903 84 71-02634 N00062	3038		01 KOVATCH	11		NOORS	
NAS Meridian, MS 716001 AMERTEK CF4000L 91 71-02802 N00062 716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 91 71-02856 N00062 716001 AMERTEK CF4000L 91 71-02900 N00062 716001 AMERTEK CF4000L 91 71-02918 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 716001 AMERTEK CF4000L 92 71-02965 N00062	3038		100 PIERCE		•	NOORS	
716001 AMERTEK CF4000L 91 71-02848 N00062 716001 AMERTEK CF4000L 716	3043	NAS Meridian, MS	01 AMERTEK	Ι, .		NOORS	003
716001 AMERTEK CF4000L 734102 FIRE-TEC WF430250P 84 71-02965 N00062	3043		01 AMERTEK			NOODES	000
716001 AMERTEK CF4000L 734102 FIRE-TEC WF430250P 710000 GMC TRK CD30903	3043		01 AMERTEK			MODES	000
716001 AMERTEK CF4000L 734102 FIRE-TEC WF430250P 80 73-02634 84 71-02965 86 73-02634 86 71-02965 87 71-02965 87 71-02965 88 71-02965 89 71-02965	3043		01 AMERTEK	. , -		NOODE2	006
716001 AMERTEK CF4000L 716001 AMERTEK CF4000L 716001 AMERTEK CF4000L 734102 FIRE-TEC WF430250P 710000 GMC TRK CD30903	3043		01 AMERTEK			700001	000
716001 AMERTEK CF4000L 92 71-02943 N00062 716001 AMERTEK CF4000L 92 71-02943 N00062 N00062 734102 FIRE-TEC WF430250P 80 73-02634 N00062 710000 GMC TRK CD30903 84 71-02062	3043		O1 AMERTEK	- 1		N00062	200
716001 AMERTEK CF4000L 92 71-02965 N00062 734102 FIRE-TEC WF430250P 80 73-02634 N00062 710000 GMC TRK CD30903	3043		O1 AMERTEK	. ^		NOOOSZ	000
734102 FIRE-TEC WF430250P 80 73-02634 N00062 710000 GMC TRK CD30903 84 74-03062	3043		AMERTEK	. r		140000	000
710000 GMC TRK CD30903 84 71 03052	3043		02	- ^		NOODEZ	200
	3043		8			1100002	

List of NAVY Crash Fire Rescue (CFR) Inventory

Activit	Activity (Location)		- 1	Repl. Yr. Cost	1	Lbs. of 1211
ŀ		710000 GMC TRK CD30903	84 71-03054		N00062	
		710000 GMC TRK CD30903	85 71-03053	ن	N00062	
		735100 PIERCE ARROW	90 73-03027		N00062	
		732100 PIERCE DASH	86 73-02791		N00062	
		732100 SEAGRAVE MB23098	78 73-02514		N00062	
		722500 UNKNOWN UNKNOWN	96 72-01672		N00062	
1		732100 BEDFORD SLR1DC0	82 73-02672		69000N	
		732100 VOL MICH FL4-6	91 73-03054		N00069	
1 <u> </u>	Naval Undersea Warfare Center Andros Island, Bahamas	732100 EMER ONE C7D042	85 73-02917		N00024	
So	Naval Undersea Warfare Center Andros Island, Bahamas	716001 OSHKOSH P-19	85 71-02702		N00024	200
= 3	Naval Undersea Warfare Center	216001 OSHKOSH P.19	87 71-02734		N00024	500
<u> </u>	Naval Undersea Warfare Center					
ဝို	Andros Island, Bahamas	732100 SIMON 35580-90	92 73-03115		N00024	
1		732101 KOVATCH RENEGADE	95 73-01418		69000N	
		732100 PIERCE DASH	86 73-0 2786		69000N .	
		732100 FIRE TRKSCF53325	80 73-02608		N00024	
1		732100 FIRE TRKSCF53325	80 73-02666		N00024	
		732000 FIRE TRKSFTI 2500	75 73-02454		N00024	
		710000 GMC M1010	85 71-03039		N00024	
		730000 GMC TRK WF430250P	80 73-02633		N00024	
		740001 KAITLIN WLR100	79 74-00050		N00024	
		732100 PIERCE DASH	87 73-02864		N00024	
		740001 PIERCE PFT1060	80 74-00057		N00024	
		732100 SEAGRAVE MB23098	78 73-02528		N00024	
		732100 PIERCE ARROW	88 73-02902		N00062	
		732100 PIERCE DASH	86 73-02845		N00062	
		732100 SEAGRAVE MB23098	78 73-02515		N00062	
S	NSA Souda Bay	200	84 71-03084		N00061	200
	•	719000 CHEV C30	84 71-03085		N00061	,
		719001 OSHKOSH TA3000			N00061	200
		719001 OSHKOSH TA3000	92 71-03001		N00061	200
				•		

List of NAVY Crash Fire Rescue (CFR) Inventory

1 be of 1211	200	200											,				200	200	200	200													
MC -	100	N00061	N00061	N00061	89000N	89000N	8000N	6000N	69000N	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00023	N00023	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060
Repl. Yr. Cost		Ì																							:								
Status Yr. USN	92 71-03002	92 71-03027	82 73-01380	84 73-02748	85 71-03059	94 73-03159	94 73-01394		, -	84 71-03036	90 94-41553	90 94-41555	80 73-02595	75 73-02465	96 71-03075	78 71-02523	85 71-02712	85 71-02714	86 71-02722	87 71-02782	88 73-02923	94 73-01377	96 73-03149	67 71-02129	67 71-02130	85 71-03049	94 73-03093	91 73-03065	80 73-02638	80 73-02585	94 73-01395	91 73-03069	89 73-03141
Make & Model No.	719001 OSHKOSH TA3000		734100 PIERCE P-8	732100 WALTER NB750WGG	730000 CHEV M-1010	730000 CHRYSLER RAM 250	732101 KOVATCH RENEGADE	732100 PIERCE ARROW	734101 WARD 79 NWLTD50	00	103	103	100	732100 FIRE TRKSFT12500-500	202	000 GIBSON W	9	716001 OSHKOSH P-19	-	716001 OSHKOSH P-19	735100 PIERCE ARROW	101	8		FORD M	730000 GMC M1010	KOVATC	힑	102		KOVATC	101	734100 UNKNOWN M35A2C
OIC				- 1					N66754														N62470 N68335					- 1		_			N62470 N68891

List of NAVY Crash Fire Rescue (CFR) Inventory

Lbs. of 1211	200	200	200	200	500																	200						:		•			
MC Lbs.	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00072	N00024	N00024	N00019	N00019	N00019	8000N	N00019	N00019	N00019	N00019	N00019	N00019	N00060	N00060	N00025	N00025	N00025	N00030
Cost	Z	Z	<i>z</i>	z	z	Z	Z	z	z	z	z	z	z	z	Z	z	Z	z	z	Z	Z	Z	Z	z	Z	z	Z	Z	Z	Z	Z	Z	Z
Yr. USN Repl. Yr.	90 71-02961	91 71-02808	91 71-02815	92 71-02906	92 71-02950	86 71-03077	87 71-03076	85 71-03044	77 71-02481	88 73-02985	86 73-02790	78 73-01428	78 73-01429	84 73-02726	82 73-02688	89 73-02994	81 73-02690	72 73-02339	95 73-03116	85 73-02766	80 73-02681	85 71-02690	86 73-03148	80 73-02604	87 73-02767	95 73-03113	81 71-02623	85 71-03071	85 71-03072	74 73-02449	84 71-02649	78 74-00048	62 73-02453
Status					_							86	98	99	000		4			99	2			12	99						-15	56	
EU (EC) Make & Model No.	716001 AMERTEK CF40001	716001 AMERTEK CF4000L	716001 AMERTEK CF4000L	716001 AMERTEK CF4000L	716001 AMERTEK CF40001	710000 CHEV CK30	710000 CHEV CK30	710000 GMC M1010	718000 OSHKOSH M1500	732100 PIERCE ARROW	732100 PIERCE DASH	732101 SEAGRAVE MB23098	732101 SEAGRAVE MB23098	732100 WALTER NB750WGG	732100 WARD 79 NWLTD1000	734100 FORD F350	732100 GMC TRK OLF1004	732000 FIRE TRKS750MC	732100 SIMON 35580-90	732100 WALTER NB750WGG	732100 FIRE TRKSCF53325	716001 OSHKOSH P-19	734103 CHRYSLER W250	732100 FIRE TRKSCFG 2042	α,	732100 SIMON 35580-90	719001 WALTER P-2	710000 CHEV M1010	710000 CHEV M1010	732000 FIRE TRKSFTI 2270	719500 OSHKOSH A/S32P-15	740000 SEAGRAVE SR20756	732000 NAVSTR V206
Activity (Location)	NAS Fort Worth, TX																					NWIRP Bloomfield											
TEMC UIC	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N83447	N62470 N91571	N62470 N91571	N62470 N91961	N62470 N91961	N62470 N91961	N62470 N91982	N62470 N92782	N62470 N95918	N62470 N95918	N62470 N95918	N62470 N96095	N62470 N96095	N62470 NX1634	N62470 NX1634	N62470 NZZ909	N62470 NZZ909	N62470 NZZ909	N62477 N63319				

211		200		200			500)				200	500	200		200	200					200	200	200	200	200	200	200						
Lbs. of 1211																												•						
<u> </u>		23	33	23	33	. 6	23	. 23	23	23	23	0	0	ó	ó	Ó	ó	0	0	Ó	Ó	0	Ó	0	0	0	0	0	0	0	0	0	0	0
MC		N00023	N00023	N00023	N00023	N00023	N00023	N00023	N00023	N00023	N00023	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070
Cost			į	•																														
Repl. Yr.																																		
Rep		8		0	~	e	"	0	2	**	С		.		**	••	_	-		•				_	_		~	_	_			_		
NSN		73-03052	73-02995	73-02670	73-02422	73-02423	71-02796	73-03140	73-02602	73-02784	73-03019	71-02807	71-02919	71-02921	74-00054	71-03005	71-02759	73-02944	73-02945	73-02889	73-02727	1-02814	71-02865	71-02910	71-02867	71-02971	1-02978	1-02680	73-01350	3-01351	3-01384	3-01438	3-02645	73-02556
		82 73	89 73	79 73	70 73	70 73	86 71	94 73	80 73	86 73	91 73	91 71	92 71	92 71	80 74	83 71	87 71	88 73	88 73	88 73	84 73	90 71	90 71	90 71	90 71	90 71	90 71	85 71	94 73	94 73	95 73	96 73	80 73	78 73
Status Yr.																																		
S																												٠.						
							٠		32550			7	_	_	42			SSH	SSH	_	99/					ᆜ	<u>_</u>	1003					50P	
el No.		CK31403	8	F 600	060	392	2-19	UNK	FIRE TRKSFTICF332550	E310504	PIERCE	CF4000	CF4000L	AMERTEK CF40001	CANADIAN CFG2042	3350	FT06	FIRE MARSH	FIRE MARSH	FIRE TRK	NB750WGG	CF4000	CF40001	CF40001	CF4000L	CF4000L	AMERTEK CF40001	CONESTOGACK-31003	3A495	3A495	3A495	170	FIRE-TEC WF430/250P	
Make & Model No.			F-700	FORD MOTRF600	M1090	M1092	OSHKOSH P-19	UNKNOWN UNK	RKSF		1			TEK O	SIANO	CHRYSLER D350	KOVATCH KFT06							-	_	FK C	別の	STOG/	EMER ONE SA495	EMER ONE SA495	EMER ONE SA495	EMER ONE T170	EC W	RKS
Make		CHEV	FORD	FORD	MACK	MACK	OSHK	UNKN	FIRE 1	PIERCE	PIERCE	AMERTEK	AMERTEK	4MER	CANA	CHRY:	(OVA)	PIERCE	PIERCE	PIERCE	WALTER	AMER	AMERTEK	AMERTEK	AMERTEK	AMERTEK	MER.	CONE	EMER	MER	MER	EMER	-IRE-T	FIRE TRKS
(EC)		10200	32200		10200	10200			32102	732101	35101	16001	16001 /	16001 /	10001	10200	10200	12101	12101	32102 8	12102 \	6000 AMERTEK	0009	0009	6001 /	6001 /	6001 /	10202 (34100 E	34100 E	34100 E	32100 E	34102 F	34102 F
EU (i	7	73	7	71	71	7	2	73	73	23	7	7	7	74	7	7	73	73	73,	73	7	71	71	71	71	71	71	73	73	73,	73	73,	73
	ter)																					Ϋ́												
(C	NSC (Naval Supply Center)											_										Naval Base San Diego, CA					,							
Activity (Location)	l Supp	Į L										NAS Alameda, CA										San D												
ity (L	(Nava	Pensacola, FL										Alame										Base												
Activ	NSC C	Pens										NAS.										Naval												
SIC	0	Neggen	N68860	N68860	N68860	N68860	N68860	N68860	N00228	N00228	N00228	N00236	N00236	N00236	N00236	N00236	N00236	N00236	N00236	N00236	N00236	N00242	N00242	N00242	N00242	N00242	N00242	N00242	N00242	N00242	N00242	N00242	N00242	N00242
1					_			- 1			- 1				_	_								_	_	_		_	_	_		_	_	_
TEMC	9	N024//	N6247	N62471	N62477	N62477	N62477	N62477	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742
															C	-19)																	

List of NAVY Crash Fire Rescue (CFR) Inventory

MC Lbs. of 1211	070	N00070	0200N	NOODS4	N00024	N00024	NOOD24	N00024	N00024	N00024	N00024	N00023	NOODS	NOODS	N00070 500							N00070	07000N	N00070	070001	NOODY	N00070		N00070	N00070 500	-	N00070	
Repl. Yr. Cost	i _	1		19	10		- 10	n "												****											-		
Status Yr. USN	85 74-00060	84 73-02724	84 73-02725	80 74-00055	80 73-02605	87 73-02924	95 73-01385			00 / 3-02920 78 72 02 63 2		21.020-07 CANSO 57 AT	88 73-02948	88 75-00371		90 71-02955	- 1	1	- 1	. ~	78 73-02551	•	. , .				- 1	94 73-01401	77 71-02480	87 71-02731	86 73-02792	91 73-03023	AR 73 02040
EU (EC) Make & Model No.	0002 PIRSCH (2101	732101 WALTER NB750WGG	740001 CANADIAN CFG2042	732102 FIRE TRKSCF53325500	732100 PIERCE DASH	732100 PIERCE DASH	2100 PIERCE		2101 SEAGRAN	2101	3000 ISOMET	732101 PIERCE PIERCE	750000 UNKNOWN HIRED GUN	716000 AMERTEK CF4000L	716001 AMERTEK CF4000L	716001 AMERTEK CF4000L	716001 AMERTEK CF400L	710200 CHRYSLER D-350	710201 CHRYSLER W400	734102 FIRE TRKSAP2850500	734102 FIRE TRKSFTIAP285050	734102 GLOBAL W500/2509	732100 GSE/CORP MK1856	722500 JEEP CORPM52-A2/ME1A	732101 KAITLIN NWLID1000	710202 KOVATCH KFT-4		718000 OSHKOSH A/S32P-4A	716001 OSHKOSH P-19		PIERCE	732101 PIFROF PIFROF APPO
Activity (Location)	Naval Base San Diego, CA														NAS Whidbey Island																		
1							N62742 N00251	N62742 N00251	N62742 N00253	N62742 N00253	N62742 N00406	N62742 N00406	N62742 N00406	N62742 N00406							N62742 N00620	N62742 N00620	N62742 N00620	N62742 N00620	N62742 N00620								N62742 N00886

List of NAVY Crash Fire Rescue (CFR) Inventory

TEMC UIC Activity (Location)	EU (EC) Make & Model No.	Status Yr. USN Repl. Yr. Cost	MC Lbs. of 1211
N62742 N0534A Pacific Missile Range Facility	716001 AMERTEK CF4000L	92 71-02913	N00070 500
N62742 N0534A	710201 CHRYSLER W400	79 71-02580	N00070 200
N62742 N0534A	100	75 73-02398	N00070
N62742 N0534A	710202 FIRE-BANN4800	95 71-03022	N00070
N62742 N0534A	734100 FIRE TRKSFT1500-600	71 73-02332	N00070
N62742 N0534A	732101 KOVATCH RENEGADE	94 73-01402	N00070
N62742 N0534A	734100 NAVISTAR L700	74 73-01375	N00070
N62742 N0534A	716001 OSHKOSH P-19	85 71-02710	N00070 500
N62742 N0534A	716001 OSHKOSH P-19	87 71-02738	N00070 500
N62742 N0534A	732101 WALTER NB750WGG	83 73-02744	N00070
N62742 N32778	734102 FIRE-TEC WF430250P	80 73-02623	N00070
N62742 N32778	734102 FIRE-TEC WF430250P	80 73-02625	N00070
N62742 N32778	732100 FWD MB23098	78 73-02541	N00070
N62742 N32778	732101 PIERCE SUBURBAN	. 903-02808	N00070
N62742 N60028 NS Treasure island	710200 CHRYSLER D-350	84 71-03011	N00070 200
N62742 N60028	FIRE	69 73-02242	N00070
N62742 N60028	732100 FIRE TRKS750MC	69 73-02244	N00070
N62742 N60028	732100 FWD MB23098	78 73-02533	N00070
N62742 N60028	732101 KAITLIN NWLID1000	82 73-02695	N00070
N62742 N60028	732100 PIERCE DASH	86 73-02833	N00070
N62742 N60036	734100 ENGINEER FT750	73 73-03087	N00024
N62742 N60036	732101 KAITLIN NWLTD1000	82 73-02701	N00024
N62742 N60036	735101 PIERCE PIERCE ARRO	88 73-02986	N00024
N62742 N60036	732102 PIERCE UNKNOWN	88 73-02861	N00024
N62742 N60036	734103 UNKNOWN GM CK31003	93 73-03124	N00024
N62742 N60036	734103 UNKNOWN GM CK31003	93 73-03125	N00024
N62742 N60042 NAF EI Centro	716001 AMERTEK CF-4000	90 71-02946	N00070 500
N62742 N60042	716000 AMERTEK CF-4000	91 71-02899	N00070 500
N62742 N60042	716001 AMERTEK CF-4000	91 71-02924	N00070 500
N62742 N60042	716000 AMERTEK CF 4000L	91 71-02806	N00070 500
N62742 N60042	732100 FIRE TRKSFT12500500	75 73-02462	N00070
N62742 N60042	710200 KOVATCH KFT06	87 71-02764	N00070 200
	732101 KOVATCH RENEGADE	94 73-01404	N00070
N62742 N60258	732100 FWD	78 73-02503	N00024

770730	LDS. 01 1211			000	000	000	000				200	200	200	200	200	! !			500	•		500	500	200	1		. 500					•		
-		N00024	NOODA	N00024	N00070	N00070	N00070	0/000N	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00019	N00024	N00024	N00024	N00024
Reni Yr Cost	- 1	į																															-	
Status Yr. USN B	2870	89 74-00063	86 73-02795		. ^			. , -			92 71-02895	92 71-02923	93 71-02980	84 71-03008	78 71-02497	93 73-03110	65 72-01543	94 73-01405	93 71-03028	94 73-03119	86 73-02794	92 71-02956	93 71-03004	77 71-02514	74 73-02443	76 73-02495	85 71-02711	88 73-02988	84 73-02770	84 73-02771	75 73-02456	82 73-02684	87 73-02921	86 73-02822
Status			ď																										.=					
EU (EC) Make & Model No.	732102 PIERCE 88		732102 PIERCE FIRE APPARA	716000 AMERTEK CF 4000L	716000 AMERTEK CF4000L	000	101	101	732101 PIERCE FIRE MARSH	101 PIERCE	00	9	9	710200 CHRYSLER D-350	201 FIRE-TE(100	722500 INTL	101	00	101	- 1	-	-	200	9		8	102 PIERCE F	102 WALTER		100 FIRE TRA	101 KAITLIN	101 PIERCE	732102 PIERCE SUBURBAN
UIC Activity (Location)	N60258	N60258	N60258	N60462 NAF ADAK	N60462	N60462	N60462	N60462	N60462	- }	N60495 NAS Fallon	N60495	N60495	N60495	N60495	N60495	N60495	N60495	N60495	N60495	- 1	N60530 NAWC China Lake	N60530	N60530	N60530	N60530	N60530	N60530	N60530	N60530	N6U/01	N6U/01	N60701	N60701
TEMC	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62742	N62/42	N62/42	N62742	N62742	N62742	N62742				- 1				-					_1				N62742 I

List of NAVY Crash Fire Rescue (CFR) Inventory

TEMC UIC	Activity (Location)	EU (EC) Make & Model No.	Status Yr. USN Repl. Yr. Cost	MC Lbs. of 1211
N62742 N61581	1	732100 FIRE TRKS2500500	76 73-02476	N00070
N62742 N61581		732101 FIRE TRKSFT13325-500	80 73-02588	N00070
N62742 N61581	-	740000 FIRE TRKSTL2849	79 74-00046	N00070
N62742 N61581	-	732101 FWD MB23098	78 73-02537	N00070
N62742 N61581	_	732101 FWD MB23098	78 73-02538	N00070
N62742 N61581	-	732101 KOVATCH RENEGADE	95 73-01422	N00070
N62742 N61581	-	732101 KOVATCH RENEGADE	95 73-01433	N00070
N62742 N61581	-	732100 MORITA MCD20MM01	88 73-02909	N00070
N62742 N61581	-	732100 MORITA MCD20MM01	88 73-02910	N00070
N62742 N61581	-	732100 MORITA MCD20MM01	88 73-02911.	N00070
	_	732100 MORITA MCD20MM01	88 73-02912	N00070
N62742 N61581	-	732100 MORITA MCD20MM01	88 73-02913	N00070
	_	732100 MORITA MCD20MM03	90 73-03044	N00070
_	-	100	90 73-03045	N00070
N62742 N61581		732100 MORITA MCD20MM03	90 73- 03046	N00070
N62742 N61581		732100 MORITA MCD20MM05	93 73-03090	N00070
N62742 N61581	_	732100 MORITA MCD20MM05	93 73-03100	N00070
N62742 N61581	-	732100 MORITA MCD20MM05	95 73-01426	N00070
	_	101 PIERCE	88 73-02884	N00070
		101	86 73-02807	N00070
N62742 N61581		732101 PIERCE DASH	86 73-02836	N00070
N62742 N61581		732101 WALTER NB750WGG	84 73-02749	N00070
		732101 WALTER NB750WGG	84 73-02750	N00070
- 1		732101 WALTER NB750WGG	84 73-02751	N00070
N62742 N61755		732100 FIRE TRKSCF53325	80 73-02593	N00070
_	10	107	94 73-01407	N00070
N62742 N61755	10	732101 PIERCE ARROW	88 73-02894	N00070
N62742 N61755	10	101	86 73-02832	N00070
N62742 N61755		101 PIERCE	86 73-02810	N00070
N62742 N61755		732101 PIERCE SUBURBAN	86 73-02811	N00070
N62742 N61755		732101 PIERCE SUBURBAN	86 73-02837	N00070
	10	101	86 73-02838	N00070
	10	101 WALTER	85 73-02718	N00070
N62742 N61755		732101 WALTER NB750WGG	85 73-02765	02000N

_	. i			1										ı						_	_	,			1	•								
Lbs. of 1211	1	. —	- 4	5	· Ko	2	ı,		10	. v	5		10	5		10	5 200			5 500		2	10)		-	-	_	-		_	_	
S W	N0001	N00011	N00011	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00025	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070
Repl. Yr. Cost			į																															
Status Yr. USN	78 73-02513	88 73-02942	88 73-02890	80 74-00056	76 73-02483	72 73-02918	79 73-02548	86 73-02844	88 73-02900	88 73-02901	88 73-02899	78 73-02510	78 73-02532	66 73-01907	66 73-01911	75 72-01558	86 71-02719	71 71-02205	77 71-02473	87 71-02745	87 71-02746	80 73-02600	88 73-02891	94 73-03099	94 73-01386	88 73-02914	88 73-02915	88 73-02916	90 73-03047	67 73-01951	93 74-00069	86 73-02812	86 73-02841	84 73-02742
EU (EC) Make & Model No.	732101 FWD MR23098	732101 PIERCE 1000 GPM	732101 PIERCE F MARSHALL	740001 CANADIAN CFC2042	732102 FIRE TRKSFT12500-500	732100 GMC 6500	734102 GMC TRK FTIAT250500	732102 PIERCE DASH	732102 PIERCE DASH	732102 PIERCE GMC	732100 PIERCE PIERCE	732100 SEAGRAVE MB23098	732100 SEAGRAVE MB23098	732100 FIRE TRKS750MC	732100 FIRE TRKS750MC	723000 GIBSON	710202 KOVATCH KFT4	716000 OSHKOSH A1717	718000 OSHKOSH M1500	716001 OSHKOSH P19	716001 OSHKOSH P19	732102 FIRE TRKSCF53325500	732102 PIERCE ARROW	01 PIERCE A	01 KOVATCH	8	8	732100 MORITA MCD20MM	732100 MORITA MCD20MM	732100 NAVSTR R1856	001 PIERCE ,	732101 PIERCE SUBURBAN	732101 PIERCE SUBURBAN	732101 WALTER NB750WGG
Activity (Location)														NAF Midway Island					ı															
- 1			- 1			N62742 N62474	N62742 N62474	N62742 N62474					- 1		N62742 N62494						N62742 N62494	N62742 N62583	N62742 N62583	N62742 N62583				_	_		_		N62742 N62735	N62742 N62735

C-25

MOD#1SortedNAVI IST

List of NAVY Crash Fire Rescue (CFR) Inventory

. of 1211	200	200	200	200	200	200																		200	200									
MC Lbs.	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	07000N	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070	N00070
Repl. Yr. Cost		,																									•							
Status Yr. USN	92 71-02845	92 71-02819	92 71-02846	93 71-02968	85 71-02667	85 71-02715	87 73-02850	73 73-03082	80 73-02596	80 73-02599	80 73-02598	78 73-02540	73 73-02677	73 73-02678	94 73-01409	94 73-01410	94 73-01411	94 73-01412	94 73-01413	95 73-01367	95 73-01369	95 73-01370	69 72-01592	85 71-02698	85 71-02699	88 73-02893	88 73-02950	88 73-02974	88 73-02984	94 73-03101	86 73-02799	86 73-02800	86 73-02802	86 73-02801
EU (EC) Make & Model No.	716000 AMERTEK CF4000L	716001 AMERTEK CF4000L	716001 AMERTEK CF4000L	716001 AMERTEK CF4000L	710202 CONESTOGA45152	710202 CONESTOGA45152	733000 EAST TECHX10	732100 ENGINEER FT750	732101 FIRE TRKSCF-5-3325	732101 FIRE TRKSCFG2042	732101 FIRE TRKSFTP-CF3325-	732100 FWD MB23098	732100 JEEP CORPFT750	732100 JEEP CORPFT750	732101 KOVATCH RENEGADE	722500 LTV AMGENW15B9109	716001 OSHKOSH P-19	716001 OSHKOSH P-19	732101 PIERCE ARROW	732101 PIERCE ARROW	732101 PIERCE ARROW	732101 PIERCE ARROW	735101 PIERCE ARROW	732101 PIERCE DASH	732101 PIERCE DASH	732101 PIERCE DASH	732102 PIERCE DASH							
TEMC UIC Activity (Location)	2 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813			N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	N62742 N62813	_	N62742 N62813						

List of NAVY Crash Fire Rescue (CFR) Inventory

NO2742 NO2813 NS PERI HART N62742 N63042 NAS LEMOOFE N62742 N63042 N62742 N63042 N62742 N63042 N62742 N63042	No rear narbor, mi			0200014	
1		732101 WALTER NB750WGG	83 73-02743	0/000N	
	Moore	SOOT AMERIEK	63 / 3-02/45	N00070	
163042 163042 163042		6001 AMERTEK		N00070	200
163042 163042		716001 AMERTEK CF4000L		N00070	200
163042		716001 AMERTEK CF4000L	92 71-02944	N00070	500
1		· 710200 CHRYSLER D-350	84 71-03009	N00070	200
N63042		710200 KOVATCH KFT06	87 71-02773	N00070	200
N63042			94 73-03133	N00070)) [
N63042		2102	86 73-02793	N00070	
N63042		735101 PIERCE TSQT50A	94 73-03120	N00070	
Pacific	Pacific Missile Test Center				
N63126 Pt. Mugu	nf	716000 AMERTEK CF4000L	90 71-02810	91000N	500
N63126		716000 AMERTEK CF4000L	92 71-02964	N00019	200
N63126		716000 AMERTEK FIRE TRK	92 71-02915	0000N	
N63126		716000 AMERTEK FIRE TRK	• •	N00019	
N63126		710200 FORD MTR F800	, -	000N	200
N63126		710200 FORD MTR F800	95 71-03061	N00019	200
N63126		732100 FWD	78 73-02520	N00019	
N63126		734100 GMC TOPKICK	95 73-01378	N00019	
N63126		716001 OSHKOSH P19	85 71-02713	000N	500
N63126		716001 OSHKOSH P19	87 71-02752	0000N	200
N63126		716001 OSHKOSH P19	87 71-02753	N00019	200
N63126		732100 PIERCE ARROW 40 TS	87 73-02935	N00019	1
N63126		730000 PIERCE HDR-WI	95 73-01383	N00019	
N63126		732100 PIERCE SUBURBAN	86 73-02830	N00019	
N63126		732101 PIERCE SUBURBAN	87 73-02867	N00019	
N63126		732101 PIERCE SUBURBAN	87 73-02868	N00019	•
N64267		732100 FIRE TRKS750MC	69 73-02136	N00024	
N64267		734101 FIRE TRKSCS0500	86 73-02828	N00024	
N64267		732102 PIERCE SUBURBAN	86 73-02819	N00024	
N68436		1102	80 73-02643	N00070	
N68436			76 73-02489	N00070	
N68436		735101 PIERCE ARROW	94 73-03105	N00070	

List of NAVY Crash Fire Rescue (CFR) Inventory

;	=1				1		200		2	00		3	00			i	i	1			
	LDS. Of 1211						2	ıŭ	ñ	ñ	ũ	กั	ഗ്								
	6	0/000	N00070	N00070	0.0001	2	N00070	020001	2	V00070	040001	2	00000	02000	0 6	0/000	063	020	9 6	0 0	V00070
(2 2	Š	S N	Z		2	Š	N	2	00 Z	V	00 1	0 X	ON		000	N00063	NOODZO		0/00021	00 N
,	1000		نِ																		
Rani Vr																					
	S S	05000	88 73-02872	86 73-02797	80 73-02613	01000	8/ /1-05//4	87 71-02750		02992	72920		66670	02903	01350	200	02615	03118	72826	02030	02730
Status Yr 11SN	88 73	- 1	88 73.	86 73-	80 73	1 0	8/ /1-	87 71.		92 /1-02992	92 71-02927		8670-17 76	88 73-02903	91 73-01359		80 73-02615	94 73-03118	RG 73,0383E		84 73-02730
Status																					
	RSH		AKKO		50P					-	_	_	_	\ROW	ASH		ğ		Z	•	ဥ္ပ
EU (EC) Make & Model No.	02 PIERCE FIRE MARSH	100	UZ PIERCE PIERCE AKKO	000001	734102 FIRE-TEC WF430250P	0 11/	9	P19	719001 OSHKOSH TA 2000	200-4	OSHKOSH TA3000	OSHKOSH TASOON	2200	PIERCE PIERCE AROW	PIERCE PIERCE DASH	7,1	734 102 FIRE-1EC WF430250P	RROW	PIERCE SUBURBAN		1 WALTER NB750WGG
ke & Mc	RCE	ייי	ב ה ה	732102 PIERCE U00000	E-TEC	0.1000 VOV. VET 6	ב ז ז	716001 OSHKOSH P19	חאטאח		HKONH	HKOKH		RCE P	RCE P	1011	ב-ובכי	1 PIERCE ARROW	RCE S		LTER
C) Ma	102 PIE	100	707	102 PIE	102 FIR	27 000	200 200	001 OS	00100		719001 OSI	+	-	_	τ-	1011	וטב דות	101 PIE	_		101 WAI
EU (E	7321(727	1321	732	734	710	2	716	710/		719(71900	5	73210	73210	724	134	73510	73210		73210
ation)																					
Activity (Location)					Sarcia Carcia																
Activ	9	"			Diego	·		_	~		•	_		_	_						
nIC	N6843(N62742 N68436		N62742 N68436	N68538	N68539		Negen	N68535		N68535	N68535	0000	Nogoge	N68535	NARRED	140000	N68967	N68967	100001	Nogao/
TEMC UIC	N62742 N68436	N62742	41.001	N62742	N62742 N68539 Diego Garcia	N62742 N68539	100	N62/42 N68539	N62742 N68539	1 0	N52/42 N68539	N62742 N68539	0,100	N62/42 N68539	N62742 N68539	N62742 NARREN	102172	N62742 N68967	V62742 N68967	074001	VOZ/42 NOBSO/
				1	_		•	_	_	•	_	_	•	_		-	- (_	_	_	_

108300	73900	006	33500	108300
TOTAL 1211	ATL 1211	CHES 1211	PAC 1211	cross check tot

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Atlantic Division

				Audilia Division	-		200			
읾	Activity (Location)	EU (EC)	XR	Make & Model Number	LBS of 1211	Stat	X S	Cost	NSN	O.
N00101	NAS S. Weymouth	716001	91	AMERTEK CF4000L	0	>	1999	\$174,360	71-02860	N00072
		716001	95	AMERTEK CF4000L	0	>-	2000	\$174,360	71-02914	N00072
		716001	82	OSHKOSH P-19	200	0	1993	\$174,360	71-02682	N00072
N00109	NWS Yorktown	716001	85	OSHKOSH P-19	500	0	1993	\$174,360	71-02691	N00024
N00158	NAS Willow Grove	716001	90	AMERTEK CF4000L	200	0	1998	\$174,360	71-02942	N00072
		716001	35	AMERTEK CF4000L	200	0	2000	\$174,360	71-02898	N00072
		716001	95	AMERTEK CF4000L	200	0	2000	\$174,360	71-02982	N00072
		710201	87	KOVATCH KFT6	200	0	1994	\$81,864	71-02756	N00072
		716001	88	,	500	0	1994	\$174,360	71-02683	N00072
N00171	Naval District Washington	716001	91		200	0	1999	\$174,360	71-02800	N00011
		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02801	N00011
٠		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02803	N00011
		716001	82	OSHKOSH P-19	200	0	1993	\$174,360	71-02703	N00011
N00178	NSWC Dahlgren	716001	35	AMERTEK CF4000L	500	0	2000	\$174,360	71-02947	N00024
N00204	NAS Pensacola	716001	9	AMERTEK CF4000L	200	0	1999	\$174,360	71-02811	N00062
		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02816	N00062
		716001	9	AMERTEK CF4000L	200	0	1999	\$174,360	71-02864	N00062
		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02912	N00062
		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02916	N00062
		716001	93	AMERTEK CF4000L	200	0	2001	\$174,360	71-02866	N00062
		716001	93	AMERTEK CF4000L	200	0	2001	\$174,360	71-02963	N00062
		716001	93	AMERTEK CF4000L	200	0	2001	\$174,360	71-02974	N00062
		716001	93	AMERTEK CF4000L	200	0	2001	\$174,360	71-03003	N00062
	•	710200	88	MAXIM X-CR	200	0	1995	\$73,560	71-02791	N00062
		716001	82	OSHKOSH P-19	200	0	1993	\$174,360	71-02694	N00062
		716001	82	OSHKOSH P-19	200	0	1993	\$174,360	71-02704	N00062
		716001	87		500	0	1995	\$174,360	71-02726	N00062
N00206	NAS New Orleans	716001	8		200	0	1998	\$174,360	71-02922	N00072
		716001	35	AMERTEK CF4000L	200	0	2000	\$174,360	71-02962	N00072
		716001	8		500	0	2000	\$174,360	71-02975	N00072
N00207	NAS Jacksonville	716001	35		.500	0	2000	\$174,360	71-02847	N00060
		716001	35		200	0	2000	\$174,360	71-02945	N00060
		716001	35	AMERTEK CF4000L	200	0	2000	\$174,360	71-02951	N00060
		716001	35	AMERTEK CF4000L	200	0	2000	\$174,360	71-02953	N00060
		716001	93	AMERTEK CF4000L	200	0	2001	\$174,360	71-02977	N00060
,		716001	93	AMERTEK CF4000L	200	0	2001	\$174,360	71-02979	N00000
		710200	82	CHRYSLER W400	0	۵	1985	\$73,560	71-02527	N00060
		740000	a A	CONFECTOR ACK 94009	vvc	c	. , , ,	£70 074	74 00010	AIDOOD

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Atlantic Division

	MC	N00062	N00060	N00060	N000060	N00060	N00062	N00062	N00062	N00062	N00062	N00062	N00062	N00025	N00060	N00060	N00060	N00060	N00060	N00019	N00019	N00019	N00019	N00019	N00019	N00062	N00062	N00062	N00062	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N000060
	USN	71-02755	71-02688	71-02735	71-02729	71-02730	71-02894	71.02904	71.02948	71-02957	71-02966	71-02969	71-02973	71-02709	71-02770	71-02740	71-02929	71-02932	71-02938	71-02697	71-02701	71-02728	71-02936	71-02995	71-02996	71-02772	71-02689	71-02736	71-02737	71-02907	71-02970	71-02861	71-02804	71-02809	71-02817	71-02896	71-02911	71-02958	71-02959
	Cost	\$73,924	\$174,360	\$200,000	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$200,000	\$73,560	\$174,360	\$329,496	\$329,496	\$329,496	\$174,360	\$174,360	\$174,360	\$329,496	\$329,496	\$329,496	\$73,560	\$200,000	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$710,959
Repl	K	1994	1994	1995	1995	1995	1998	1998	1998	1998	1998	1998	1998	1993	1994	1995	2004	2004	2004	1993	1993	1995	2004	2004	2004	1,994	1993	1995	1995	1998	1998	1999	1999	6661	1999	1999	6661	2001	2001
	Stat	0	0	0	I	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0		0	0	>-	>	_	0	0	0	· 0		0	0	0	0	0
-	LBS of 1211	200	200	200	0	200	200	200	200	200	200	200	500	500	200	200	200	200	500	200	200	200	200	200	500	200	0	0	0			200	200	200	200	200	200	200	200
Atlantic Division	Make & Model Number	KOVATCH KFT6	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	AMERTEK CF4000L	AMERTEK CF4000L	AMERTEK CF4000L					OSHKOSH P-19	KOVATCH KFT6	OSHKOSH P-19	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH P-19	OSHKOSH P.19	OSHKOSH P-19	OSHKOSH TA3000		OSHKOSH TA3000	KOVATCH KFT6			OSHKOSH P-19		AMERTEK CF4000L	- 1	AMERTEK CF4000L						
	K	87	86	87	87	87	6	8	6	8	90	90	8	82	87	87	95	35	35	82	82	87	35	95	35	87	82	87	87	8	8	91	91	91	91	91	91	93	93
	EU (EC)	710202	716001	716000	716001	716001	716001	716001	716001	716001	716001	716001	716001	716000	710200	716001	719001	719001	719001	716001	716001	716001	719001	719001	719001	710200	716000	716001	716001	716001	716001	716001	716001	716001	716001	716001	716001	716001	716001
	Activity (Location)	NTC Great Lakes	NAS Key West				NAS Corpus Christi					•		NAS Glenview	NS Roosevelt Roads					NAWC Paxtuxent River						NSA Memphis Millington				NAS Brunswick			NAS Oceana						
	OID.	N00210	N00213				N00216							N00275	N00389					N00421						N00639				N60087			N60191			r			

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Atlantic Division

	Activity (Location)	EU (EC)	Ϋ́	Make & Model Number	1 BS of 1211	to to	Repl	•	4	
NAS	NAS Cecil Field	716001	8	AMERTEK CF4000L	0	 >	Τ.	\$174.360	71.02805	NIOOGO
		716001	06	AMERTEK CF4000L	0	· >-	1998	\$174,360	71-02818	NOOOBO
		716001	6	AMERTEK CF4000L	0	>-	1998	\$174,360	71-02902	09000N
		716001	8	AMERTEK CF4000L	0	>	1998	\$174,360	71-02917	09000N
		716001	91		0	>	1999	\$174,360	71-02812	N00060
		716001	93	AMERTEK CF4000L	0	>-	2001	\$174,360	71-02926	N000060
		716001	93	AMERTEK CF4000L	0	>	2001	\$174,360	71-02954	N00060
		710200	11		200	0	1984	\$73,560	71-02503	N00060
SZ	NS Mayport	716001	87		200	0	1995	\$174,360	71-02741	N00060
		716001	87		200	0	1995	\$174,360	71.02742	N00060
		716001	87	OSHKOSH P-19	200	0	1995	\$174,360	71-02751	N00060
X	NAS Kingsville	716001	8	AMERTEK CF4000L	200	0	1998	\$174,360	71-02949	N00062
		716001	8	AMERTEK CF4000L	200	0	1998	\$174,360	71-02967	N00062
	-	716001	9	AMERTEK CF4000L	200	0	1999	\$174,360	71-02862	N00062
		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02903	N00062
		716001	91	AMERTEK CF4000L	200	0	1999	\$174,360	71-02909	N00062
		716001	95	AMERTEK CF4000L	200	0	2000	\$174,360	71-02960	N00062
NAS	NAS Whiting Field, Milton	716001	6	AMERTEK CF4000L	500	0	1998	\$174,360	71-02908	N00062
		716001	8	AMERTEK CF4000L	200	0	1998	\$174,360	71-02952	N00062
		716001	8	AMERTEK CF4000L	200	0	1998	\$174,360	71-02972	N00062
		716001	80	AMERTEK CF4000L	200	0	1998	\$174,360	71-02976	N00062
		710202	83	FIRE-TEC CK30943	200	0	1990	\$73,924	71-02637	N00062
		710202	83	FIRE-TEC CK30943	200	0	1990	\$73,924	71-02638	N00062
		710202	83	FIRE-TEC CK30943	200	0	1990	\$73,924	71-02639	N00062
		710202	83	FIRE-TEC CK30943	200	0	1990	\$73,924	71-02641	N00062
		710202	83	FIRE-TEC CK30943	200	0	1990	\$73,924	71-02642	N00062
		710202	82		200	0	1992	\$73,924	71-02677	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02775	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02776	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02777	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02778	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02779	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02780	N00062
		710200	87	GMC CHEV KFT6	200	0	1994	\$73,560	71-02781	N00062
		710202	88	GMC CHEV X-CR	200	0	1995	\$73,924	71-02787	N00062
		710202	88	GMC CHEV X-CR	200	0	1995	\$73,924	71-02788	N00062
		710202	88	GMC CHEV X-CR	200	0	1995	\$73,924	71-02789	N00062
	•	110000	Ç		000	(4	

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Atlantic Division

	MC	N00024	N00060	N00061	N00061	N00061	N00062	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00061	N00061	N00061	N00061	N00061	N00061	N00061	N00061	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00060	N00062							
	USN	71-02743	71-02720	71-02695	71-02696	71-02747	71-02679	71-02687	71-02692	71-02748	71-02749	71-02930	71-02937	71-02990	71-02684	71-02933	71-02940	71-02991	71-02686	71-02934	71-02941	71-02989	71-03014	71-03024	71-02760	71-02985	71-02928	71-02935	71-02988	71-02994	71-02802	71-02848	71-02855	71-02856	71-02900	71-02918	71-02943	71-02965
	Cost	\$174,360	\$73,560	\$174,360	\$174,360	\$174,360	\$73,924	\$174,360	\$174,360	\$174,360	\$174,360	\$329,496	\$329,496	\$329,496	\$174,360	\$329,496	\$329,496	\$329,496	\$200,000	\$329,496	\$329,496	\$329,496	\$73,560	\$73,560	\$73,560	\$73,560	\$329,496	\$329,496	\$329,496	\$329,496	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360
Repl	Ϋ́R	1995	1993	1993	1993	1995	1992	1993	1994	1995	1995	2004	2004	2004	1993	2004	2004	2004	1993	2004	2004	2004	1990	2002	1994	1990	2004	2004	2004	2004	1999	1999	1999	1999	1999	1999	2000	2000
	Stat	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	ш	0	0	0		0	0	0	0	0	0	0	0	0	0
_	LBS of 1211	500	200	200	200	500	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	0	200	200	200	200	200	200	200	200	200	200	200	200	200	200
Alialilic Divisio	Ď	OSHKOSH P-19	KOVATCH KFT4	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	GMC CHEV CK30	OSHKOSH P.19	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH P-19	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH P-19	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	FIRE-TEC DC15	FORD MTR F-400	GMC TRK CK1003	NAVISTAR 1854	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	AMERTEK CF4000L							
	K	87	98	82	82	87	85	85	86	87	87	95	92	92	82	95	95	92	82	95	95	92	83	92	87	83	95	95	95	95	91	91	91	9	91	9	95	95
	EU (EC)	716001	710200	716001	716001	716001	710202	716001	716001	716001	716001	719001	719001	719001	716001	719001	719001	719001	716000	719001	719001	719001	710200	710200	710200	710200	719001	719001	719001	719001	716001	716001	716001	716001	716001	716001	716001	716001
	Activity (Location)	NSWC Panama City	NAB Little Creek	NSA Naples			NETC Newport	NS Norfolk							NS Rota				NAS Sigonella				NAS Keflavík								NAS Meridian			,				
	Sin	N61331	N61414	N62588			N62661	N62688							N62863				N62995				N63032								N63043							

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Atlantic Division

																								,	
		2	N00024	N00024	N00061	N00061	N00061	N00061	N00061	N00019	. N00019	N00019	N00019	N00072	N00072	N00072	N00072	N00072	N00019	N00023	N00023	N00023			
	3	USN OCTOO 17	70770-17	71-02734	71-03084	71-03000	71-03001	71-03002	71-03027	71-02712	71-02714	71-02722	71-02782	71-02961	71-02808	71-02815	71-02906	71-02950	71-02690	73-03052	73-02670	71-02796			
	•	6474 260	000'1	\$174,360	\$73,560	\$329,496	\$329,496	\$329,496	\$329,496	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$174,360	\$73,560	\$73,560	\$200,000			
	Repl VP	16		1995	1991	2004	2004	2004	2004	1993	1993	1994	1995	1998	1999	1999	2000	2000	1993	1989	1986	1994			
	10,00) (0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	LBS of 1211	500		200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	200	68400	33500	101900
Atlantic Division	Make & Model Number	OSHKOSH P-19	OSHKOSH B 40	SI-L USONING	CHEV AS32	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH TA3000	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	AMERTEK CF4000L	OSHKOSH P-19	CHEV CK31403	FORD MOTRF600	OSHKOSH P-19	AL LBS HALON 1211- ATL	TOTAL LBS HALON 1211- PAC	AL LBS HALON 1211				
	YR	85	87	5	8	92	95	95	92	82	82	98	87	6	91	91	95	35	82	82	79	98	S HAL	S HAL	3S HAL
	EU (EC)	716001	716001	740000	10200	719001	719001	719001	719001	716001	716001	716001	716001	716001	716001	716001	716001	716001	716001	710200	710200	716000	TOTAL LE	TOTAL LE	TOTAL LE
	Activity (Location)	NUWC Andros Island		NSA Souda Bay	NOO COURS DAY					NAWC Lakehurst				NAS Fort Worth					NWIRP Bloomfield	NSC Pensacola					
	OID	N63821		N66691					1000014	N68335				N83447					N92782	N68860					

Appendix D - Resulting Inventory

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Pacific Division

	USN	71-02807 N00070	71-02919 N00070	71-02921 N00070	71-03005 N00070	71-02759 N00070	71-02814 N00070			71-02867 N00070		<u> </u>	71-02680 N00070	71-02717 N00070	71-02939 N00070	71-02693 N00070	71-02705 N00070	71-02708 N00070	71-02732 N00070	71-02706 N00070	71-02987 N00070	71-02863 N00070	71-02955 N00070	71-02905 N00070	71-02901 N00070	71-03007 N00070	71-02502 N00070	71-02718 N00070	71-02731 N00070	71-02913 N00070	71-02580 N00070	71-02710 N00070	0000000
ᇹ	Yr. Cost																																
,	of 1211 Stat.	200	200	200	200	200	200	500	500	200	200	200	200	200	200	200	500	200	200	200	200	200	500	500	200	200	H 0	200	200	200	200	200	500
	Make & Model No.		AMERTEK CF4000L	AMERTEK CF4000L	CHRYSLER D350	KOVATCH KFT06	AMERTEK CF4000L	AMERTEK CF4000L	AMERTEK CF4000L	AMERTEK CF4000L	AMERTEK CF4000L	AMERTEK CF4000L	CONESTOGACK-31003	KOVATCH KFT-4	OSHKOSH IA-3000	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P-19	OSHKOSH P19	OSHKOSH TA-3000	AMERTEK CF4000L	CF4000L	AMERTEK CF4000L	AMERTEK CF400L	_	_	₹		AMERTEK CF4000L	CHRYSLER W400	P-19	OSHKOSH P-19
5	il a		95	95	83	87	8	06	06	90	90	06	82	86	95	82	82	82	87	82	92	90	06	95	95	84	27	96	87	92	79	82	87
	בים ובירו	100917	716001	716001	710200	710200	716000	716000	716000	716001	716001	716001	710202	710200	719001	716001	716001	716001	716001	716001	719001	716000	716001	716001	716001	710200	710201	710202	716001	716001	710201	716001	716001
Activity (1 control	MAS Alomodo	NAS Alalleda					Naval Base San Diego															NAS Whidbey Island								Pacific Missile Range Facility			
0	NOO36	1400230					N00242															N00620								N0534A			

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Pacific Division

716001 87 OSHKOSH P19 500 716001 87 OSHKOSH P19 500 716001 92 AMERTEK CF4000L 500 716001 92 AMERTEK CF4000L 500 716001 93 AMERTEK CF4000L 500 710202 85 CONESTOGA45152 200 716001 85 OSHKOSH P-19 500 716001 85 OSHKOSH P-19 500 716001 85 OSHKOSH P-19 500 716001 90 AMERTEK CF4000L 500 716001 91 AMERTEK CF4000L 500 716001 92 AMERTEK CF4000L 500 716001 92 AMERTEK CF4000L 500
6001 91 AMERTEK 6001 92 AMERTEK 6001 92 AMERTEK 0200 84 CHRYSLER
6001 6001 6001 6001 6001 6001 6001 6001
· 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4

Crash Fire and Rescue (CFR) Equipment Halon 1211 Containing Equipment Pacific Division

A collection of the latest	i	:					
	EN (EC)	븨	Make & Model No.	Lbs. of 1211 Stat. Yr.	Cost	NSN	W
Pacific Missile Test Center Pt. Mugu	716000	90	AMERTEK CF4000L	200		71-02810	N00019
	716000	95	AMERTEK CF4000L	200		71-02964	0000N
	710200	92	FORD MTR F800	200		71-03060	91000N
	710200	92	FORD MTR F800	200		71-03061	N00019
	716001	82	OSHKOSH P19	500		71-02713	N00019
	716001	87	OSHKOSH P19	500		71-02752	N00019
	716001	87	OSHKOSH P19	500		71-02753	N00019
	710200	87	KOVATCH KFT-6	200		71-02774	N00070
	716001	87	OSHKOSH P19	500		71-02750	N00070
	719001	95	OSHKOSH TA-3000	500		71-02992	N00070
	719001	95	OSHKOSH TA3000	500		71-02927	N00070
	719001	95	OSHKOSH TA3000	200		71-02999	N00070
	TOTALLE	3S HAL	TOTAL LBS HALON 1211- PAC	33500			
	TOTAL LE	3S HAL	TOTAL LBS HALON 1211- ATL	68400			-
	TOTAL LE	BS HA	TOTAL LBS HALON 1211	101900			